



GENERAL NOTES

1. COMBINATION CONCRETE CURB & GUTTER SHALL BE DEPRESSED IN ACCORDANCE WITH STANDARD 606001.
2. CONCRETE MEDIAN SURFACE 4(100) SHALL BE PLACED IN ACCORDANCE WITH STANDARD 606301.
3. C.C.C. & G. AND CONCRETE MEDIAN SURFACE 4(100) WILL BE 606.13 OF STANDARD SPECIFICATIONS.
4. C.C.C. & G. CONSTRUCTION JOINTS WILL BE AS SHOWN ON STANDARD 606001.
5. REFER TO STATE STANDARD 424001 FOR TEXTURING AND OTHER DISABLED ACCESSIBILITY DESIGN ELEMENTS.
6. EXCEPTIONS TO THE RADIUS FLARE/PROPERTY LINE RELATIONSHIP ARE AS SHOWN IN THE PLANS FOR COMMON ENTRANCES, WITH JOINTLY EXECUTED ACCESS PERMITS.

| ELEMENT | NON-COMMERCIAL | | COMMERCIAL | | | |
|---------------------------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| | | | 1-WAY OPERATION | | 2-WAY OPERATION | |
| WIDTH (W) | 12' (3.6m)MIN. | 24' (7.2m)MAX. | 14' (4.3m)MIN. | 24' (7.2m)MAX. | 24' (7.2m)MIN. | 35' (10.7m)MAX. |
| RADIUS EQUIVALENT 1:1 FLARE (F) | 5' (1.5m)MIN. | 25' (7.6m)MAX. | 15' (4.6m)MIN. | 40' (12.0m)MAX. | 15' (4.6m)MIN. | 40' (12.0m)MAX. |
| MAX. GRADE (G) | 8% | | 6% | | | |

All dimensions are in inches (millimeters) unless otherwise noted.

| | | | | | |
|----------|-----------------------|--------|--|--|--|
| 09-15-05 | NEW DETAIL | M.M.A. | | | |
| 10-16-06 | REVISED TO 2007 SPEC. | M.A. | | | |

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

URBAN ENTRANCES CLOSELY SPACED WITHOUT SIDEWALKS

NOT TO SCALE

| | | | | |
|---|--------------------|--------|--------------|-----------|
| F.A.U. RTE. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
| 6659 | 11RS-3 | PEORIA | 40 | 40 |
| PPP | CONTRACT NO. 68502 | | | |
| FED. ROAD DIST. NO. 4 ILLINOIS FED. AID PROJECT | | | | |

CA00_S10_423003-04