


SCHEDULES OF QUANTITIES

INCIDENTAL HMA (SHEET 3 OF 5)

STATION	LT. OR RT.	TYPE	W1 (feet)	W2 (feet)	L (feet)	M1 (feet)	AREA (SY)	40600982 HMA SURFACE REMOVAL. BUTT JOINT	40600985 PCC SURFACE REMOVAL. BUTT JOINT	40800010 BITUMINOUS MATERIALS (PRIME COAT)	40800030 AGGREGATE (PRIME COAT)	40800050 INCIDENTAL HMA SURFACING
2319+72	RT.	C.E.	28	16	5	5	12.2	12.2		1.2	0.0	1.0
2320+59.5	LT.	C.E.	61	42	5	5	28.6	28.6		2.9	0.0	2.4
2320+79	RT.	P.E.	26	14	5	5	11.1	11.1		1.1	0.0	0.9
2321+52	RT.	C.E.	30	12	5	5	11.7	11.7		1.2	0.0	1.0
2322+13	RT.	C.E.	30	14	5	5	12.2	12.2		1.2	0.0	1.0
2322+49.2	LT.	C.E.	58	35	5	5	25.8	25.8		2.6	0.0	2.2
2322+65	RT.	C.E.	23	14	5	5	10.3	10.3		1.0	0.0	0.9
2322+85	RT.	C.E.	26	14	5	5	11.1	11.1		1.1	0.0	0.9
2323+33	RT.	P.E.	23	12	5	5	9.7	9.7		1.0	0.0	0.8
2323+68	LT.	C.E.	61	35	5	5	26.7	26.7		2.7	0.0	2.2
2324+11	RT.	Lincoln	54	21	15	15	62.5	62.5		6.3	0.1	5.3
2324+72	RT.	P.E.	25	14	5	5	10.8	10.8		1.1	0.0	0.9
2324+92	RT.	P.E.	26	16	5	5	11.7	11.7		1.2	0.0	1.0
2325+48	RT.	Alley	40	25	5	5	18.1	18.1		1.8	0.0	1.5
2326+10	RT.	C.E.	46	28	5	5	20.6	20.6		2.1	0.0	1.7
2326+63	RT.	C.E.	49	35	5	5	23.3	23.3		2.3	0.0	2.0
2327+22	RT.	Steffler	70	26	30	30	160.0	160.0		16.0	0.2	13.4
2328+79	RT.	Alley	39	21	5	5	16.7	16.7		1.7	0.0	1.4
2329+40	RT.	C.E.	81	60	5	5	39.2	39.2		3.9	0.1	3.3
2330+74	LT.	Chanute	88	37	20	20	138.9	138.9		13.9	0.2	11.7
2330+74	RT.	Chanute	88	42	18	18	130.0	130.0		13.0	0.2	10.9
2332+25	RT.	C.E.	61	47	5	5	30.0	30.0		3.0	0.0	2.5
2332+56	RT.	C.E.	44	25	5	5	19.2	19.2		1.9	0.0	1.6
2333+30	RT.	C.E.	37	23	5	5	16.7	16.7		1.7	0.0	1.4
2333+59.4	LT.	P.E.	35	18	5	5	14.7	14.7		1.5	0.0	1.2
2334+80	RT.	P.E.	28	12	5	5	11.1	11.1		1.1	0.0	0.9
2335+81.6	RT.	Charles	47	23	18	18	70.0	70.0		7.0	0.1	5.9
2335+90.9	LT.	Congress	72	39	11	11	67.8	67.8		6.8	0.1	5.7
2336+35.2	LT.	P.E.	28	16	5	5	12.2	12.2		1.2	0.0	1.0
2336+75	RT.	Elaine	47	23	16	16	62.2	62.2		6.2	0.1	5.2
2336+83	LT.	P.E.	32	16	5	5	13.3	13.3		1.3	0.0	1.1
2337+75	RT.	Charles	47	23	16	16	62.2	62.2		6.2	0.1	5.2
2337+85	LT.	P.E.	21	10	5	5	8.6	8.6		0.9	0.0	0.7
2338+69.6	LT.	P.E.	26	16	5	5	11.7	11.7		1.2	0.0	1.0
2339+17	RT.	P.E.	32	14	5	5	12.8	12.8		1.3	0.0	1.1
2339+86.5	RT.	P.E.	30	14	5	5	12.2	12.2		1.2	0.0	1.0
2340+47	RT.	P.E.	30	14	5	5	12.2	12.2		1.2	0.0	1.0
2340+97	LT.	Sangamon	79	35	15	15	95.0	95.0		9.5	0.1	8.0
2341+02.9	RT.	P.E.	30	14	5	5	12.2	12.2		1.2	0.0	1.0
SHEET 3 SUBTOTALS							1335.3	1335.3	0.0	133.5	2.0	111.9



W1 = FRONT WIDTH OF HMA APPROACH
W2 = BACK WIDTH OF HMA APPROACH
L = DISTANCE FROM MAINLINE FACE OF CURB TO LIMITS OF HMA APPROACH
M1 = PROPOSED LENGTH OF PCC OR HMA BUTT JOINT

* BUTT JOINT SHALL BE MILLED TO PROVIDE 1/2" DEPTH AT W2 AND A MINIMUM OF 1" HMA DEPTH AT ALL OTHER LOCATIONS. A STRINGLINE SHALL BE USED TO ASSURE THIS REQUIREMENT