

DELINEATORS SCHEDULE							
LOCATION			LENGTH OF NEED	SPACING	SINGLE	SINGLE EACH SIDE	DOUBLE
STA	STA	LT/RT	FOOT	FOOT	EACH	EACH	EACH
IL 72							
179+ 09.00	275+ 86.00	RT	9677.00	400	24		
179+ 09.00	271+ 78.79	LT	9269.79	400	23		
RAMP A							
500+ 00.00	506+ 62.40	RT	662.40	200			4
506+ 62.40	512+ 26.02	LT/RT	563.62	80		16	
512+ 62.14	514+ 66.04	LT/RT	203.90	125		2	
514+ 66.04	518+ 44.81	LT/RT	378.77	55		14	
518+ 44.81	519+ 55.00	LT/RT	110.19	125		2	
RAMP B							
601+ 28.16	602+ 38.46	LT/RT	110.30	125		2	
602+ 38.46	606+ 19.97	LT/RT	381.51	65		2	
606+ 19.97	608+ 59.99	LT/RT	240.02	125		4	
608+ 59.99	614+ 57.18	LT/RT	597.19	80		2	
614+ 57.18	625+ 07.14	RT	1049.96	200			6
RAMP C							
700+ 00.00	706+ 62.40	RT	662.40	200			4
706+ 62.40	712+ 26.05	LT/RT	563.65	80		14	
712+ 26.05	714+ 66.04	LT/RT	239.99	165		4	
714+ 66.04	718+ 44.82	LT/RT	378.78	65		2	
718+ 44.82	719+ 56.00	LT/RT	111.18	125		2	
RAMP D							
800+ 99.10	802+ 38.47	LT/RT	139.37	125		2	
802+ 38.47	806+ 19.97	LT/RT	381.50	65		12	
806+ 19.97	808+ 59.99	LT/RT	240.02	125		4	
808+ 59.99	814+ 57.19	LT/RT	597.20	80		16	
814+ 57.19	825+ 04.14	RT	1046.95	200			6
IL 72							
318+ 43.00	402+ 01.00	RT	8358.00	400	21		
407+ 58.00	538+ 00.00	RT	13042.00	400	33		
314+ 36.47	405+ 15.00	LT	9078.53	400	23		
410+ 70.00	538+ 00.00	LT	12730.00	400	32		

(CONTINUED ON NEXT TABLE)

SUB-BASE GRANULAR MAT, TY B SCHEDULE						
LOCATION			DEPTH			TON
STA	STA	LENGTH	SQ FT	INCH	CU YD	TOTALS
CH 19						
1938+ 69.00	1940+ 44.00	353.00	1092.00	12	40.44	83
1946+ 50.00	1948+ 37.00	187.00	470.00	12	17.41	36
1951+ 63.00	1953+ 50.00	375.00	466.00	12	17.26	36
1959+ 64.00	1961+ 31.00	338.00	1013.00	12	37.52	77
TOTALS						232

DELINEATORS SCHEDULE		
LOCATION	DELINEATORS	
	EACH	
MAINLINE		
173+30.00	110' RT	1
173+90.00	110' LT	1
199+90.00	148' RT	1
200+90.00	160' LT	1
210+95.00	115' RT	1
213+15.00	112' LT	1
240+30.00	92' LT	1
240+30.00	100' RT	1
248+70.00	105' RT	1
249+25.00	100' LT	1
261+00.00	103' RT	1
273+50.00	99' RT	1
286+00.00	94' RT	1
304+00.00	94' LT	1
316+00.00	110' LT	1
327+50.00	110' LT	1
327+50.00	105' RT	1
340+00.00	103' LT	1
348+75.00	98' LT	1
353+27.00	115' LT	1
354+27.00	125' RT	1
366+00.00	100' LT	1
366+00.00	110' RT	1
427+70.00	118' RT	1
430+75.00	120' RT	1
430+95.00	117' LT	1

(CONTINUED ON NEXT TABLE)

DELINEATORS SCHEDULE		
LOCATION	DELINEATORS	
	EACH	
RAMP A		
510+00.00	27' RT	1
510+00.00	43' LT	1
RAMP B		
611+00.00	27' LT	1
611+00.00	27' RT	1
615+56.00	36' RT	1
RAMP C		
713+00.00	45' RT	1
713+00.00	52' LT	1
RAMP D		
811+00.00	28' RT	1
811+00.00	45' LT	1
815+56.00	31' RT	1
TOTALS		312

CURB & GUTTER SCHEDULE								
LOCATION	COMBINATION CURB & GUTTER REMOVAL	CONCRETE MEDIAN SURFACE REMOVAL	COMBINATION CONCRETE CURB & GUTTER, TYPE M-4.12	CONCRETE MEDIAN, TYPE M-4.12	CONCRETE MEDIAN SURFACE, 4 INCH	CORRUGATED MEDIAN REMOVAL		
	FOOT	SQ FT	FOOT	SQ FT	SQ FT	SQ FT		
CH 19								
1937+60.00	TO 1939+41.00	MEDIAN				701		
1938+69.00	TO 1940+44.00	MEDIAN	353	1,092	353	1092		
1944+76.00	TO 1946+50.00	MEDIAN	343	446	446			
1946+50.00	TO 1948+37.00	MEDIAN	374	470	374	470		
1951+63.00	TO 1953+50.00	MEDIAN	375	466	375	466		
1953+50.00	TO 1955+23.00	MEDIAN	351	456	456			
1959+64.00	TO 1961+31.00	MEDIAN	338	1,013	338	1013		
1960+59.00	TO 1962+40.00	MEDIAN				701		
TOTALS			2,134	3,943	1,440	902	3,041	1,402