

PRECAST REINFORCED CONCRETE
FLARED END SECTIONS, 60"

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
86+30.10	54.4' RT	1
TOTAL		1

CONCRETE HEADWALL
FOR PIPE DRAINS

LOCATION		QUANTITY
		(EACH)
*JOBSITE		2
TOTAL		2

PIPE UNDERDRAINS 4"

LOCATION		QUANTITY
		(FOOT)
*JOBSITE		200
TOTAL		200

CATCH BASINS, TYPE A, 4' DIAMETER,
TYPE 24 FRAME AND GRATE

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
83+54.00	22.5' LT	1
87+50.00	20.0' RT	1
89+25.00	22.6' LT	1
89+25.00	20.0' RT	1
90+83.70	21.3' LT	1
90+83.70	18.7' RT	1
TOTAL		6

GUTTER OUTLET

LOCATION		QUANTITY
		(EACH)
82+82.82 TO 83+16.99 RT		1
TOTAL		1

TRAFFIC BARRIER TERMINAL, TYPE 2

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
84+31.68 TO 84+46.21	LT	1
87+04.20 TO 87+18.90	LT	1
84+54.17 TO 84+68.31	RT	1
86+58.35 TO 86+72.32	RT	1
TOTAL		4

STORM SEWERS, CLASS A, TYPE 2, 12"

LOCATION		QUANTITY
STATION/OFFSET		(FOOT)
83+54.0; 22.5' LT TO 83+54.0; 32.5' LT		12.0
87+50.0; 20.0' RT TO 87+50.0; 22.6' LT		42.6
87+50.0; 35.5' LT TO 87+50.0; 22.6' LT		13.0
89+25.0; 39.0' LT TO 87+50.0; 22.6' LT		175.8
89+25.0; 22.6' LT TO 89+25.0; 39.0' LT		16.4
89+25.0; 20.0' RT TO 89+25.0; 22.6' LT		42.6
90+83.7; 21.3' LT TO 90+83.7; 18.7' RT		41.5
90+83.7; 18.7' RT TO 90+83.6; 27.7' RT		10.3
TOTAL		354.2

PIPE UNDERDRAINS 4" (SPECIAL)

LOCATION		QUANTITY
		(FOOT)
*JOBSITE		50
TOTAL		50

COMBINATION CONCRETE CURB
AND GUTTER, TYPE B-6.12

LOCATION		QUANTITY
STATION	OFFSET	(FOOT)
82+59.93 TO 82+98.48	LT	52.0
83+21.74 TO 83+71.75	RT	100.2
84+22.24 TO 85+00.00	RT	141.7
90+81.62 TO 91+41.62	RT	94.2
90+94.06 TO 91+34.06	LT	79.0
TOTAL		467.1

GUARDRAIL REMOVAL

LOCATION		QUANTITY
STATION	OFFSET	(FOOT)
84+09.68 TO 86+23.85	LT	214.2
85+06.10 TO 86+83.26	RT	177.3
TOTAL		391.5

STORM SEWERS, CLASS A, TYPE 2, 15"

LOCATION		QUANTITY
STATION/OFFSET		(FOOT)
87+50.00; 22.6' LT TO 87+00.00; 47.0 LT		56.0
TOTAL		56.0

STORM SEWERS, CLASS A, TYPE 2, 60"

LOCATION		QUANTITY
STATION/OFFSET		(FOOT)
86+73.00; 29.8' RT TO 86+30.10; 54.4' RT		49.4
TOTAL		49.4

PIPE UNDERDRAINS,
FABRIC LINED TRENCH 4"

LOCATION		QUANTITY
		(FOOT)
*JOBSITE		250
TOTAL		250

CATCH BASINS, TYPE A,
4'-DIAMETER, TYPE 8 GRATE

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
87+00.00	32.7' RT	1
87+50.00	35.5' LT	1
TOTAL		2

COMBINATION CONCRETE CURB
AND GUTTER, TYPE B-6.24

LOCATION		QUANTITY
STATION	OFFSET	(FOOT)
82+98.48 TO 90+94.06	LT	795.5
85+00.00 TO 90+81.62	RT	567.1
TOTAL		1362.6

STEEL PLATE BEAM GUARD RAIL
(SHORT RADIUS)

LOCATION		QUANTITY
STATION	OFFSET	(FOOT)
84+46.21 TO 84+51.96	LT	5.8
86+95.71 TO 87+04.20	LT	8.5
84+68.31 TO 85+12.30	RT	44.0
86+31.05 TO 86+45.85	RT	14.8
TOTAL		73.1

STORM SEWER REMOVAL, 18"

LOCATION		QUANTITY
STATION/OFFSET		(FOOT)
84+46.20; 31.6' LT TO 85+47.70; 27.9' LT		101.8
TOTAL		101.8

STORM SEWER REMOVAL, 60"

LOCATION		QUANTITY
STATION/OFFSET		(FOOT)
86+15.10; 30.3' RT TO 86+77.00; 29.7' RT		58
TOTAL		58

REMOVING MANHOLES

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
83+62.93	50.5' RT	1
84+32.84	51.5' RT	1
90+83.59	27.7' RT	1
TOTAL		3

TRAFFIC BARRIER TERMINAL,
TYPE 5A

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
85+39.46 TO 85+52.71	LT	1
85+82.46 TO 85+95.71	LT	1
85+74.80 TO 85+88.05	RT	1
86+17.80 TO 86+31.05	RT	1
TOTAL		4

STEEL PLATE BEAM GUARD RAIL, TYPE A

LOCATION		QUANTITY
STATION	OFFSET	(FOOT)
84+51.96 TO 85+39.46	LT	87.5
85+95.71 TO 86+95.71	LT	100.0
85+12.30 TO 85+74.80	RT	62.5
86+45.85 TO 86+58.35	RT	12.5
TOTAL		262.5

DELINEATORS

LOCATION		QUANTITY
		(EACH)
S.N. 016-2848		
NORTHWEST CORNER	LT	1
NORTHEAST CORNER	RT	1
SOUTHWEST CORNER	LT	1
SOUTHEAST CORNER	RT	1
TOTAL		4

MANHOLES, TYPE A, 5' DIA.,
TYPE 1 FRAME, OPEN LID

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
83+62.93	50.5' RT	1
TOTAL		1

MANHOLES, TYPE A, 7' DIA.,
TYPE 1 FRAME, OPEN LID

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
84+32.84	51.5' RT	1
87+50.00	22.6' LT	1
TOTAL		2

MANHOLES, TYPE A, 7' DIA.,
TYPE 1 FRAME, CLOSED LID

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
89+25.00	39.0' LT	1
TOTAL		1

MANHOLES, SPECIAL

LOCATION		QUANTITY
STATION	OFFSET	(EACH)
86+73.00	29.8' RT	1
90+86.30	27.7' RT	1
TOTAL		2

STEEL PLATE BEAM GUARD RAIL
ATTACHED TO STRUCTURES

LOCATION		QUANTITY
STATION	OFFSET	(FOOT)
85+52.21 TO 86+02.21	LT	50.0
85+86.46 TO 86+23.96	RT	37.5
TOTAL		87.5

PERMANENT SURVEY MARKERS, TYPE 1

LOCATION		QUANTITY
		(EACH)
JOBSITE		1
TOTAL		1

*ESTIMATED QUANTITY

FILE NAME = ... \D160CB7-sht-schedules_Rt.dgn	USER NAME = Plotted by Administrator	DESIGNED - OWR	REVISED Δ - 4/10/2009	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES OAK PARK AVENUE OVER UNION DRAINAGE DITCH	F.A. RTE. 2774	SECTION 0306T	COUNTY COOK	TOTAL SHEETS 55	SHEET NO. 12	
PLOT SCALE = 50.00' / IN.	CHECKED - FML	REVISOR -	SCALE: NONE			SHEET NO. OF SHEETS	STA. TO STA.	FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT	CONTRACT NO. 60C07	
PLOT DATE = 4/13/2009	DATE - 10/2008	REVISOR -									