



MATCH LINE J
SEE SHEET 11 OF 27

PLAN

10-Apr-2009 13:40 s:\Dept\Structures\301099 190 94-retwall\ILL 190 94-RAMP\F\DG\FILES\09-12-RFOUND.dgn

DESIGNED	ECF
CHECKED	JMM
DRAWN	X
CHECKED	JMM

PILE DATA	
②	14" DIA. x 0.250" WALLS NOMINAL REQUIRED BEARING = 180 KIPS ALLOWABLE RESISTANCE AVAILABLE = 60 KIPS
③	14" DIA. x 0.250" WALLS NOMINAL REQUIRED BEARING = 120 KIPS ALLOWABLE RESISTANCE AVAILABLE = 40 KIPS

MINIMUM BAR LAPS
*4 BARS - 1'-8"

NOTE:
FOR SECTIONS E-E AND
F-F, SEE SHEET 14

REVISIONS	
NAME	DATE
ADDENDUM A	4/10/09

DLZ 85 W. Algonquin Rd. Ste. 220
Arlington Heights IL 60005
DLZ Illinois, Inc.

**RETAINING WALL RAMP F
DETAILS**
I-90/94 KENNEDY EXPRESSWAY
(HUBBARDS CAVE TO I-290)
SECT. (202.6 - 2P, ETC, 1415 & 1517) R-7
STATION 13+45 LT 22' TO 10+59 LT 22'
COOK COUNTY
STRUCTURE NUMBER 016-W807