



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 10, 2009

SUBJECT: FAP Route 665 (IL 116)
Project ACF-0665 (012)
Section (136, 137)W&RS-3; 136R; 109BR-2
Henderson County
Contract No. 88773
Item No. 203, April 24, 2009 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page iv of the Table of Contents to the Special Provisions.
2. Added page 173 to the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Eric E. Harm
Interim Bureau Chief
Bureau of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E." with a small "P.E." to the right.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: Joseph E. Crowe, Region 3, District 4; Bill Frey, R. E. Anderson;
Estimates

TBW:DB:jc

SILT FILTER FENCE (BDE) 117
STEEL PLATE BEAM GUARDRAIL (BDE) 117
STONE GRADATION TESTING (BDE)..... 117
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE) 117
TEMPORARY EROSION CONTROL (BDE) 118
TRAINING SPECIAL PROVISIONS 118
PIPE UNDERDRAINS FOR STRUCTURES 121
POROUS GRANULAR EMBANKMENT, SPECIAL..... 122
BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) (RETURN FORM WITH BID) 122
STEEL COST ADJUSTMENT (BDE) (RETURN FORM WITH BID) 125
404 PERMIT 129
NATIONWIDE PERMITS AND CONDITIONS..... 133
IEPA REGIONAL CONDITIONS..... 147
STORM WATER POLLUTION PREVENTION PLAN..... 165
SPECIAL DESIGN PRECAST CONCRETE BOX CULVERTS..... 173
DROP BOX 173

Revised 04/10/2009

SPECIAL DESIGN PRECAST CONCRETE BOX CULVERTS

Effective: May 9, 2007

Revised: September 11, 2007

Description. This work shall consist of furnishing and installing special design precast reinforced concrete box culvert sections and end sections according to Section 540 of the Standard Specifications. This work shall be required for all precast concrete box culverts and end sections that do not maintain standard box dimensions found in AASHTO M259 (AASHTO M259M) Standard Specifications for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers or AASHTO M273 (AASHTO M273M) Standard Specifications for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers with Less than 2 ft of Cover Subjected to Highway Loadings, whichever is applicable.

Design and Submittals. The precast concrete box sections and end sections shall be designed according to the AASHTO Specification for Highway Bridges, 17th Edition 2002 and AASHTO M259 (M259M) or AASHTO M273 (M273M), whichever is applicable.

Shop drawings for the special design precast reinforced concrete box sections and end sections shall be submitted according to Article 1042.03(b) and Article 105.04 of the Standard Specifications. The haunch dimensions shall be equal to the wall thickness in both the vertical and horizontal direction. The supplier selected by the Contractor shall submit complete design calculations and shop drawings, prepared and sealed by an Illinois Licensed Structural Engineer, for approval by the Engineer.

Basis of Payment. This work will be included with the contract unit price per foot for PRECAST CONCRETE BOX CULVERTS, of the applicable size(s) specified.

DROP BOX

This work shall consist of furnishing and erecting a Drop Box according to the applicable portions of Article 540 of the Standard Specifications and as directed by the Engineer. This work will be paid for at the unit cost each for DROP BOX of the number specified.

Added 04/10/2009