

"W" = Top bars spacing + 4"

with the steel retainer plate.

are omitted, the concrete barrier shall be in direct contact


R-27

7	1	10
/ -	1-	IU.

	USER NAME =	DESIGNED - KMP	REVISED	STATE OF ILLINOIS	TEMPORARY CONCRETE BARRIER FOR STAGE CONSTRUCTION		SECTION	COUNTY TOTAL SHEET SHEETS NO.
		CHECKED - STB	REVISED		STRUCTURE NO. 022–0512	311	652-A	DuPAGE 383 168
	PLOT SCALE =	DRAWN - KMP	REVISED	DEPARTMENT OF TRANSPORTATION				CONTRACT NO. 60R06
	PLOT DATE = 02/28/2014 CHECKED - STB REVISED	SHEET NO. S-5 OF S-53 SHEETS		ILLINOIS FED. AID PROJECT				

## NOTES

Detail I - With Bar Splicer or Couplers: Connect one (1)  $1'' \times 7' \times 'W''$  steel P to the top layer of couplers with  $2 - \frac{5}{8}$   $\phi$  bolts screwed to coupler at approximate  $\underline{c}$  of each barrier panel. Detail II - With Extended Reinforcement Bars: Connect one (1) 1'' x 7'' x 'W'' steel ⅊ to the concrete slab or concrete wearing surface with 2-5<sub>8</sub>'' ¢ Expansion Anchors or cast in place inserts spaced between the top layer of reinforcement at approximate  $\mathcal{Q}$  of each barrier panel. Cost of anchorage is included with Temporary Concrete Barrier. The 1" x 7" x "W" plate shall not be removed until stage II construction forms and all reinforcement bars are in place and the concrete is ready



<sup>\*</sup> Required only with Detail II