

BEAM 1					BEAM 2					BEAM 3					BEAM 4				
Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection	Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection	Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection	Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	281+45.35	-46.42	660.64	660.64	Bk. N. Abut.	281+44.63	-40.25	660.50	660.50	Bk. N. Abut.	281+43.91	-34.08	660.37	660.37	Bk. N. Abut.	281+43.19	-27.92	660.45	660.45
Exp. Joint	281+47.00	-46.42	660.66	660.66	Exp. Joint	281+46.70	-40.25	660.52	660.52	Exp. Joint	281+45.98	-34.08	660.39	660.39	Exp. Joint	281+45.26	-27.92	660.47	660.47
Brg. N. Abut.	281+48.31	-46.42	660.67	660.67	Brg. N. Abut.	281+47.59	-40.25	660.53	660.53	Brg. N. Abut.	281+46.87	-34.08	660.40	660.40	Brg. N. Abut.	281+46.15	-27.92	660.47	660.47
A	281+58.31	-46.42	660.75	660.78	A	281+57.59	-40.25	660.62	660.65	A	281+56.87	-34.08	660.48	660.52	A	281+56.15	-27.92	660.56	660.59
B	281+68.31	-46.42	660.82	660.88	B	281+67.59	-40.25	660.69	660.75	B	281+66.87	-34.08	660.56	660.61	B	281+66.15	-27.92	660.64	660.69
C	281+78.31	-46.42	660.88	660.95	C	281+77.59	-40.25	660.75	660.82	C	281+76.87	-34.08	660.62	660.68	C	281+76.15	-27.92	660.70	660.76
D	281+88.31	-46.42	660.92	660.99	D	281+87.59	-40.25	660.79	660.86	D	281+86.87	-34.08	660.66	660.72	D	281+86.15	-27.92	660.74	660.81
E	281+98.31	-46.42	660.95	661.00	E	281+97.59	-40.25	660.82	660.87	E	281+96.87	-34.08	660.69	660.74	E	281+96.15	-27.92	660.77	660.82
F	282+08.31	-46.42	660.97	660.99	F	282+07.59	-40.25	660.84	660.86	F	282+06.87	-34.08	660.71	660.73	F	282+06.15	-27.92	660.79	660.81
Brg. Pier	282+20.39	-46.42	660.97	660.97	Brg. Pier	282+19.67	-40.25	660.84	660.84	Brg. Pier	282+18.95	-34.08	660.71	660.71	Brg. Pier	282+18.23	-27.92	660.79	660.79
G	282+30.39	-46.42	660.95	660.95	G	282+29.67	-40.25	660.82	660.82	G	282+28.95	-34.08	660.70	660.69	G	282+28.23	-27.92	660.78	660.78
H	282+40.39	-46.42	660.92	660.92	H	282+39.67	-40.25	660.79	660.80	H	282+38.95	-34.08	660.67	660.67	H	282+38.23	-27.92	660.75	660.76
I	282+50.39	-46.42	660.88	660.88	I	282+49.67	-40.25	660.75	660.76	I	282+48.95	-34.08	660.63	660.63	I	282+48.23	-27.92	660.71	660.72
J	282+60.39	-46.42	660.82	660.82	J	282+59.67	-40.25	660.69	660.70	J	282+58.95	-34.08	660.57	660.58	J	282+58.23	-27.92	660.66	660.66
Brg. S. Abut.	282+73.56	-46.42	660.72	660.72	Brg. S. Abut.	282+72.84	-40.25	660.60	660.60	Brg. S. Abut.	282+72.12	-34.08	660.48	660.48	Brg. S. Abut.	282+71.40	-27.92	660.56	660.56
Exp. Joint	282+74.44	-46.42	660.71	660.71	Exp. Joint	282+73.72	-40.25	660.59	660.59	Exp. Joint	282+73.00	-34.08	660.47	660.47	Exp. Joint	282+72.28	-27.92	660.56	660.56
Bk. S. Abut.	282+76.51	-46.42	660.70	660.70	Bk. S. Abut.	282+75.79	-40.25	660.57	660.57	Bk. S. Abut.	282+75.07	-34.08	660.45	660.45	Bk. S. Abut.	282+74.35	-27.92	660.54	660.54

BEAM 5					BEAM 6					BEAM 7					BEAM 8				
Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection	Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection	Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection	Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	281+42.47	-21.75	660.57	660.57	Bk. N. Abut.	281+41.75	-15.58	660.69	660.69	Bk. N. Abut.	281+41.03	-9.42	660.81	660.81	Bk. N. Abut.	281+40.31	-3.25	660.93	660.93
Exp. Joint	281+44.54	-21.75	660.59	660.59	Exp. Joint	281+43.82	-15.58	660.71	660.71	Exp. Joint	281+43.10	-9.42	660.83	660.83	Exp. Joint	281+42.38	-3.25	660.95	660.95
Brg. N. Abut.	281+45.43	-21.75	660.60	660.60	Brg. N. Abut.	281+44.71	-15.58	660.72	660.72	Brg. N. Abut.	281+43.99	-9.42	660.84	660.84	Brg. N. Abut.	281+43.27	-3.25	660.96	660.96
A	281+55.43	-21.75	660.68	660.72	A	281+54.71	-15.58	660.81	660.84	A	281+53.99	-9.42	660.93	660.96	A	281+53.27	-3.25	661.05	661.08
B	281+65.43	-21.75	660.76	660.82	B	281+64.71	-15.58	660.88	660.94	B	281+63.99	-9.42	661.01	661.06	B	281+63.27	-3.25	661.13	661.19
C	281+75.43	-21.75	660.82	660.89	C	281+74.71	-15.58	660.94	661.01	C	281+73.99	-9.42	661.07	661.14	C	281+73.27	-3.25	661.19	661.26
D	281+85.43	-21.75	660.87	660.93	D	281+84.71	-15.58	660.99	661.06	D	281+83.99	-9.42	661.12	661.18	D	281+83.27	-3.25	661.24	661.31
E	281+95.43	-21.75	660.90	660.95	E	281+94.71	-15.58	661.03	661.07	E	281+93.99	-9.42	661.15	661.20	E	281+93.27	-3.25	661.28	661.33
F	282+05.43	-21.75	660.92	660.94	F	282+04.71	-15.58	661.05	661.07	F	282+03.99	-9.42	661.17	661.20	F	282+03.27	-3.25	661.30	661.32
Brg. Pier	282+17.51	-21.75	660.92	660.92	Brg. Pier	282+16.79	-15.58	661.05	661.05	Brg. Pier	282+16.07	-9.42	661.18	661.18	Brg. Pier	282+15.35	-3.25	661.31	661.31
G	282+27.51	-21.75	660.91	660.91	G	282+26.79	-15.58	661.04	661.04	G	282+26.07	-9.42	661.17	661.17	G	282+25.35	-3.25	661.30	661.30
H	282+37.51	-21.75	660.88	660.89	H	282+36.79	-15.58	661.02	661.02	H	282+36.07	-9.42	661.15	661.15	H	282+35.35	-3.25	661.28	661.28
I	282+47.51	-21.75	660.84	660.85	I	282+46.79	-15.58	660.98	660.98	I	282+46.07	-9.42	661.11	661.11	I	282+45.35	-3.25	661.24	661.25
J	282+57.51	-21.75	660.79	660.80	J	282+56.79	-15.58	660.92	660.93	J	282+56.07	-9.42	661.06	661.06	J	282+55.35	-3.25	661.19	661.20
Brg. S. Abut.	282+70.68	-21.75	660.70	660.70	Brg. S. Abut.	282+69.96	-15.58	660.83	660.83	Brg. S. Abut.	282+69.24	-9.42	660.97	660.97	Brg. S. Abut.	282+68.52	-3.25	661.10	661.10
Exp. Joint	282+71.56	-21.75	660.69	660.69	Exp. Joint	282+70.84	-15.58	660.83	660.83	Exp. Joint	282+70.12	-9.42	660.96	660.96	Exp. Joint	282+69.40	-3.25	661.09	661.09
Bk. S. Abut.	282+73.63	-21.75	660.67	660.67	Bk. S. Abut.	282+72.91	-15.58	660.81	660.81	Bk. S. Abut.	282+72.19	-9.42	660.94	660.94	Bk. S. Abut.	282+71.47	-3.25	661.08	661.08