


TYPICAL SPLICE DETAIL

N.T.S.



TYPICAL WIRING IN TRENCH DETAIL
N.T.S.

30" (762) MINIMUM COVER 12" (305) MAXIMUM WIDTH EXCEPT AS APPROVED BY THE ENGINEER

12" (305)

WARNING TAPE AS SPECIFIED

UNIT DUCT OR OTHER RACEWAY
AND WIRING AS PER PLANS. COMPLETE

WITH INTERNAL INSULATED EQUIPMENT GROUND WIRE.

POLE WIRING DETAIL

N.T.S.

AECOM
303 EAST WACKER DRIVE. SUITE 1400 CHICAGO, IL 60601-5276 PHONE: (312) 373-7700 FAX: (312) 373-6800

D160W71-SHT-D1-Detail-09-[BE-702].dgn	DESIGNED -	REVISED - 08-08-03
USER NAME = chiua	DRAWN -	REVISED -
PLOT SCALE = 50.000 '/ in.	CHECKED -	REVISED -
PLOT DATE = 12/19/2013	DATE - 12/20/13	REVISED -

STATE OF ILLINOIS					
DEPARTMENT	OF T	RANSPORTATION			

SCALE:

MISC. ELECTRICAL DETAILS SHEET A				F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEE		
				90/94/290	2013-036R	соок	256	224		
SIILLI M					BE-702		CONTRACT NO. 60W		60W7	
	SHEET	OF	SHEETS	STA.	TO STA.	ILLINOIS FED. AID PROJECT				