April 12, 2025

SUBJECT FAP Route 307 (IL64 (Main St.))
Project NHPP-BH2V(316)
Section FAP 0307 23 SMART
Kane County
Contract No. 62V37

Item No. 29, April 25th, 2025 Letting Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised Schedule of Prices.
- 2. Revised pages 6-7 of the Special Provisions.
- 3. Revised sheets 2, 6, 8-10, and 64-67 of the plans.

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

Jack A. Elston, P.E.

Bureau Chief, Design and Environment

FAP Route 307 (IL64 (Main St.))
Project NHPP-BH2V(316)
Section FAP 0307 23 SMART
Kane County
Contract No. 62V37

If the contract requires the services of an electrical contractor, it is the contractor's responsibility, at their own expense, to locate existing IDOT electrical facilities before commencing work. For contracts that do not require an electrical contractor, the contractor may request one free locate of IDOT electrical facilities by contacting the Department's Electrical Maintenance Contractor. Additional locate requests will be at the contractor's expense.

The Department's Electrical Maintenance Contractor must be notified at least 72 hours in advance of the work by calling 773-287-7600 or emailing dispatch@meade100.com to arrange for the locating of underground electrical facilities.

Please note, the marking of underground facilities does not absolve the contractor of their responsibility to repair or replace any facilities damaged during construction at their expense.

TRAFFIC CONTROL PLAN (D1)

Effective: September 30, 1985 Revised: January 1, 2007

Traffic Control shall be according to the applicable sections of the Standard Specifications, the Supplemental Specifications, the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", any special details and Highway Standards contained in the plans, and the Special Provisions contained herein.

Special attention is called to Article 107.09 of the Standard Specifications and the following Highway Standards, Details, Quality Standard for Work Zone Traffic Control Devices, Recurring Special Provisions and Special Provisions contained herein, relating to traffic control.

The Contractor shall contact the District One Bureau of Traffic at least 72 hours in advance of beginning work.

STANDARDS:

TC-10 TC-11

STANDARDS:			
701101	Off-Rd Operations, Multilane, 15' To 24" From Pavement Edge		
701301	Lane Closure, 2L, 2W, Short Time Operations		
701311	Lane Closure, 2L, 2W, Moving Operations-Day Only		
701421	Lane Closure, Multilane, Day Operations Only, for Speeds >= 45 MPH to 55 MPH		
701426	Lane Closure, Multilane, Intermittent or Moving Operations, >= 45 MPH		
701427	Lane Closure, Multilane, Intermittent or Moving Operations, <= 40 MPH		
701601	Urban Lane Closure, Multilane, 1W or 2W with Non-traversable Median		
701602	Urban Lane Closure, Multilane, 2W with Bidirectional Left Turn Lane		
701606	Urban Single Lane Closure, Multilane, 2W With Mountable Median		
701701	Urban Lane Closure, Multilane Intersection		
701801	Sidewalk, Corner or Crosswalk Closure		
701901	Traffic Control Devices		
780001	Typical Pavement Markings		
DETAILS:			

Typical Applications Raised Reflective Pavement Markers

Traffic Control and Protection For Side Roads, Intersections and Driveways

TC-13	District One Pavement Marking Details
TC-14	Traffic Control and Protection at Turn Bays (To Remain Open to Traffic)
TC-16	Short Term Pavement Marking Letters and Symbols
TC-22	Arterial Road Information Sign
TC-26	Driveway Entrance Signing

SPECIAL PROVISIONS:

Keeping Arterial Roadways Open to Traffic (Lane Closures Only)

Maintenance of Roadways (D1)

Pavement and Shoulder Resurfacing (Recurring SP CS #13)

Public Convenience and Safety (D1)

Short Term and Temporary Pavement Markings (BDE)

Temporary Information Signing (D1)

Vehicle and Equipment Warning Lights (BDE)

Work Zone Traffic Control Devices (BDE)

TEMPORARY INFORMATION SIGNING

Effective: November 13, 1996 Revised: January 29, 2020

Description.

This work shall consist of furnishing, installing, maintaining, relocating for various states of construction and eventually removing temporary informational signs. Included in this item may be ground mount signs, skid mount signs, truss mount signs, bridge mount signs, and overlay sign panels which cover portions of existing signs.

Materials.

Materials shall be according to the following Articles of Section 1000 - Materials:

	<u>ltem</u>	<u>Article/Section</u>
a.)	Sign Base (Note 1)	1090
b.)	Sign Face (Note 2)	1091
c.)	Sign Legends	1091
d.)	Sign Supports	1093
e.)	Overlay Panels (Note 3)	1090.02

- Note 1. The Contractor may use 5/8 inch (16 mm) instead of 3/4 inch (19 mm) thick plywood.
- Note 2. The sign face material shall be in accordance with the Department's Fabrication of Highway Signs Policy.
- Note 3. The overlay panels shall be 0.08 inch (2 mm) thick.

