

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows in)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows in)	Cu (tsf)	Moisture Content (%)
647.7	Very loose to medium dense, gray CRUSHED STONE (stone size up to 5-inch)	1	4	8	NP		647.7	Soft, gray SILTY CLAY LOAM with trace plant material and shell fragments	11	0	0	0.49	40
644.7		2	11	7	NP		644.7		12	0	0	0.49	35
641.2		3	8	8	NP		641.2	Very stiff to hard, brown to gray SILTY CLAY, trace gravel	13	4	4	2.30	18
632.2	CRUSHED STONE with gray soft clay	4	8	8	NP	23			14	4	4	2.30	18
629.7	Very soft to soft, black to gray SILTY CLAY	5	1	2	NP	44			15	3	5	2.79	20
		6	0	0	B	62			16	3	4	2.38	15
		7	0	0	B	61			17	4	7	5.08	15
		8	0	0	B	63			18	5	6	2.54	15
		9	0	0	B	50			19	8	8	2.46	14
		10	1	0	B	48			20	5	10	3.25	13

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	08-26-2011	Complete Drilling	08-26-2011	While Drilling	2.00 ft		
Drilling Contractor	Groff	Drill Rig	CME ATV	At Completion of Drilling	2.00 ft		
Driller	T&K	Logger	B. Wilson	Time After Drilling	NA		
Checked by	C. Marin	Drilling Method	3.25" IDA HSA; Boring backfilled upon completion	Depth to Water	NA		

Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows in)	Cu (tsf)	Moisture Content (%)	Profile Elevation (ft)	SOIL AND ROCK DESCRIPTION	Depth (ft)	Sample No.	SPT Values (blows in)	Cu (tsf)	Moisture Content (%)
647.7		17	4	7	B	5.08	647.7		17	4	7	5.08	15
644.7		18	5	6	B	2.54	644.7		18	5	6	2.54	15
641.2		19	8	8	B	2.46	641.2		19	8	8	2.46	14
632.2		20	5	10	P	3.25	632.2	Boring terminated at 70.00 ft	20	5	10	3.25	13

GENERAL NOTES				WATER LEVEL DATA			
Begin Drilling	08-26-2011	Complete Drilling	08-26-2011	While Drilling	2.00 ft		
Drilling Contractor	Groff	Drill Rig	CME ATV	At Completion of Drilling	2.00 ft		
Driller	T&K	Logger	B. Wilson	Time After Drilling	NA		
Checked by	C. Marin	Drilling Method	3.25" IDA HSA; Boring backfilled upon completion	Depth to Water	NA		

100 S. WACKER DR.
 5TH FLOOR
 CHICAGO, IL 60606
 TEL: (312) 939-1000
 FAX: (312) 939-4198
URS