



*Remove by scraping. The existing steel grid shall not be disturbed or damaged during the removal.



EXISTING CROSS SECTION THRU TRUSS STRUCTURE
Spans 4, 5 & 6

** Aluminum Parapet to be removed and reinstalled after Hot-Mix Asphalt and Concrete Methacrylate Sealer have been applied to the deck

NOTE:
(For S.N. 099-0008 (Southbound))
2-1 1/2" Rigid Steel Conduits PVC Coated attached to east side of the Aluminum Parapet. The Contractor shall temporarily support the conduits while the Aluminum Parapets are being reset. Cost Included with Remove and Reset Aluminum Parapet.



PROPOSED CROSS SECTION THRU TRUSS STRUCTURE
Spans 4, 5 & 6

FILE NAME: I:\103183.1-55.dwg User: C:\Program Files\Autodesk\AutoCAD 2013\bin\acad.exe

CHRISTIAN-ROGE & ASSOCIATES, INC.

USER NAME = 100T	DESIGNED = J.C.N./B.N.S./J.W.	REVISED =
PLOT SCALE = 5/8" = 1'-0"	CHECKED = B.N.S./J.W.	REVISED =
PLOT DATE = 3/19/2013	DRAWN = F.M.	REVISED =
	DATE = MARCH 20, 2013	REVISED =

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**CROSS SECTIONS-TRUSS SPANS
STRUCTURE NO'S. 099-0008 & 099-0009**
SHEET NO. 54 OF 560 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
55	87B, D-8R-1	WILL	106	43
			CONTRACT NO. 60R62	
ILLINOIS FED. AID PROJECT				