## INDEX OF SHEETS

SHEET NO	DESCRIPTION				
1	COVER SHEET				
2	INDEX OF SHEETS, STATE STANDARDS & GENERAL NOTES				
3 -7	SUMMARY OF QUANTITIES				
8 -9	SCHEDULE OF QUANTITIES				
10	TYPICAL SECTIONS				
11	ALIGNMENT, TIES AND BENCHMARKS				
12	EXISTING CONDITIONS AND REMOVAL PLAN				
13 -14	PROPOSED ROADWAY PLAN AND PROFILE				
15	TRAFFIC CONTROL AND PROTECTION - STAGING AND GENERAL NOTES				
16	TRAFFIC CONTROL AND PROTECTION - TYPICAL SECTIONS				
17	TRAFFIC CONTROL AND PROTECTION - STAGE I				
18	TRAFFIC CONTROL AND PROTECTION - STAGE II				
19	EROSION CONTROL AND LANDSCAPING PLAN				
20-21	PAVEMENT MARKING AND SIGNING PLAN				
22 - 45	STRUCTURAL PLANS				
46	BUTT JOINT AND HMA TAPER DETAILS (8D-32)				
47	DETAILS FOR DEPRESSED CURB & GUTTER AND SHOULDER TREATMENT AT TBT TY 1 SPL (BD-34)				
48	TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS AND DRIVEWAYS (TC-10)				
49	RAISED REFLECTIVE PAVEMENT MARKERS (SNOW PLOW RESISTANT) (TC-11)				
50	DISTRICT ONE TYPICAL PAVEMENT MARKINGS (TC-13)				
51	ARTERIAL ROAD INFORMATION SIGN (TC-22)				

## STATE STANDARDS

000001-06	STANDARD SYMBOLS, ABBREVATIONS AND PATTERNS
001006	DECIMAL OF AN INCH AND OF A FOOT
280001-07	TEMPORARY EROSION CONTROL SYSTEMS
420401-09	BRIDGE APPROACH PAVEMENT CONNECTOR
515001-03	NAME PLATE FOR BRIDGES
606001-05	CONCRETE CURB TYPE B AND COMBINATION CURB AND GUTTER
630001-10	STEEL PLATE BEAM GUARDRAIL
631031-11	TRAFFIC BARRIER TERMINAL, TYPE 6
635006-03	REFLECTOR AND TERMINAL MARKER PLACEMENT
635011-02	REFLECTOR MARKER AND MOUNTING DETAILS
701501-06	URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
701606-08	URBAN LANE CLOSURE, MULTILANE, 2W WITH MOUNTABLE MEDIAN
701701-08	URBAN LANE CLOSURE, MULTILANE INTERSECTION
701901-02	TRAFFIC CONTROL DEVICES
704001-07	TEMPORARY CONCRETE BARRIER
720001-01	SIGN PANEL MOUNTING DETAILS
720006-03	SIGN PANEL ERECTION DETAILS
720011-01	METAL POSTS FOR SIGNS, MARKERS & DELINEATORS
728001-01	TELESCOPING STEEL SIGN SUPPORT
729001-01	APPLICATION OF TYPES A & B METAL POSTS (FOR SIGNS & MARKERS)

## GENERAL NOTES

- 1. EXCAVATION ON BOTH SIDES OF THE PAVEMENT AT ANY ONE LOCATION AT THE SAME TIME WILL NOT BE PERMITTED PER ARTICLE 701.08 OF THE IDOT SPECS.
- PORTABLE/CHANGEABLE ELECTRONIC MESSAGE BOARDS SHALL BE USED IN ADVANCE OF THE PROJECT ACCORDING TO IDOT STANDARDS AND SHALL BE IN PLACE A MINIMUM OF 7 DAYS PRIOR TO COMMENCING THE WORK AND REMAIN THROUGHOUT THE ROADWAY CONSTRUCTION WORK.
- 3. ALL CONSTRUCTION MATERIALS WITHIN THE COUNTY ROW MUST BE IDOT CERTIFIED. DOCUMENTATION OF MATERIAL CERTIFICATION SHALL BE SUBMITTED PRIOR TO WCDH APPROVAL. ALL CONSTRUCTION MATERIAL NEEDING INSPECTION SHALL BE DONE ACCORDING TO THE LATEST IDOT PROJECT AND PROCEDURES GUIDE.
- 4. A PROOF ROLL OF THE SUBGRADE IS REQUIRED PRIOR TO PLACING THE AGGREGATE SUB-BASE AND MUST BE OBSERVED BY A CERTIFIED TESTING COMPANY. NOTIFY THE COUNTY PRIOR TO DOING THE PROOF ROLL.
- 5. THE RESIDENT ENGINEER SHALL PROVIDE WCDH A LIST OF MATERIALS USED AND IDENTIFY THEIR ASSOCIATED IDOT CERTIFICATION, SHALL PROVIDE WCDH WITH A COPY OF ALL MATERIAL TESTING COMPANY RESULTS, SHALL SIGN AND PROVIDE WCDH ON A WEEKLY BASIS WEEKLY FIELD REPORTS UTILIZING THE APPROPRIATE IDOT FORM, SHALL SUBMIT TO WCDH A CERTIFICATION LETTER THAT CERTIFIES COMPLIANCE WITH THE PLANS AND SPECIFICATIONS.
- 6. RECORD DRAWINGS SHALL BE PREPARED IN ACCORDANCE WITH WCDH REQUIREMENTS AND SHALL BE SUBMITTED IN ELECTRONIC FORMAT.
- 7. ALL CONSTRUCTION TO BE ACCORDING TO IDOT DESIGN AND STANDARD SPECIFICATIONS, MUST ADHERE TO THE WILL COUNTY DEPARTMENT OF HIGHWAYS PERMIT REGULATIONS AND ACCESS CONTROL REGULATIONS, AND SHALL FOLLOW THE LATEST WILL COUNTY STORM WATER MANAGEMENT ORDINANCE AND WILL COUNTY WATER RESOURCE ORDINANCE AT ALL TIMES.
- 8. ALL DISTURBED GROUND WITHIN THE COUNTY RIGHT-OF-WAY SHALL BE RE-SEEDED (CLASS 2A), FERTILIZED, AND HAVE EXCELSION BLANKET INSTALLED TO THE SATISFACTION OF THE ENGINEER.
- VERTICAL HEADWALLS, DECORATIVE SIGNING, PLANTINGS, SHRUBBERY, AND TREES ARE PROHIBITED INSIDE THE COUNTY RIGHT-OF-WAY.
- 10. THE WILL COUNTY DEPARTMENT OF HIGHWAYS MUST BE NOTIFIED A MINIMUM OF TWO (2) WORKING DAYS IN ADVANCE OF ANY CONSTRUCTION WITHIN THE COUNTY RIGHT-OF-WAY.
- 11. ALL ELEVATIONS ARE BASED ON HORIZONTAL DATUM NAD 83 (2007).
- 12. NO EXCAVATION OR FILL IS PERMITTED WITHIN THE DELINEATED WETLAND BOUNDARIES DESIGNATED ON THE PLAN SHEETS. DISTURBANCE WITHIN THE DUPAGE RIVER SHALL BE LIMITED TO SCAFFOLDING AND TEMPORARY SUPPORTS NEEDED FOR BRIDGE REPAIRS.
- 13. THE CONTRACTOR SHALL NOTIFY THE VILLAGE OF SHOREWOOD A MINIMUM OF 48 HOURS BEFORE BEGINNING WORK ON THE SITE.

USER NAME = jkjellman	DESIGNED	-	JMK	REVISED -	
	DRAWN	-	JMK	REVISED -	
PLOT SCALE = 2.0022 '/ :n.	CHECKED	-	MJL	REVISED -	
PLOT BATE = 1/29/2013	DATE	-	1/29/2013	REVISED -	

SCALE.