



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 12, 2013

SUBJECT: FAU 2411 (Western Avenue)
Project M-4003(147)
Section 12-00114-00-RS (Geneva)
Kane County
Contract No. 63814
Item 134
April 26, 2013 Letting
Addendum (A)

NOTICE TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

- 1. Replaced the Schedule of Prices.**
- 2. Revised Table of Contents.**
- 3. Added page 34A to the Special Provisions.**
- 4. Revised sheet 3 of the Plans.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John Baranzelli, P.E.
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E.", with the initials "P.E." written in a smaller font to the right of the signature.

By: Ted B. Walschleger, P.E.
Engineer of Project Management

COUNTY NAME	CODE	DIST	SECTION NUMBER	PROJECT NUMBER	ROUTE
KANE	089	01	12-00114-00-RS (GENEVA)	M-4003/147/000	FAU 2411

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
XX007278	PARKWAY RESTORATION *	SQ YD	55.000 X	=		=	
X0324942	GROUT REM & REP	EACH	26.000 X	=		=	
Z0017400	DRAIN UTIL STR ADJ	EACH	29.000 X	=		=	
Z0048665	RR PROT LIABILITY INS	L SUM	1.000 X	=		=	
20200100	EARTH EXCAVATION	CU YD	10.000 X	=		=	
25000400	NITROGEN FERT NUTR	POUND	0.940 X	=		=	
25000500	PHOSPHORUS FERT NUTR	POUND	0.940 X	=		=	
25000600	POTASSIUM FERT NUTR	POUND	0.940 X	=		=	
31101100	SUB GRAN MAT B	CU YD	10.000 X	=		=	
35800200	AGG BASE REPAIR	TON	10.000 X	=		=	
40600100	BIT MATLS PR CT	GALLON	2,220.000 X	=		=	
40600300	AGG PR CT	TON	55.000 X	=		=	
40600400	MIX CR JTS FLANGEWYS	TON	8.000 X	=		=	
40600895	CONSTRUC TEST STRIP	EACH	1.000 X	=		=	
40603080	HMA BC IL-19.0 N50	TON	3,500.000 X	=		=	

* Revised 4/12/13

FAU 2411
 12-00114-00-RS (GENEVA)
 KANE

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT NUMBER - 63814

ECMS002 DTGECM03 ECMR003 PAGE 2
 RUN DATE - 04/11/13
 RUN TIME - 183052

*

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
40603335	HMA SC "D" N50	TON	2,340.000 X	=		=	
42400200	PC CONC SIDEWALK 5	SQ FT	1,485.000 X	=		=	
42400800	DETECTABLE WARNINGS	SQ FT	242.000 X	=		=	
44000163	HMA SURF REM 3 1/2	SQ YD	27,700.000 X	=		=	
44000500	COMB CURB GUTTER REM	FOOT	530.000 X	=		=	
44000600	SIDEWALK REM	SQ FT	1,515.000 X	=		=	
60603800	COMB CC&G TB6.12	FOOT	530.000 X	=		=	
67100100	MOBILIZATION	L SUM	1.000 X	=		=	
70102620	TR CONT & PROT 701501	L SUM	1.000 X	=		=	
70102640	TR CONT & PROT 701801	L SUM	1.000 X	=		=	
78009000	MOD URETH PM LTR-SYM	SQ FT	280.000 X	=		=	
78009004	MOD URETH PM LINE 4	FOOT	14,925.000 X	=		=	
78009006	MOD URETH PM LINE 6	FOOT	1,096.000 X	=		=	
78009012	MOD URETH PM LINE 12	FOOT	2,068.000 X	=		=	
78009024	MOD URETH PM LINE 24	FOOT	270.000 X	=		=	

TOTAL \$

* Rev. sed 4/12/13

NOTE:
 *** PLEASE TURN PAGE FOR IMPORTANT NOTES ***

FAU 2411
12-00114-00-RS (GENEVA)
KANE

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF PRICES
CONTRACT NUMBER - 63814

ECMS002 DTGECM03 ECMR003 PAGE 3
RUN DATE - 04/11/13
RUN TIME - 183052 *

NOTE:

1. EACH PAY ITEM SHOULD HAVE A UNIT PRICE AND A TOTAL PRICE.
2. THE UNIT PRICE SHALL GOVERN IF NO TOTAL PRICE IS SHOWN OR IF THERE IS A DISCREPANCY BETWEEN THE PRODUCT OF THE UNIT PRICE MULTIPLIED BY THE QUANTITY.
3. IF A UNIT PRICE IS OMITTED, THE TOTAL PRICE WILL BE DIVIDED BY THE QUANTITY IN ORDER TO ESTABLISH A UNIT PRICE.
4. A BID MAY BE DECLARED UNACCEPTABLE IF NEITHER A UNIT PRICE NOR A TOTAL PRICE IS SHOWN.

* Revised 4/12/13

TABLE OF CONTENTS

<u>SPECIALS</u>	<u>Page No.</u>
LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
WORK RESTRICTIONS	1
STATUS OF UTILITIES TO BE ADJUSTED	2
COMBINATION CONCRETE CURB AND GUTTER, TYPE B6.12	3
GROUT REMOVAL AND REPLACEMENT	3
<hr/>	
DRAINAGE & UTILITY STRUCTURES TO BE ADJUSTED	4
TRAFFIC CONTROL PLAN	4
COMPLETION DATE PLUS WORKING DAYS	6
MAINTENANCE OF ROADWAYS	6
FRICTION SURFACE AGGREGATE (D1)	7
FINE AGGREGATE FOR HOT-MIX-ASPHALT (HMA) (D-1)	10
RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (D-1)	11
DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (DISTRICT 1)	24
ADJUSTMENTS AND RECONSTRUCTIONS	26
PUBLIC CONVENIENCE AND SAFETY (DIST 1)	27
HMA MIXTURE DESIGN REQUIREMENTS (D-1)	28
GROUND TIRE RUBBER (GTR) MODIFIED BINDER (D-1)	33
<i>PARKWAY RESTORATION</i>	<i>34A</i>

Revised 4/12/13

XXOO7278: PARKWAY RESTORATION

WORK DESCRIPTION:

This work shall consist of the furnishing and placing of topsoil, seed, fertilizer, and hydraulic mulch. This work shall be done in accordance with Sections 211, 250 and 251 of the Standard Specifications except as modified herein. The topsoil shall be pulverized and placed to a compacted minimum depth of four (4") inches. The topsoil will be placed in such a manner such that after compaction and normal settling the final grade of the soil will be at the same elevation as the top of the adjacent curb, sidewalk, or driveway. To minimize the amount of material removed, the excavated material removed from the site can be reused to fill all voids. Reused material shall be capped with pulverized topsoil.

No Sodding will be used in this contract. Instead, grassed areas will be restored by planting Class 1, Lawn Mixture grass seeds. The planting times for this seed mix shall be according to the Standard Specifications. Full payment for this item will be made when the grass has germinated and is at least two (2") inches in height, covering no less than 75% of the planted area at each location where seeds were planted. Any damage done to the grassed areas outside of the construction limits or within the construction limits, but unnecessary for the purpose of this contract, will be restored as described above at the Contractor's expense and no additional compensation will be allowed. Interseeding and fertilizing of the existing grass will be allowed if in the Engineers opinion the existing turf was not excessively disturbed. Fertilizer nutrients at the specified ratios shall be placed at the rate specified in the Standard Specifications.

The Contractor shall furnish, transport and place hydraulic mulch over the seeded areas. Within 24 hours of the time seeding is placed, the seeded area shall be given a covering of mulch using Method-3 of Section 251, see article 251.03(c).

Method-3 shall not be used on slopes greater than 1:3(V: H). This method shall consist of machine application of wood or paper fiber hydraulic mulch at the specified rate using an approved hydraulic seeder. The hydraulic mulch shall be applied as slurry of 2000 pounds of mulch and not less than 2000 gallons of water per acre. The hydraulic mulch slurry shall be agitated a minimum of 5 minutes before application. The seeds shall not be applied concurrently with this method. Following the mulching operation, foot or vehicular traffic, or the movement of any equipment over the mulched area is prohibited. If Contractor's equipment or personnel displaces mulch, it shall be repaired or replaced at Contractor's expense, in a manner satisfactory to the Engineer.

METHOD OF MEASUREMENT:

This item shall be measured for payment per square yard for the area in which parkway restoration has been performed.

BASIS OF PAYMENT:

The finish work shall be paid for at the contract unit price per square yard for PARKWAY RESTORATION, which price shall be full compensation for all labor, equipment, material and incidentals needed to complete the work as specified.

Added 4/12/13

34A.