



(3) STA. 291+01.71 TO STA. 293+10.18 [208.47']

LEGEND	
① EXIST. 4" SUB-BASE GRANULAR MATERIAL	⑩ PROP. CONCRETE MEDIAN SURFACE REMOVAL
② EXIST. 8" P.C.C. PAVEMENT	⑪ PROP. SUBBASE GRANULAR MATERIAL, TYPE B 4"
③ EXIST. 8" H.M.A. SHOULDER	⑫ PROP. SUBBASE GRANULAR MATERIAL, TYPE A 8"
④ EXIST. 4" OVERLAY	⑬ PROP. HMA BASE COURSE 11" ***
⑤ EXIST. COMBINATION CURB AND GUTTER, TYPE B-6.06	⑭ PROP. PCC BASE COURSE WIDENING 9"
⑥ PROP. PAVEMENT REMOVAL	⑮ PROP. STRIP REFLECTIVE CRACK CONTROL TREATMENT
⑦ PROP. PAVED SHOULDER REMOVAL	⑯ PROP. HOT-MIX ASPHALT SHOULDERS 6 1/2"
⑧ PROP. HOT-MIX ASPHALT SURFACE REMOVAL (VARIABLE DEPTH) *	⑰ PROP. LEVELING BINDER (MACHINE METHOD), N70 1"
⑨ PROP. HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"	⑱ PROP. HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 1 1/2"
⑩ PROP. COMBINATION CURB AND GUTTER REMOVAL	⑲ PROP. COMBINATION CONCRETE CURB AND GUTTER, TYPE M-4.24
⑪ PROP. CONCRETE MEDIAN SURFACE REMOVAL	⑳ PROP. CONCRETE MEDIAN SURFACE, 4"
⑫ PROP. SUBBASE GRANULAR MATERIAL, TYPE B 4"	㉑ PROP. CONCRETE MEDIAN, TYPE SM-4.24
⑬ PROP. SUBBASE GRANULAR MATERIAL, TYPE A 8"	㉒ PROP. AGGREGATE WEDGE SHOULDER, TYPE B
⑭ PROP. HMA BASE COURSE 11" ***	㉓ PROP. MODIFIED URETHANE PAVEMENT MARKING - LINE 5"
⑮ PROP. PCC BASE COURSE WIDENING 9"	㉔ PROP. MODIFIED URETHANE PAVEMENT MARKING - LINE 8"
⑯ PROP. STRIP REFLECTIVE CRACK CONTROL TREATMENT	㉕ PROP. PREFORMED PLASTIC PAVEMENT MARKING, TYPE B TYPE B - LINE 5"
⑰ PROP. LEVELING BINDER (MACHINE METHOD), N70 1"	㉖ PROP. PREFORMED PLASTIC PAVEMENT MARKING, TYPE B TYPE B - LINE 6"
⑱ PROP. HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 1 1/2"	
⑲ PROP. COMBINATION CONCRETE CURB AND GUTTER, TYPE M-4.24	

**\*\* NOTES:**

(A) EXIST. CONCRETE CORRUGATED MEDIAN T.B.R. EXTENDS FR. STA. 291+01.71 TO 291+71.15 RT.

(B) EXIST. CONCRETE MEDIAN T.B.R. EXTENDS FR. STA. 291+71.15 TO 293+10.18 RT.

\* NOMINAL MILLING DEPTH 1/2" @ C OR PGL  
 \*\*\* WHERE WIDENING IS GREATER THAN 6' OR UNDER NEW TURN LANE