


PARAPET ELEV. INSIDE FACE

BAR SHAPE DETAILS



MINIMUM BAR LAPS


- #5 BAR = 1' 8"
- #8 BAR = 3' 5"

NOTES:

FOR PROPOSED SECTION THRU PARAPET DETAILS, SEE SHEET 6 OF 10.

BILL OF MATERIAL				
BAR	#	SIZE	LENGTH	LENGTH
v1(E)	286	#5	2'-10"	
v2(E)	144	#5	3'-4"	
v3(E)	310	#4	2'-8"	
v4(E)	156	#4	3'-2"	
v5(E)	96	#4	11"	
e(E)	48	#4	19'-8"	
e1(E)	48	#4	6'-7"	
e2(E)	24	#4	19'-10"	
e3(E)	16	#8	21'-7"	
e4(E)	16	#8	6'-7"	
e5(E)	8	#8	21'-9"	
e6(E)	16	#5	20'-8"	
e7(E)	16	#5	6'-7"	
e8(E)	8	#5	20'-10"	
e9(E)	8	#4	11'-2"	
RE-BAR EPOXY COATED				5802 POUNDS
CONCRETE REMOVAL				30.3 CU YD
CONCRETE SUPERSTRUCTURE				36.5 CU YD

PARAPET JOINT DETAILS



**CONTRACT 72A87
REINFORCEMENT
& JOINTING
DETAILS**