

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
8183	04-00120-00-FP	MORGAN	28	5
FED. ROAD DIST. NO.		ILLINOIS	FED. AID PROJECT	

PAVEMENT MARKING SCHEDULE

STATION TO STATION	SIDE	THERMOPLASTIC PAVEMENT MARKING - LINE 5"				THERMOPLASTIC PAVEMENT MARKING - LINE 6"		PREFORMED PLASTIC PAVEMENT MARKING - LINE 24"	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B, LETTERS & SYMBOLS (WHITE)
		WHITE SOLID	YELLOW SOLID	WHITE DOTTED	YELLOW SKIP-DASH	WHITE CROSSWALK SOLID	YELLOW SOLID	WHITE STOP BAR SOLID	SQ FT
LINCOLN AVENUE									
482+15.7	483+39.7	LT/RT						24.8	
482+15.7	484+13.0	LT		251.7					49.4
	483+36.0	RT							
	484+01.0	LT/RT					51.2		21.4
	484+07.0	LT/RT					46.0		
	484+12.0	LT/RT							25.1
484+13.0	485+13.0	LT	100.0						31.2
484+13.0	485+73.0	RT		320.0					
485+73.0	496+55.8	LT/RT		2165.6	541.4				156.0
496+55.9	496+77.1	LT/RT		97.1					
	496+79.1	LT/RT					42.7		
	496+85.1	LT/RT					45.2		
496+85.1	497+41.7	RT					104.8		
MICHIGAN AVENUE									
100+38.0		LT						21.9	
TOTALS			100.0	2,834.4	49.4	541.4	289.9	24.8	68.4
USE				3,526			315		188

INLET AND PIPE PROTECTION

STATION	SIDE	EACH
LINCOLN AVENUE		
482+12.0	RT	1
483+10.0	RT	1
483+10.0	LT	1
485+15.0	RT	1
485+15.0	LT	1
487+60.0	RT	1
487+60.0	LT	1
487+60.0	LT	1
489+35.0	RT	1
489+35.0	LT	1
489+35.0	LT	1
490+30.0	LT	1
491+10.0	RT	1
491+10.0	LT	1
493+20.0	RT	1
493+20.0	LT	1
493+20.0	LT	1
495+45.0	RT	1
496+02.0	LT	1
TOTAL		19
USE		19

PAVING SCHEDULE

STATION TO STATION	SUB-BASE GRANULAR MATERIAL, TYPE A 4"	HOT-MIX ASPHALT BASE COURSE 7"	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50	AGGREGATE (PRIME COAT)	BITUMINOUS MATERIALS (PRIME COAT)	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT
LINCOLN AVENUE							
481+95.7	484+15.7			7.0		16.7	83.7
482+15.7	496+59.6	6,764.8	5,775.4	808.6	485.1	11.6	1,155.1
MICHIGAN AVENUE							
100+18.0	100+68.2	273.9	264.6	37.0	22.2	0.5	52.9
100+68.2	101+65.0				22.5		268.2
TOTAL		7,038.7	6,040.0	845.6	536.8	12.1	1,278.3
USE		7,039	6,040	846	537	13	1,279

COMBINATION CONCRETE CURB AND GUTTER REMOVAL

STATION TO STATION	SIDE	COMBINATION CURB AND GUTTER REMOVAL
FOOT		
481+98.3	483+47.7	LT
491+34.4	491+62.0	LT
491+91.0	492+18.6	LT
496+59.6	496+91.5	RT
496+59.6	497+08.0	LT
TOTAL		323.6
USE		324

ENTRANCE PAVEMENT SCHEDULE

STATION	SIDE	TYPE	AGGREGATE BASE COURSE, TYPE B	AGGREGATE SURFACE COURSE, TYPE B	INCIDENTAL HOT-MIX ASPHALT SURFACING	BITUMINOUS MATERIALS (PRIME COAT)	PCC DRIVEWAY PAVEMENT 6"	PCC DRIVEWAY PAVEMENT 8"
LINCOLN AVENUE								
485+34.3	RT	PE			3.9	3.5	44.6	8.2
485+80.2	LT	CE	15.8					
487+07.8	RT	PE		6.8			8.0	
490+58.3	RT	CE	23.8		5.9	5.2		10.4
491+74.7	LT	CE						83.4
492+67.2	RT	CE	27.3		6.7	6.0		8.0
493+85.9	RT	PE		3.4			5.3	
494+54.2	RT	PE		3.4			5.3	
495+64.5	RT	PE	1.5		0.4	0.3	5.3	
496+07.8	RT	CE	9.1		2.2	2.0		8.0
496+31.2	LT	CE	15.2		3.7	3.0		8.0
MICHIGAN AVENUE								
100+98.9	LT	PE					42.7	
TOTALS			92.7	13.6	22.8	20.0	111.2	126.0
USE			93	14	23	20	112	126

PIPE CULVERT REMOVAL

STATION	SIDE	SIZE	TYPE	FOOT
LINCOLN AVENUE				
485+37.0	RT	12"	CMP	20.9
487+11.9	RT	12"	CMP	36.8
488+58.3	RT	12"	CMP	8.5
490+64.9	RT	12"	CMP	53.1
491+71.3	LT	15"	CMP	71.5
491+96.7	RT	12"	CMP	10.5
492+66.6	RT	12"	CMP	30.4
483+86.9	RT	12"	CMP	19.8
494+54.1	RT	12"	CMP	19.8
TOTAL				271.3
USE				272

CONCRETE CURB, SPECIAL

STATION TO STATION	SIDE	CONCRETE CURB, SPECIAL
FOOT		
496+19.8	496+70.0	RT
496+70.0	496+83.4	RT
TOTAL		68.2
USE		69

STORM SEWER REMOVAL

STATION TO STATION	OFFSET	STORM SEWER	
		12"	24"
495+51.4 TO 496+01.5	15.0' RT TO 27.7' LT	65.9	100.0
496+02.5 TO 497+02.2	28.0' LT TO 19.1' LT		
TOTALS		65.9	100.0
USE		66	100

VALVE BOXES TO BE ADJUSTED

STATION	OFFSET	SIDE	EACH
LINCOLN AVENUE			
483+90.86	10.5	RT	1
490+41.85	2.7	RT	1
TOTAL			2

FIRE HYDRANTS TO BE MOVED

STATION	OFFSET	SIDE	EACH
LINCOLN AVENUE			
484+08.4	27.7	RT	1
491+23.9	20.4	RT	1
TOTAL			2

REMOVING INLETS

STATION	OFFSET	SIDE	EACH
REMOVING INLETS			
495+51.37	15	RT	1
496+01.51	27.7	LT	1
TOTAL			2

LANDSCAPING SCHEDULE

STATION TO STATION	SODDING	NITROGEN FERTILIZER NUTRIENT	PHOSPHORUS FERTILIZER NUTRIENT	POTASSIUM FERTILIZER NUTRIENT	SUPPLEMENTAL WATERING	TEMPORARY EROSION CONTROL SEEDING
LINCOLN AVENUE						
482+00.00	497+00.00	2780.10	34.5	34.5	34.5	25.0
TOTALS		2780.10	34.5	34.5	34.5	25.0
USE		2,781	35	35	35	25

MAILBOX REMOVAL AND RELOCATION

STATION	SIDE	OFFSET	MAILBOXES TO BE REMOVED & RELOCATED	
			FEET	EACH
485+73.8	LT	16.5		1
485+46.0	LT	17.2		1
486+72.3	LT	16.6		1
488+16.7	LT	17.3		1
490+66.8	LT	19.3		1
494+75.8	LT	17.6		1
495+49.0	LT	18		1
496+02.8	LT	19.1		1
TOTAL				8
USE				8

REVISIONS

NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

LINCOLN AVENUE SCHEDULE OF QUANTITIES

DRAWN BY JCW

DATE JULY, 2006

CHECKED BY JRB