

BEAM 1

Location	Station	Offset Lt.	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Back S. Abut.	19+37.80	12.50	619.75	619.75
S. C. Brg.	19+39.53	12.50	619.73	619.73
A	19+49.53	12.50	619.64	619.66
B	19+59.53	12.50	619.55	619.60
C	19+69.53	12.50	619.47	619.53
D	19+79.53	12.50	619.40	619.48
E	19+89.53	12.50	619.34	619.42
F	19+99.53	12.50	619.28	619.37
G	20+09.53	12.50	619.24	619.31
H	20+19.53	12.50	619.20	619.26
I	20+29.53	12.50	619.17	619.21
J	20+39.53	12.50	619.15	619.17
N. C. Brg.	20+46.03	12.50	619.15	619.15
Back N. Abut.	20+47.76	12.50	619.14	619.14

BEAM 2

Location	Station	Offset Lt.	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Back S. Abut.	19+41.41	6.25	619.81	619.81
S. C. Brg.	19+43.14	6.25	619.80	619.80
A	19+53.14	6.25	619.70	619.73
B	19+63.14	6.25	619.62	619.67
C	19+73.14	6.25	619.54	619.61
D	19+83.14	6.25	619.48	619.55
E	19+93.14	6.25	619.42	619.50
F	20+03.14	6.25	619.37	619.45
G	20+13.14	6.25	619.32	619.40
H	20+23.14	6.25	619.29	619.35
I	20+33.14	6.25	619.27	619.30
J	20+43.14	6.25	619.25	619.26
N. C. Brg.	20+49.64	6.25	619.24	619.24
Back N. Abut.	20+51.37	6.25	619.24	619.24

BEAM 3

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Back S. Abut.	19+45.02	0.00	619.88	619.88
S. C. Brg.	19+46.75	0.00	619.86	619.86
A	19+56.75	0.00	619.77	619.80
B	19+66.75	0.00	619.69	619.74
C	19+76.75	0.00	619.62	619.68
D	19+86.75	0.00	619.55	619.63
E	19+96.75	0.00	619.50	619.58
F	20+06.75	0.00	619.45	619.53
G	20+16.75	0.00	619.41	619.48
H	20+26.75	0.00	619.38	619.44
I	20+36.75	0.00	619.36	619.40
J	20+46.75	0.00	619.34	619.36
N. C. Brg.	20+53.25	0.00	619.34	619.34
Back N. Abut.	20+54.98	0.00	619.34	619.34

BEAM 4

Location	Station	Offset Rt.	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Back S. Abut.	19+48.63	6.25	619.75	619.75
S. C. Brg.	19+50.36	6.25	619.73	619.73
A	19+60.36	6.25	619.64	619.67
B	19+70.36	6.25	619.56	619.61
C	19+80.36	6.25	619.49	619.56
D	19+90.36	6.25	619.43	619.51
E	20+00.36	6.25	619.38	619.46
F	20+10.36	6.25	619.34	619.42
G	20+20.36	6.25	619.30	619.37
H	20+30.36	6.25	619.27	619.33
I	20+40.36	6.25	619.25	619.29
J	20+50.36	6.25	619.24	619.26
N. C. Brg.	20+56.86	6.25	619.24	619.24
Back N. Abut.	20+58.59	6.25	619.24	619.24

BEAM 5

Location	Station	Offset Rt.	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Back S. Abut.	19+52.24	12.50	619.61	619.61
S. C. Brg.	19+53.97	12.50	619.60	619.60
A	19+63.97	12.50	619.51	619.54
B	19+73.97	12.50	619.44	619.48
C	19+83.97	12.50	619.37	619.44
D	19+93.97	12.50	619.31	619.39
E	20+03.97	12.50	619.26	619.35
F	20+13.97	12.50	619.22	619.30
G	20+23.97	12.50	619.19	619.26
H	20+33.97	12.50	619.16	619.22
I	20+43.97	12.50	619.15	619.19
J	20+53.97	12.50	619.14	619.16
N. C. Brg.	20+60.47	12.50	619.14	619.14
Back N. Abut.	20+62.20	12.50	619.14	619.14

FILE = J:\11562005\13_ana\1a\Drawings\Struct\11562008\Top of Slab Elevations.dgn



DESIGNED - B.K.C.
CHECKED - M.A.C.
DRAWN - F.D.L.
CHECKED - B.K.C.

REVISED -
REVISED -
REVISED -
REVISED -

LASALLE COUNTY
C.H. 13 OVER TOMAHAWK CREEK
STATION 20 + 00

TOP OF SLAB ELEVATIONS
STRUCTURE NO. 050-3604

STRUCTURAL SHEET NO. 4 OF 18 SHEETS

F.A.S. RTN.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
260	10-00651-00-BR	LASALLE	51	21
WHA# 11562008		CONTRACT NO. 87466		
FED. ROAD DIST. NO. -		ILLINOIS FED. AID PROJECT BRS-02601051		