

SUMMARY OF QUANTITIES

← U R B A N →

| CODE NUMBER | PAY ITEMS | UNIT | TOTAL QUANTITY | ROADWAY | TRAFFIC | LIGHTING | SIDEWALK | EMERGENCY |
|-------------|---|----------|----------------|-----------|-------------------|----------|-----------|------------|
| | | | | FED 80% | SIGNALS FED 80% | | STATE 50% | PREEMPTION |
| | | | | STATE 20% | STATE 15% CITY 5% | | CITY 100% | CITY 100% |
| | | | | J000-2A | Y031-1F | Y030-1E | SFTY-1B | Y031-3D |
| 550A0410 | STORM SEWERS, CLASS A, TYPE 2 24" | FOOT | 61 | 61 | | | | |
| 550A0710 | STORM SEWERS, CLASS A, TYPE 3 24" | FOOT | 228 | 228 | | | | |
| 55034800 | STORM SEWERS, TYPE 1, REINFORCED CONCRETE ELLIPTICAL PIPE, SPAN 60, RISE 38 | FOOT | 433 | 433 | | | | |
| 55100500 | STORM SEWER REMOVAL 12" | FOOT | 43 | 43 | | | | |
| 60218400 | MANHOLES, TYPE A, 4' -DIAMETER, TYPE 1 FRAME, CLOSED LID | EACH | 6 | 6 | | | | |
| 60221100 | MANHOLES, TYPE A, 5' -DIAMETER, TYPE 1 FRAME, CLOSED LID | EACH | 2 | 2 | | | | |
| 60223800 | MANHOLES, TYPE A, 6' -DIAMETER, TYPE 1 FRAME, CLOSED LID | EACH | 1 | 1 | | | | |
| 60224445 | MANHOLES, TYPE A, 7' -DIAMETER, TYPE 1 FRAME, OPEN LID | EACH | 1 | 1 | | | | |
| 60224446 | MANHOLES, TYPE A, 7' -DIAMETER, TYPE 1 FRAME, CLOSED LID | EACH | 4 | 4 | | | | |
| 60236400 | INLETS, TYPE A, TYPE 8 GRATE (24" DEPTH) | EACH | 1 | 1 | | | | |
| 60236600 | INLETS, TYPE A, TYPE 9 FRAME AND GRATE | EACH | 1 | 1 | | | | |
| 60240303 | INLETS, TYPE B, TYPE 9 FRAME AND GRATE | EACH | 1 | 1 | | | | |
| 60255500 | MANHOLES TO BE ADJUSTED | EACH | 20 | 20 | | | | |
| 60255800 | MANHOLES TO BE ADJUSTED WITH NEW TYPE 1 FRAME, CLOSED LID | EACH | 1 | 1 | | | | |
| 60260100 | INLETS TO BE ADJUSTED | EACH | 2 | 2 | | | | |
| 60263105 | INLETS TO BE RECONSTRUCTED WITH NEW TYPE 3V FRAME AND GRATE | EACH | 4 | 4 | | | | |
| 60500060 | REMOVING INLETS | EACH | 7 | 7 | | | | |
| 60500305 | FILLING INLETS | EACH | 1 | 1 | | | | |
| 60605000 | COMBINATION CONCRETE CURB & GUTTER, TYPE B-6.24 | FOOT | 4,448 | 4,448 | | | | |
| 60608600 | COMBINATION CONCRETE CURB & GUTTER, TYPE M-6.06 | FOOT | 96 | 96 | | | | |
| 60609800 | COMBINATION CONCRETE CURB & GUTTER, TYPE M-6.18 | FOOT | 17 | 17 | | | | |
| 60610400 | COMBINATION CONCRETE CURB & GUTTER, TYPE M-6.24 | FOOT | 243 | 243 | | | | |
| 60618300 | CONCRETE MEDIAN SURFACE, 4 INCH | S. F. | 2,530 | 2,530 | | | | |
| 67000400 | ENGINEER'S FIELD OFFICE, TYPE A | CAL. MO. | 12 | 12 | | | | |
| 66900200 | NON-SPECIAL WASTE DISPOSAL | C. Y. | 668 | 668 | | | | |
| 66900450 | SPECIAL WASTE PLANS AND REPORTS | L. SUM | 1 | 1 | | | | |
| 66900530 | SOIL DISPOSAL ANALYSIS | EACH | 2 | 2 | | | | |
| 70101800 | TRAFFIC CONTROL AND PROTECTION (SPECIAL) | L. SUM | 1 | 1 | | | | |
| 70300220 | TEMPORARY PAVEMENT MARKING - LINE 4" | FOOT | 4,356 | 4,356 | | | | |
| 70300250 | TEMPORARY PAVEMENT MARKING - LINE 8" | FOOT | 192 | 192 | | | | |
| 70300280 | TEMPORARY PAVEMENT MARKING - LINE 24" | FOOT | 57 | 57 | | | | |
| 70301000 | WORK ZONE PAVEMENT MARKING REMOVAL | S. F. | 747 | 747 | | | | |
| *72000100 | SIGN PANEL, TYPE 1 | S. F. | 6.25 | | 6.25 | | | |
| *72000200 | SIGN PANEL, TYPE 2 | S. F. | 43 | | 43 | | | |
| 72900100 | METAL POST - TYPE A | FT. | 13 | | 13 | | | |
| *78003100 | PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LETTERS AND SYMBOLS | S. F. | 140 | 140 | | | | |
| *78003110 | PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 4" | FOOT | 1,630 | 1,630 | | | | |
| *78003130 | PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 6" | FOOT | 1,194 | 1,194 | | | | |
| *78003140 | PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 8" | FOOT | 546 | 546 | | | | |
| *78003150 | PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 12" | FOOT | 536 | 536 | | | | |
| *78003180 | PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 24" | FOOT | 198 | 198 | | | | |
| 78200300 | PRISMATIC CURB REFLECTOR | EACH | 24 | 24 | | | | |

△ * SPECIALTY ITEMS

REVISED
△ 4-17-06

| | | | | |
|-----------------------------------|----------|------------------|--------------|-----------|
| F.A. RTE. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
| + | + | LASALLE | 95 | 5 |
| STA. | TO STA. | | | |
| FED. ROAD DIST. NO. | ILLINOIS | FED. AID PROJECT | | |
| + FAP ROUTE 653 (ROUTE 18 COUPLE) | | | | |
| + SECTION (7)R, RS-2; (8)R, RS-1 | | | | |

SUMMARY OF QUANTITIES

← U R B A N →

| | | | | |
|--------------|---------|---|--------------|-----------|
| F.A. RATE | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
| + | + | LASALLE | 95 | 6 |
| STA. TO STA. | | FED. ROAD DIST. NO. 3 ILLINOIS FED. AID PROJECT | | |
| | | + FAP ROUTE 653 (ROUTE 18 COUPLE) | | |
| | | + SECTION (7)R, RS-2; (8)R, RS-1 | | |

| CODE NUMBER | PAY ITEMS | UNIT | TOTAL QUANTITY | ROADWAY | TRAFFIC SIGNALS | LIGHTING | SIDEWALK | EMERGENCY |
|-------------|---|--------|----------------|-----------|-------------------|-----------|-----------|------------|
| | | | | FED 80% | FED 80% | | STATE 50% | PREEMPTION |
| | | | | STATE 20% | STATE 15% CITY 5% | CITY 100% | CITY 50% | CITY 100% |
| | | | | J000-2A | Y031-1F | Y030-1E | SFTY-1B | Y031-3D |
| 78300100 | PAVEMENT MARKING REMOVAL | S. F. | 149 | 149 | | | | |
| 80500200 | SERVICE INSTALLATION, TYPE B | EACH | 1 | | 1 | | | |
| 81012300 | CONDUIT IN TRENCH, 1" DIA., PVC | FT. | 43 | | 43 | | | |
| 81012500 | CONDUIT IN TRENCH, 1 1/2" DIA., PVC | FT. | 25 | | 25 | | | |
| 81012700 | CONDUIT IN TRENCH, 2 1/2" DIA., PVC | FT. | 36 | | 36 | | | |
| 81013000 | CONDUIT IN TRENCH, 4" DIA., PVC | FT. | 5 | | 5 | | | |
| 81021330 | CONDUIT PUSHED, 2" DIA., PVC | FT. | 328 | | 328 | | | |
| 81021350 | CONDUIT PUSHED, 3" DIA., PVC | FT. | 224 | | 224 | | | |
| 81400400 | CONCRETE HANDHOLE | EACH | 3 | | 3 | | | |
| 81400600 | CONCRETE DOUBLE HANDHOLE | EACH | 1 | | 1 | | | |
| 81500200 | TRENCH AND BACKFILL FOR ELECTRICAL WORK | FT. | 109 | | 109 | | | |
| * 81702110 | ELECTRIC CABLE IN CONDUIT, 600 V (XLP-TYPE USE) 1/C NO. 10 | FT. | 850 | | | 850 | | |
| * 83103250 | LUMINAIRE, SODIUM VAPOR, HORIZONTAL MOUNT, PHOTOCCELL CONTROL, 250 WATT | EACH | 3 | | | 3 | | |
| * 85700200 | FULL-ACTUATED CONTROLLER AND TYPE IV CABINET | EACH | 1 | | 1 | | | |
| * 85900100 | TRANSCEIVER | EACH | 1 | | 1 | | | |
| * X0325311 | UNINTERRUPTIBLE POWER SUPPLY, STANDARD | L. SUM | 1 | | 1 | | | |
| * 87301215 | ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 2/C | FT. | 971 | | 550 | | | 421 |
| * 87301225 | ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 3/C | FT. | 730 | | 730 | | | |
| * 87301245 | ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 5/C | FT. | 797 | | 797 | | | |
| * 87301255 | ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 7/C | FT. | 475 | | 475 | | | |
| * 87301305 | ELECTRIC CABLE IN CONDUIT, LEAD-IN, NO. 14 1 PAIR | FT. | 220 | | 220 | | | |
| * 87301715 | ELECTRIC CABLE IN CONDUIT, COMMUNICATION NO. 18, 6 PAIR | FT. | 500 | | 500 | | | |
| * 87301805 | ELECTRIC CABLE IN CONDUIT, SERVICE NO. 6 2/C | FT. | 45 | | 45 | | | |
| 87502460 | TRAFFIC SIGNAL POST, GALVANIZED STEEL 12 FT. | EACH | 1 | | 1 | | | |
| 87702870 | STEEL COMBINATION MAST ARM ASSEMBLY AND POLE, 28 FT. | EACH | 1 | | | 1 | | |
| 87702880 | STEEL COMBINATION MAST ARM ASSEMBLY AND POLE, 30 FT. | EACH | 1 | | | 1 | | |
| 87703000 | STEEL COMBINATION MAST ARM ASSEMBLY AND POLE, 55 FT. | EACH | 1 | | | 1 | | |
| 87800100 | CONCRETE FOUNDATION, TYPE A | FT. | 3.0 | | 3.0 | | | |
| 87800150 | CONCRETE FOUNDATION, TYPE C | FT. | 3.5 | | 3.5 | | | |
| 87800415 | CONCRETE FOUNDATION, TYPE E, 36 INCH DIAMETER | FT. | 35 | | 35 | | | |
| 87900200 | DRILL EXISTING HANDHOLE | EACH | 1 | | 1 | | | |
| 88200400 | TRAFFIC SIGNAL BACKPLATE, FORMED PLASTIC | EACH | 9 | | 9 | | | |
| * 88500100 | INDUCTIVE LOOP DETECTOR | EACH | 3 | | 3 | | | |
| * 88600100 | DETECTOR LOOP, TYPE I | FT. | 400 | | 400 | | | |
| * 88700200 | LIGHT DETECTOR | EACH | 3 | | | | | 3 |
| * 88700300 | LIGHT DETECTOR AMPLIFIER | EACH | 1 | | | | | 1 |
| * 88800100 | PEDESTRIAN PUSH-BUTTON | EACH | 4 | | 4 | | | |
| * XX002856 | RE-OPTIMIZE TRAFFIC SIGNAL SYSTEM | L. SUM | 1 | | 1 | | | |
| * XX004593 | STORM SEWER, WATER MAIN TYPE 1 12 INCH | FOOT | 259 | 259 | | | | |
| * X0324085 | EMERGENCY VEHICLE PRIORITY SYSTEM, LINE SENSOR CABLE, NO. 20 3/C | FT. | 125 | | | | | 125 |
| X4066426 | BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "D", N70 | TON | 582 | 582 | | | | |
| X4066616 | BITUMINOUS CONCRETE BINDER COURSE, SUPERPAVE, IL-19.0, N90 | TON | 1,138 | 1,138 | | | | |

△ * SPECIALTY ITEMS

△ REVISED 4-17-06

SUMMARY OF QUANTITIES

← URBAN →

| | | | | |
|---|---------|---------|--------------|-----------|
| F.A. RTE. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
| + | H | LASALLE | 95 | 7 |
| STA. | TO STA. | | | |
| FED. ROAD DIST. NO. 3 ILLINOIS FED. AID PROJECT | | | | |
| + FAP ROUTE 653 (ROUTE 18 COUPLE) | | | | |
| + SECTION (7R, RS-2; 8R, RS-1) | | | | |

| CODE NUMBER | PAY ITEMS | UNIT | TOTAL QUANTITY | ROADWAY | TRAFFIC SIGNALS | LIGHTING | SIDEWALK | EMERGENCY |
|-------------|---|--------|----------------|-----------|-------------------|-----------|----------|------------|
| | | | | FED 80% | FED 80% | STATE | STATE | PREEMPTION |
| | | | | STATE 20% | STATE 15% CITY 5% | CITY 100% | CITY 50% | CITY 100% |
| X6020074 | INLETS, TYPE A, TYPE 3V FRAME AND GRATE | EACH | 19 | | 19 | | | |
| X6020075 | INLETS, TYPE B, TYPE 3V FRAME AND GRATE | EACH | 19 | | 19 | | | |
| *X8730027 | ELECTRIC CABLE IN CONDUIT, GROUNDING, NO. 6 1/C | FT. | 350 | | | 350 | | |
| *X8801310 | SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 3-SECTION, MAST ARM MOUNTED | EACH | 4 | | | 4 | | |
| *X8801350 | SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 4-SECTION, MAST ARM MOUNTED | EACH | 2 | | | 2 | | |
| *X8801400 | SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 5-SECTION, MAST ARM MOUNTED | EACH | 2 | | | 2 | | |
| *X8810395 | PEDESTRIAN SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, BRACKET MOUNTED | EACH | 8 | | | 8 | | |
| Z0001050 | AGGREGATE SUBGRADE 12" | S. Y. | 9,855 | 9,855 | | | | |
| Z0007601 | BUILDING REMOVAL NO. 1 | L. SUM | 1 | 1 | | | | |
| Z0007602 | BUILDING REMOVAL NO. 2 | L. SUM | 1 | 1 | | | | |
| Z0007603 | BUILDING REMOVAL NO. 3 | L. SUM | 1 | 1 | | | | |
| Z0007604 | BUILDING REMOVAL NO. 4 | L. SUM | 1 | 1 | | | | |
| Z0007605 | BUILDING REMOVAL NO. 5 | L. SUM | 1 | 1 | | | | |
| Z0007606 | BUILDING REMOVAL NO. 6 | L. SUM | 1 | 1 | | | | |
| *Z0049801 | REMOVAL AND DISPOSAL OF FRIABLE ASBESTOS, BUILDING NO. 1 | L. SUM | 1 | 1 | | | | |
| *Z0049802 | REMOVAL AND DISPOSAL OF FRIABLE ASBESTOS, BUILDING NO. 2 | L. SUM | 1 | 1 | | | | |
| *Z0049803 | REMOVAL AND DISPOSAL OF FRIABLE ASBESTOS, BUILDING NO. 3 | L. SUM | 1 | 1 | | | | |
| *Z0049804 | REMOVAL AND DISPOSAL OF FRIABLE ASBESTOS, BUILDING NO. 4 | L. SUM | 1 | 1 | | | | |
| *Z0049805 | REMOVAL AND DISPOSAL OF FRIABLE ASBESTOS, BUILDING NO. 5 | L. SUM | 1 | 1 | | | | |
| *Z0049806 | REMOVAL AND DISPOSAL OF FRIABLE ASBESTOS, BUILDING NO. 6 | L. SUM | 1 | 1 | | | | |
| *Z0049901 | REMOVAL AND DISPOSAL OF NON-FRIABLE ASBESTOS, BUILDING NO. 1 | L. SUM | 1 | 1 | | | | |
| *Z0049902 | REMOVAL AND DISPOSAL OF NON-FRIABLE ASBESTOS, BUILDING NO. 2 | L. SUM | 1 | 1 | | | | |
| *Z0049903 | REMOVAL AND DISPOSAL OF NON-FRIABLE ASBESTOS, BUILDING NO. 3 | L. SUM | 1 | 1 | | | | |
| *Z0049904 | REMOVAL AND DISPOSAL OF NON-FRIABLE ASBESTOS, BUILDING NO. 4 | L. SUM | 1 | 1 | | | | |
| *Z0049905 | REMOVAL AND DISPOSAL OF NON-FRIABLE ASBESTOS, BUILDING NO. 5 | L. SUM | 1 | 1 | | | | |
| *Z0049906 | REMOVAL AND DISPOSAL OF NON-FRIABLE ASBESTOS, BUILDING NO. 6 | L. SUM | 1 | 1 | | | | |
| XX002154 | MANHOLES, TYPE A, 4'-DIAMETER, TYPE 3V FRAME AND GRATE | EACH | 4 | 4 | | | | |
| X0325319 | MANHOLES, TYPE A, 8'-DIAMETER, 2 TYPE 1 FRAMES, CLOSED LIDS (SPECIAL) | EACH | 1 | 1 | | | | |
| X0325323 | MANHOLES, TYPE A, SANITARY, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID | EACH | 3 | 3 | | | | |
| X0325320 | SANITARY SEWER, PVC SDR 35, 8" | FOOT | 464 | 464 | | | | |
| X0323382 | STORM SEWER, WATER MAIN ^{REQUIREMENTS} TYPE 1 15 INCH | FOOT | 44 | 44 | | | | |
| X0325321 | STORM SEWER, WATER MAIN ^{REQUIREMENTS} TYPE 2 24 INCH | FOOT | 131 | 131 | | | | |
| X0325322 | STORM SEWER, WATER MAIN ^{REQUIREMENTS} TYPE 3 24 INCH | FOOT | 73 | 73 | | | | |
| X0325324 | PORTLAND CEMENT CONCRETE BASE COURSE WIDENING, 7.5" | SQYD | 298 | 298 | | | | |

△ *SPECIALTY ITEMS

REVISED
4-17-06