

# GENERAL NOTES

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
595	1 - 1	ROCK ISLAND	239	4
STA. 75+60.93		TO STA. 116+00.00		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		
CONTRACT # 84986				

## GUARDRAIL / TERMINALS

EMBANKMENT QUANTITIES FOR THE CONSTRUCTION OF THE TRAFFIC BARRIER TERMINALS AS SHOWN IN THE PLANS ARE INCLUDED IN QUANTITIES FOR EARTH EXCAVATION.

THE CONTRACTOR SHALL SUPPLY THE RESIDENT ENGINEER WITH THE MANUFACTURER'S INSTALLATION REQUIREMENTS FOR THE TYPE OF STEEL PLATE BEAM GUARDRAIL TERMINAL TYPE I SPECIAL (TANGENT) OR STEEL PLATE BEAM GUARDRAIL TERMINAL TYPE I SPECIAL (FLARED).

ONE 16D GALVANIZED NAIL SHALL BE USED TO TOE NAIL THE WOOD BLOCK OUT TO THE WOOD POST ON ALL TRAFFIC BARRIER TERMINAL TYPE I SPECIALS.

THE ADDITIONAL EMBANKMENT REQUIRED TO BUILD UP THE SHOULDER FOR THE TRAFFIC BARRIER TERMINAL, AS SHOWN ON THE PLANS, SHALL BE HAULED FROM EXCESS EARTH EXCAVATION FROM WITHIN THE PROJECT AND SHALL BE PLACED PRIOR TO THE INSTALLATION OF THE TERMINAL. THE COST OF THIS WORK SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE PER CU YD FOR EARTH EXCAVATION. AN ESTIMATED 10 CUBIC YARDS OF EMBANKMENT IS REQUIRED AT EACH TERMINAL LOCATION

DELINEATORS SHALL BE INSTALLED AS SHOWN IN STANDARD 635001, EXCEPT THAT THE POST SHALL BE ROTATED 180° AND ONLY METAL-BACKED DELINEATORS SHALL BE PERMITTED.

DELINEATORS SHALL BE PLACED AT THE ENDS OF APPROACH GUARDRAIL TERMINAL SECTIONS, AND AT EACH HEADWALL OR END SECTION OF AR CULVERTS. THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE EACH FOR DELINEATORS.

THERE WILL BE GUARRAIL POSTS INSTALLED AT THE SAME LOCATION AS TYPE B AND TYPE B GUTTER AND THROUGH THE GUTTER TRANSITION POINT.

## SURVEY MARKERS

WHERE SECTION OR SUB-SECTION MONUMENTS ARE ENCOUNTERED, THE ENGINEER SHALL BE NOTIFIED BEFORE SUCH MONUMENTS ARE REMOVED. THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL PROPERTY MARKERS AND MONUMENTS UNTIL THE OWNER, AN AUTHORIZED SURVEYOR, OR AGENT HAS WITNESSED OR OTHERWISE REFERENCED THEIR LOCATION.

THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL PROPERTY MARKERS AND MONUMENTS UNTIL SUCH TIME AS AN ILLINOIS REGISTERED LAND SURVEYOR HAS HAD THE OPPORTUNITY TO REESTABLISH THE MARKER OR MONUMENT ON THE NEW RIGHT-OF-WAY LINE.

PERMANENT SURVEY MARKERS, TYPE II, SHALL BE SET AT INTERVALS OF 1.6 KM (1 MILE) OR AS DIRECTED BY THE ENGINEER. BRIDGE OR CULVERT PROJECTS SHALL HAVE ONE SURVEY MARKER PLACED NEAR THE STRUCTURE. ESTIMATED: 2 EACH.

PERMANENT SURVEY MARKERS, TYPE II PLACED IN URBAN AREAS SHOULD BE PLACED IN SIDEWALK AREAS. THE MARKER SHALL BE PLACED AS SHOWN ON HIGHWAY STANDARD 667101. THE SIDEWALK SHALL BE PLACED AROUND THE MARKER AND FLUSH WITH THE TOP.

THE CONTRACTOR SHALL SUBMIT TO THE ENGINEER A DESCRIPTION OF LOCATION, ELEVATION, AND COORDINATES FOR EACH PERMANENT SURVEY MARKER. THE ENGINEER SHALL SUBMIT THIS INFORMATION TO THE SURVEY CREW.

## POLICY GUIDELINES

- ALL TREES REMOVED FROM THE PROJECT AREA (679 TREES, AND 3 ACRES, MAX.) FOR CONSTRUCTION OR MAINTENANCE PURPOSES WILL BE REPLACED WITH DECIDUOUS TREE SPECIES WHICH ARE NATIVE TO THE DISTRICT 2 AREA. TREES WILL BE REPLACED ACCORDING TO IDOT DEPARTMENTAL POLICY D&E-18 (SEPTEMBER 18, 2002). THE LOCATION OF THE REPLACEMENT TREES SHALL BE DETERMINED BY THE DISTRICT 2 LANDSCAPE ARCHITECT.

## COMMITMENTS

- NO CONSTRUCTION WILL TAKE PLACE IN BLACKHAWK STATE HISTORICAL SITE (INCLUDING THE BLACKHAWK FOREST NATURE PRESERVE).
- THE RE/TE WILL CONTACT THE PROPERTY OWNER, RAO MOVVA, MD, TWO WEEKS PRIOR TO CONSTRUCTION OF THE CE AT STA 113+80 RT TO COORDINATE ACCESS TO THE FACILITIES.
- THE CONTRACTOR WILL INSTALL BITUMINOUS SURFACING ON THE DRIVEWAY IN THE EASEMENT AREA AT STA 114+83 RT. THIS WORK WILL BE INSTALLED AT NO COST TO THE PROPERTY OWNER.
- CONTRACTOR SHALL CONTACT PROPERTY OWNERS PRIOR TO DOING WORK THAT WILL AFFECT EXISTING ENTRANCES IN ORDER TO MINIMIZE EFFECTS TO THEIR ACCESS.
- THE KINDERCARE ENTRANCES AT RT. STA. 107+29 AND RT. STA. 108+38 SHALL BE KEPT OPEN TO TRAFFIC FROM THE HOURS OF 6:30 AM - 9:30 AM AND 2:30 PM - 6:00 PM (7 DAYS A WEEK).

- THE FOLLOWING QUANTITIES HAVE BEEN ESTIMATED FOR SLOPE CORRECTION OF PARKING LOT LOCATED LT STATION 110+11 TO LT STATION 111+20:  
 AGGREGATE BASE COURSE TYPE B: 105 TON  
 EARTH EXCAVATION: 30 CU YD  
 EMBANKMENT: 53 CU YD (PAID AS EARTH EXCAVATION)  
 SEEDING CLASS 1 (MODIFIED): 0.04 ACRE  
 M.H. TO BE ADJUSTED W/ NEW T 1 FRAME, C. LID: 1 EACH  
 PARKING BLOCKS (STD 31.4): 11 EACH  
 PCC DRIVEWAY PAVEMENT 5" : 320 SQ YD  
 THE CONTRACTOR SHALL BLADE THE PARKING LOT AND CORRECT THE SLOPES AS SHOWN ON THE CROSS SECTIONS USING THE ESTIMATED MATERIALS.

## MISCELLANEOUS

THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING UTILITY PROPERTY DURING CONSTRUCTION OPERATIONS AS OUTLINED IN ARTICLE 107.31 OF THE STANDARD SPECIFICATIONS. A MINIMUM OF 48 HOURS ADVANCE NOTICE IS REQUIRED FOR NON-EMERGENCY WORK. THE JULIE NUMBER IS 800-892-0123. THE FOLLOWING LISTED UTILITIES LOCATED WITHIN THE PROJECT LIMITS OR IMMEDIATELY ADJACENT TO THE PROJECT CONSTRUCTION LIMITS ARE MEMBERS OF JULIE:  
 CITY OF ROCK ISLAND, SEWER AND WATER DEPARTMENT  
 MIDAMERICAN ENERGY COMPANY  
 SBC/AMERITECH TELEPHONE COMPANY  
 MEDIACOM

FOLLOWING ARE THE KNOWN UTILITIES LOCATED WITHIN THE PROJECT LIMITS OR IMMEDIATELY ADJACENT TO THE PROJECT CONSTRUCTION LIMITS WHICH ARE NOT MEMBERS OF JULIE AND SHOULD BE NOTIFIED INDIVIDUALLY BY THE CONTRACTOR:  
 NOTIFY IDOT FOR NON-JULIE MEMBERS

THE APPLICABLE PORTIONS OF ARTICLE 105.07 OF THE STANDARD SPECIFICATION SHALL APPLY EXCEPT FOR THE FOLLOWING: THE CONTRACTOR SHALL BE RESPONSIBLE TO LOCATE THE VERTICLE DEPTHS OF THE UNDERGROUND UTILITIES WHICH MAY INTERFERE WITH CONSTRUCTION OPERATIONS. THIS WORK WILL NOT BE MEASURED OR PAID FOR SEPARATELY, BUT SHALL BE CONSIDERED AS INCLUDED IN THE UNIT BID PRICE FOR THE ITEM OF CONSTRUCTION INVOLVED.

PER SB 699 (90 DAY UTILITY RELOCATION LAW), ONCE RIGHT-OF-WAY IS CLEAR TO AWARD THE PROJECT, A NOTICE WILL BE SENT TO THE UTILITY COMPANIES INSTRUCTING THEM TO HAVE THEIR FACILITIES RELOCATED WITHIN 90 DAYS. ESTIMATED DATE RELOCATION COMPLETE = LETTING DATE + 135 DAYS.

## MISCELLANEOUS CONTINUED

CADD DATA WILL BE AVAILABLE TO CONTRACTORS AND CONSULTANTS WORKING ON THIS PROJECT. THIS INFORMATION WILL BE PROVIDED UPON REQUEST AS MICROSTATION CADD FILES AND GEOPAK COORDINATE GEOMETRY FILES ONLY. IF DATA IS REQUIRED IN OTHER FORMATS IT WILL BE YOUR RESPONSIBILITY TO MAKE THESE CONVERSIONS. IF ANY DISCREPANCY OR INCONSISTENCY ARISES BETWEEN THE ELECTRONIC DATA AND THE INFORMATION ON THE HARD COPY, THE INFORMATION ON THE HARD COPY SHOULD BE USED. CONTACT THE DISTRICT'S PROJECT ENGINEER TO REQUEST THESE FILES.

THE CONTRACTOR SHALL RELOCATE AND REPLACE TO THE SATISFACTION OF THE ENGINEER ALL TRAFFIC SIGNS IN ACCORDANCE WITH ARTICLE 107.25 OF THE STANDARD SPECIFICATIONS.

AGGREGATE BASE COURSE, TYPE B, IS PROVIDED IN THE PLAN QUANTITIES AND SHALL BE USED ONLY AS NEEDED WHEN DIRECTED BY THE ENGINEER.

TYPICAL SECTIONS SHALL GOVERN WHENEVER DEVIATIONS OCCUR BETWEEN THEM AND THE STANDARDS.

PROTECTIVE COAT SHALL BE APPLIED TO ALL CURB AND GUTTER, MEDIANS, AND PAVEMENTS IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

RIGHT-OF-WAY MARKERS WILL BE ERECTED WITH THE BACK FACE OF THE MARKER ON THE RIGHT-OF-WAY LINE UNLESS THE NEW RIGHT-OF-WAY LINE HAS BEEN SURVEYED AND PINNED, IN WHICH INSTANCE THE RIGHT-OF-WAY MARKERS WILL BE ERECTED 300mm (12 INCHES) INSIDE THE NEW RIGHT-OF-WAY LINE.

Utilities			
Name and Address of Utility	Type	Telephone	Julie Member
Mr. Jim Johnson City of Rock Island 1309 Mill Street Rock Island, IL 61201	Water & Sewer	309-732-2238	Yes 800-892-0123
Mr. Dennis Schultz IDOT - Dist. 2 819 Depot Avenue Dixon, IL 61021	Govt	815-284-5469	No 815-284-5469
Mr. Dennis Jarding Mediacom 3900 26th Ave. Moline, IL 61265	CATV	309-743-4750	Yes 800-892-0123
Mr. Jeff Thomas MidAmerican Energy Company 2811 5th Ave. Rock Island, IL 61201	Electric	309-793-3763	Yes 800-892-0123
Mr. Scott Bull MidAmerican Energy Company 2811 5th Ave. Rock Island, IL 61201	Gas	309-793-3870	Yes 800-892-0123
Mr. Jeremy Schnack SBC/Ameritech Telephone Co. 635 18th Street Rock Island, IL 61201	Telephone	309-793-4456	Yes 800-892-0123

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

## GENERAL NOTES F.A. 595 (IL RTE 5)

SCALE: VERT. NONE  
HORIZ. DATE: \$\$\$DATE\$\$\$

DRAWN BY XX  
CHECKED BY XX

ILLINOIS PROFESSIONAL  
DESIGN FIRM NO. 184-001533



650 West Higgins Road, Suite 730, Chicago, Illinois 60631-2809  
www.stanleygroup.com

REVISED  
4-6-06  
PER ADDENDUM

# SUMMARY OF QUANTITIES

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
595	1 - 1	ROCK ISLAND	239	5
STA. 75+60.93		TO STA. 116+00.00		
FED. ROAD DIST. NO.		ILLINOIS	FED. AID PROJECT	
		CONTRACT # 84986		

URBAN

← 2 - LANE 75+61 - 86+07      4 - LANE 86+07 - 116+00 →

CODE NUMBER	PAY ITEMS	UNIT	TOTAL QUANTITIES	2 - LANE 75+61 - 86+07 100% STATE 1000 - 2A	4 - LANE 86+07 - 116+00 100% STATE 1000 - 2A	90% STATE 10% CITY Y031 - 1F	100% CITY OF ROCK ISLAND Y060	50% STATE 50% CITY SFTY-1B
20100110	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	UNIT	136		136			
20100210	TREE REMOVAL (OVER 15 UNITS DIAMETER)	UNIT	575	36	539			
20100500	TREE REMOVAL, ACRES	ACRE	2.00	1.00	1.00			
20200100	EARTH EXCAVATION	CU YD	34455	9030	25425			
20800150	TRENCH BACKFILL	CU YD	1737	354	1383			
20900110	POROUS GRANULAR BACKFILL	CU YD	12	12				
21001000	GEOTECHNICAL FABRIC FOR GROUND STABILIZATION	SQ YD	31916	6474	25442			
21101615	TOPSOIL FURNISH AND PLACE, 4"	SO YD	26757	5773	20984			
25000400 *	NITROGEN FERTILIZER NUTRIENT	POUND	472	125	347			
25000500 *	PHOSPHORUS FERTILIZER NUTRIENT	POUND	472	125	347			
25000600 *	POTASSIUM FERTILIZER NUTRIENT	POUND	472	125	347			
25000910 *	SEEDING, CLASS 1 (MODIFIED)	ACRE	4.79	0.29	4.50			
25100115 *	MULCH, METHOD 2	ACRE	4.79	0.29	4.50			
25100630	EROSION CONTROL BLANKET	SO YD	2797	564	2233			
25200100 *	SODDING	SO YD	14483	3323	11160			
25200200	SUPPLEMENTAL WATERING	UNIT	130.4	28.5	101.9			
28000250	TEMPORARY EROSION CONTROL SEEDING	POUND	1200	300	900			
28000300	TEMPORARY DITCH CHECKS	EACH	18		18			
28000400	PERIMETER EROSION BARRIER	FOOT	2185	570	1615			
28000500	INLET AND PIPE PROTECTION	EACH	68	18	50			
28100707	STONE DUMPED RIPRAP, CLASS A4	SO YD	155	11	144			
28200200	FILTER FABRIC	SO YD	155	11	144			
31100100	SUB-BASE GRANULAR MATERIAL, TYPE A	TON	28638	5902	22736			
35101400	AGGREGATE BASE COURSE, TYPE B	TON	2931	402	2529			
35500100	BITUMINOUS BASE COURSE 4"	SO YD	359		359			
40200800	AGGREGATE SURFACE COURSE, TYPE B	TON	669	243	426			
40500300	BITUMINOUS MIXTURE COMPLETE	TON	535	140	395			
40600200	BITUMINOUS MATERIALS (PRIME COAT)	TON	5.0	2.2	2.8			
40600895	CONSTRUCTING TEST STRIP	EACH	2	1	1			
42300100	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 5 INCH	SO YD	320	320				
42300300	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 7 INCH	SO YD	1235	112	1123			
42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SO FT	18578				18578	
42400800	DETECTABLE WARNINGS	SO FT	140	20	120			
44000030	BITUMINOUS SURFACE REMOVAL (VARIABLE DEPTH)	SO YD	9556	2508	7048			
44000100	PAVEMENT REMOVAL	SO YD	15805	3802	12003			
44000200	DRIVEWAY PAVEMENT REMOVAL	SO YD	1196	72	1124			
44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	3145	1004	2141			
44002805	ISLAND REMOVAL	SO FT	626		626			
50100300 *	REMOVAL OF EXISTING STRUCTURES NO. 1	EACH	1		1			
50100400 *	REMOVAL OF EXISTING STRUCTURES NO. 2	EACH	1		1			
50100500 *	REMOVAL OF EXISTING STRUCTURES NO. 3	EACH	1		1			

\* SPECIALTY ITEM      Δ REVISED 4-6-06 PER ADDENDUM



# SUMMARY OF QUANTITIES

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
595	1 - 1	ROCK ISLAND	239	9
STA. 75+60.93		TO STA. 116+00.00		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		CONTRACT # 84986

URBAN

CODE NUMBER	PAY ITEMS	UNIT	TOTAL QUANTITIES	2 - LANE 75+61 - 86+07		4 - LANE 86+07 - 116+00		90% STATE 10% CITY Y031 - 1F	100% CITY OF ROCK ISLAND Y060	50% STATE 50% CITY SFTY-1B
				100% STATE 1000 - 2A	100% STATE 1000 - 2A	100% STATE 1000 - 2A	100% STATE 1000 - 2A			
A2000114	TREE, ACER X FREEMANII (AUTUMN BLAZE (AUTUMN BLAZE FREEMAN MAPLE) 1-3/4" CALIPER, BALLED AND BURLAPPED	EACH	15			15				
A2001714	TREE, ACER SACCHARUM (SUGAR MAPLE) 1-3/4" CALIPER, BALLED AND BURLAPPED	EACH	15			15				
A2003414	TREE, FRAXINUS AMERICANA (AUTUMN BLAZE (AUTUMN BLAZE WHITE ASH) 1-3/4" CALIPER, BALLED AND BURLAPPED	EACH	15			15				
A2006714	TREE, QUERCUS MACROCARPA (BUR OAK) 1-3/4" CALIPER, BALLED AND BURLAPPED	EACH	15			15				
A2007114	TREE, QUERCUS RUBRA (RED OAK) 1-3/4" CALIPER, BALLED AND BURLAPPED	EACH	15			15				
A2007814	TREE, TILIA AMERICANA (AMERICAN LINDEN/BASSWOOD) 1-3/4" CALIPER, BALLED AND BURLAPPED	EACH	15			15				
B2000562	TREE, AMELANCHIER CANADENSIS (SHADBLOW SERVICEBERRY) 4' HEIGHT, SHRUB FORM, BALLED AND BURLAPPED	EACH	30			30				
B2001114	TREE, CERCIS CANADENSIS (EASTERN REDBUD) 1-3/4" CALIPER, TREE FORM, BALLED AND BURLAPPED	EACH	15			15				
B2002716	TREE, MALUS ADIRONDACK (ADIRONDACK CRABAPPLE) 2" CALIPER, TREE FORM, BALLED AND BURLAPPED	EACH	10			10				
B2004814	TREE, MALUS SARGENTII (SARGENT CRABAPPLE) 1-3/4" CALIPER, TREE FORM, BALLED AND BURLAPPED	EACH	20			20				
B2005214	TREE, MALUS SUTYZAM (SUGAR TYME CRABAPPLE) 1-3/4" CALIPER, TREE FORM, BALLED AND BURLAPPED	EACH	20			20				
C2012848	SHRUB, VIBURNUM TRILOBUM (AMERICAN CRANBERRY VIBURNUM) 4' HEIGHT, BALLED AND BURLAPPED	EACH	100			100				
X0321760	DOUBLE HANDHOLE REMOVAL	EACH	1					1		
X0321809	PERMANENT GROUND ANCHORS	EACH	32			32				
X0322033	STORM SEWER (WATER MAIN REQUIREMENTS) 12 INCH	FOOT	1946	55		1891				
X0322034	STORM SEWER (WATER MAIN REQUIREMENTS) 15 INCH	FOOT	505			505				
X0322923	SEGMENTAL CONCRETE BLOCK WALL	SO FT	708			708				
X0323153	ELECTRIC CABLE IN CONDUIT, GROUND, NO. 6 1C (GREEN)	FOOT	650				650			
X0323230	ISLAND SPECIAL	SO YD	54			54				
X0323481	VIDEO VEHICLE DETECTION SYSTEM, 4 CAMERA	EACH	1					1		
X0324455	DRILLING AND SETTING SOLDIER PILES (IN SOIL)	CU FT	10892	7938		2954				
X0324456	DRILLING AND SETTING SOLDIER PILES (IN ROCK)	CU FT	12389	9506		2883				
X0324887	CONDUIT INSTALLED, 2 1/2" NON-METALLIC	FOOT	89				89			
X0324888	CONDUIT INSTALLED, 4" NON-METALLIC	FOOT	387				387			
<del>X0696100</del>	<del>PARKING BLOCKS</del>	<del>EACH</del>	<del>11</del>	<del>11</del>						
X0712400	TEMPORARY PAVEMENT	SO YD	4932	1343		3589				
X2510630	HEAVY DUTY EROSION CONTROL BLANKET	SO YD	268			268				
X4066414	BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "C", N50	TON	210			210				
X4080020	INCIDENTAL BITUMINOUS SURFACING, SUPERPAVE, N50	TON	463	108		355				
X5011100	FOUNDATION REMOVAL	EACH	1	1						
X5121800	PERMANENT STEEL SHEET PILING	SO FT	2028			2028				
X8801310	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 3 SECTION, MAST ARM MOUNTED	EACH	7				7			
X8801395	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 5 SECTION, BRACKET MOUNTED	EACH	3				3			
X8801400	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 5 SECTION, MAST ARM MOUNTED	EACH	3				3			
X8810395	PEDESTRIAN SIGNAL HEAD, POLYCARBONATE LED, 1-FACE, BRACKET MOUNTED	EACH	3				3			
X8810495	PEDESTRIAN SIGNAL HEAD, POLYCARBONATE LED, 2-FACE, BRACKET MOUNTED	EACH	1				1			
X8880010	ADA PEDESTRIAN PUSHBUTTON	EACH	5				5			
XX003037	DUCTILE IRON FITTINGS AND ACCESSORIES	POUND	1882					1882		
Z0013798	CONSTRUCTION LAYOUT	L SUM	1	1						
X4074134	POLYMERIZED BITUMINOUS CONCRETE PAVEMENT, (FULL-DEPTH), SUPERPAVE, 13"	SO YD	26453	5641		20812				
X0325312	POLYMERIZED BITUMINOUS CONCRETE PAVEMENT, (FULL-DEPTH), SUPERPAVE, 9 1/2"	SO YD	2341			2341				
X0325313	CONDUIT INSTALLED, 2" NON-METALLIC	FOOT	95				95			

\* SPECIALTY ITEM    Δ REVISED 4-6-06 PER ADDENDUM

## SUMMARY OF QUANTITIES