

# SCHEDULE OF QUANTITIES

BITUMINOUS SURFACE REMOVAL 1"	
ITEM NO. 44000004	
LOCATION	(SQ.YD.)
STA 408+68 - 424+73	4450
STA 438+19 - 444+33	2096
<b>TOTALS</b>	<b>6546</b>

BITUMINOUS SURFACE REMOVAL 1 1/2"	
ITEM NO. 44000006	
LOCATION	(SQ.YD.)
STA 407+20 - 408+68	634
STA 444+33 - 445+23	672
<b>TOTALS</b>	<b>1306</b>

BUTT JOINTS, SPECIAL	
ITEM NO. XX000405	
LOCATION	(SQ.YD.)
SCOVILL STREET (10')	28.7
McHENRY STREET (32')	106.8
MUMFORD DRIVE (LT) (5')	13.8
MUMFORD DRIVE (RT)	35
SILVER STREET (5')	14.4
HARDING DRIVE (10')	27.6
<b>TOTALS</b>	<b>226</b>

BITUMINOUS MATERIALS (PRIME COAT)	
ITEM NO. 40600100	
LOCATION	GALLON
1" MILLED AREAS	491
LEVELING BINDER	1289
SURFACE COURSE	1289
<b>TOTALS</b>	<b>3069</b>

AGGREGATE (PRIME COAT)	
ITEM NO. 40600300	
LOCATION	TON
1" MILLED AREAS	9
LEVELING BINDER	26
SURFACE COURSE	26
<b>TOTALS</b>	<b>61</b>

POLYMERIZED LEVELING BINDER (MACHINE METHOD)	
SUPERPAVE, N90 ITEM NO. X4066915	
LOCATION	TON
1" MILLED AREAS	367
STA 408+68 - 444+33	2828.2
SCOVILL STREET	13.6
McHENRY STREET	0.7
MUMFORD DRIVE (LT)	21.7
MUMFORD DRIVE (RT)	1.8
SILVER STREET	50.4
HARDING DRIVE	26.2
<b>TOTALS</b>	<b>3310</b>

POLYMERIZED BIT. CONC. SURFACE COURSE	
SUPERPAVE, MIX "D", N90 ITEM NO. X4066528	
LOCATION	TON
STA 407+20 - 445+23	1358.9
SCOVILL STREET	13.4
McHENRY STREET	15.0
MUMFORD DRIVE (LT)	13.1
MUMFORD DRIVE (RT)	11.9
SILVER STREET	16.2
HARDING DRIVE	15.5
<b>TOTALS</b>	<b>1444</b>

STRIP REFLECTIVE CRACK CONTROL TREATMENT	
ITEM NO. 44300100	
LOCATION	(FOOT)
408+94 LT - SCOVILL	421.8
SCOVILL - MCHENRY LT	587.5
MCHENRY - MUMFORD LT	1023.5
MUMFORD - SILVER LT	268.6
SILVER - HARDING LT	841.6
HARDING - 443+42 LT	184.9
409+75 - 424+81 RT	1511
438+19 - 443+80 RT	559.7
SE CORNER COLORADO	66.5
<b>TOTAL</b>	<b>5465</b>

AREA REFLECTIVE CRACK CONTROL TREATMENT	
ITEM NO. 44300100	
LOCATION	(SQ.YD.)
McHENRY STREET	201.2
SILVER STREET	207.3
<b>TOTAL</b>	<b>409</b>

PC CONCRETE BASE COURSE WIDENING, 7 1/2"	
ITEM NO. X4006531	
LOCATION	(SQ.YD.)
409+32 - 413+13 LT	173.3
409+75.5 - 424+73 RT	765.1
413+63.6 - 419+43.1 LT	317.3
419+89.6 - 429+95.5 LT	608.7
430+28.7 - 432+79.6 LT	166.2
432+55.5 - 433+37.8 RT	36.5
433+15.1 - 441+34 LT	508.4
438+19 - 443+67 RT	394.0
441+73.3 - 443+21 LT	65.6
SE CORNER OF COLORADO & PHILO	85.9
<b>TOTALS</b>	<b>3121</b>

PC CONCRETE DRIVEWAY PAVEMENT, 7"	
ITEM NO. 42300300	
LOCATION	(SQ.YD.)
CE LT. STA. 410+02.7	42.4
CE RT. STA. 419+75.2	50.2
CE RT. STA. 423+24.0	40.3
CE LT. STA. 428+51.0	56.1
CE RT. STA. 433+00.0	72.9
CE RT. STA. 436+78.2	60.4
CE LT. STA. 439+08.0	40.4
CE LT. STA. 439+60.5	41.7
CE RT. STA. 439+88.8	50.5
CE RT. STA. 441+29.3	36.1
CE RT. STA. 441+73.3	99.7
CE LT. STA. 443+28.9	33.5
<b>TOTALS</b>	<b>624</b>

PC CONCRETE PAVEMENT, 7"	
ITEM NO. 42000200	
LOCATION	(SQ.YD.)
AMBER LANE	348

PC CONCRETE DRIVEWAY PAVEMENT, 6"	
ITEM NO. 42300200	
LOCATION	(SQ.YD.)
PE LT. STA. 417+52.4	20.1
PE LT. STA. 418+41.0	7.6
PE LT. STA. 420+94.8	20.2
PE LT. STA. 421+ 18.0	20.2
PE LT. STA. 421+82.1	19.7
PE LT. STA. 422+00.6	19.7
PE LT. STA. 422+65.1	20.0
PE LT. STA. 422.86.6	20.0
PE LT. STA. 423+50.2	19.9
PE LT. STA. 423+70.2	19.9
PE LT. STA. 424+32.1	20.1
PE LT. STA. 424+ 54.9	20.1
PE LT. STA. 425+17.0	20.1
PE LT. STA. 425+92.4	31.8
PE LT. STA. 426+95.7	21.6
PE LT. STA. 428+93.0	28.7
PE LT. STA. 429+27.0	33.9
PE LT. STA. 431+39.0	22.9
PE LT. STA. 431+62.5	24.6
PE LT. STA. 435+37.9	21.1
PE LT. STA. 436+24.0	21.2
PE LT. STA. 437+00.5	31.6
PE LT. STA. 437+61.5	33.7
<b>TOTALS</b>	<b>519</b>

CLASS C PATCHES, TYPE II, 8"			
ITEM NO. 44201329			
LOCATION	WIDTH	STR. NO.	(SQ.YD.)
410+71 - 410+75 LT	4'	5 - 6	5.9
410+71 - 410+75 RT	4'	5 - 6	5.7
99+49.56 - 99+53.56 LT	4'	10 - 11	5.7
99+49.56 - 99+53.56 RT	4'	10 - 11	5.7
413+54 - 413+58 LT	4'	11 - 12	14.2
413+54 - 413+58 RT	4'	11 - 12	5.5
99+74.3 - 99+78.3 LT	4'		12.2
99+74.3 - 99+78.3 RT	4'		12.2
413+94 - 413+98 LT	4'	14 - 15	5.8
413+94 - 413+98 RT	4'	14 - 15	5.6
416+22 - 416+50 LT	4'		12.4
416+40 - 416+50 RT	8'		8.8
417+31 - 417+35 LT	4'	23 - 24	5.8
417+31 - 417+35 RT	4'	23 - 24	5.8
119+51.96 - 119+55.96 LT	4'	34 - 35	6.3
119+51.96 - 119+55.96 RT	4'	34 - 35	5.5
437+32 - 437+36 LT	4'	116 - 119	5.3
437+32 - 437+36 RT	4'	116 - 119	7.6
<b>TOTALS</b>			<b>136</b>

CLASS C PATCHES, TYPE IV, 8"		
ITEM NO. 44201335		
LOCATION	WIDTH	(SQ.YD.)
415+55 - 415+83 RT	13'	40.4
416+40 - 416+98 RT	4.2'	27.0
<b>TOTALS</b>		<b>68</b>

PC CONCRETE SIDEWALK, 5"	
ITEM NO. 42400200	
LOCATION	(SQ.FT.)
412+93.2 - 412+98.2 RT	86.5
SW CORNER SCOVILL ST	298.9
NW CORNER SCOVILL ST	135.5
413+79.31 - 419+36.56 LT	2257.5
SE CORNER AMBER LN	429.9
NE CORNER AMBER LN	441.5
SW CORNER MCHENRY	144.8
NW CORNER MCHENRY	112.5
420+46.87 - 428+66 LT	3297.9
422+26.1 - 422+34.1 RT	80.0
423+06.5 - 423+41.0 RT	345.6
426+66.0 - 426+77 RT	79.6
428+86 - 429+00.2 LT	56.5
429+17 - 429+38.4 LT	85.5
SE CORNER MUMFORD DR	22.5
SW CORNER MUMFORD DR	188.2
NE CORNER MUMFORD DR	22.4
NW CORNER MUMFORD DR	162.6
431+33 - 431+45 LT	48.0
431+49.5 - 431+73.9 LT	97.4
431+60 - 431+66 RT	24.0
432+43.8 - 432+69.3 RT	200.6
SW CORNER SILVER ST	184.9
432+81.9 - 432+84.3 LT	9.6
NW CORNER SILVER ST	105.9
433+33.7 - 433+53.1 RT	175.4
435+25.9 - 435+48 LT	95.3
436+11.9 - 439+38.8 LT	109.9
436+48.4 - 437+06.1 RT	595.3
438+91.1 - 439+24 LT	155.8
439+43.1 - 439+78.5 LT	166.6
SW CORNER HARDING DR	55.9
NW CORNER HARDING DR	85.0
441+36.9 - 52+80.57 RT	3296.5
<b>TOTALS</b>	<b>13654</b>

DETECTABLE WARNINGS	
ITEM NO. 42400800	
LOCATION	(SQ.FT.)
412+95.4 RT	8.0
SW CORNER SCOVILL ST	17.5
NW CORNER SCOVILL ST	8.3
SE CORNER AMBER LN	23.8
NE CORNER AMBER LN	22.3
SW CORNER MCHENRY	8.4
NW CORNER MCHENRY	10.6
SE CORNER MUMFORD DR	22.5
SW CORNER MUMFORD DR	16.0
NE CORNER MUMFORD DR	22.4
NW CORNER MUMFORD DR	23.0
432+60.2 LT	8.0
SW CORNER SILVER ST	8.0
432+73 RT	46.4
NW CORNER SILVER ST	8.0
433+33.4 RT	24.1
SW CORNER HARDING DR	10.0
NW CORNER HARDING DR	11.8
SE CORNER COLORADO AVE	51.2
<b>TOTALS</b>	<b>350</b>



CITY OF URBANA  
PUBLIC WORKS  
ENGINEERING DIVISION

DRAWN BY: PLS  
CHECKED BY: GLJ  
DESIGNED BY: CES  
CITY SECTION  
95-00305-01-PV

Philo Road Improvements  
Schedule of Quantities

SHEET NO.  
6  
OF  
62