



ROBERT E. JESOP
 1321 W. DELAWARE
 FAIRFIELD, IL. 62837
 PART OF THE SE 1/4, OF THE SE 1/4
 OF SECTION 36

ROBERT E. JESOP
 1321 W. DELAWARE
 FAIRFIELD, IL. 62837
 PART OF THE SE 1/4, OF THE SE 1/4
 OF SECTION 36





BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIXTURE 'C', N50


LOCATION:	STA. 59+97 - STA. 62+77
MIXTURE USE:	SURFACE COURSE
PG:	PG 64-22
RAP % (MAX):	15%
DESIGN AIR VIDS:	4%
MIXTURE COMPOSITION:	CLASS I, TYPE 2, MIXTURE C, N-50
(GRADATION MIXTURE):	
FRICTION AGGREGATE:	MIXTURE C

GREG HIBNER & OTHERS
 c/o BRUCE HUBER
 4775 RUSTIC LANE
 DECATUR, IL. 62521
 PART OF THE SW 1/4, OF THE SW 1/4
 OF SECTION 31

GREG HIBNER & OTHERS
 c/o BRUCE HUBER
 4775 RUSTIC LANE
 DECATUR, IL. 62521
 PART OF THE SW 1/4, OF THE SW 1/4
 OF SECTION 31



BM - P.K. NAIL ON CENTERLINE AT STA. 58+00 = ELEVATION 389.50



THE PROPOSED CENTERLINE GRADE SHOWN IS THE FINAL TOP OF ASPHALT GRADE.
 SEEDING: CLASS II SPECIAL REQUIRED
 0.1 ACRES ALLOWED IN PROPOSAL.

UTILITIES
 WAYNE-WHITE ELECTRIC COOP.
 ROUTE 45 WEST
 FAIRFIELD, ILLINOIS
 (618)842-2196
 ERIN HANLEY, ENGINEER

 JASPER WATER WORKS
 BILL YOUNG, OPERATOR
 CELL PHONE (618)237-0164
 HOME (618)842-2918

 VERIZON
 225 EAST CHESTNUT ST.
 OLNEY, ILLINOIS
 BRIAN VANGUNDY, ENGINEER
 (618)395-6189

EXISTING STRUCTURE NO. 096-3041
 SINGLE SPAN BRIDGE WITH 6" THICK CONCRETE DECK AND ±2" THICK OIL & CHIP SURFACE ON SIX 21" 1" BEAM STRINGERS AND CLOSED TIMBER ABUTMENTS AND TIMBER PILES. 23' WIDE AND 40.5' FACE-TO-FACE OF ABUTMENTS.

 EXISTING STRUCTURE NO. 096-3041 TO BE REMOVED.
 THE CONTRACTOR SHALL REMOVE THE EXISTING STRUCTURE. ALL MATERIALS RESULTING IN THE REMOVAL OF THE EXISTING BRIDGE SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE PROPERLY DISPOSED OF AT THE CONTRACTOR'S OWN EXPENSE.

CONTRACTOR TO CONSTRUCT TRANSITIONS FROM EXISTING CONDITIONS TO PROPOSED CROSS SECTION FROM STA. 59+97 TO STA. 60+47 AND FROM STA. 62+27 TO STA. 62+77.

STA. 61+06.25 TO STA. 61+67.75 PROP. SN 096-3441
 CONSTRUCT A SINGLE SPAN PRECAST PRESTRESSED CONCRETE DECK BEAM BRIDGE WITH CONCRETE, PILE BENT, SPILL THRU ABUTMENTS. SEE SHEETS 4 - 10 FOR BRIDGE DETAILS AND BILL OF MATERIALS.

CHANNEL EXCAVATION
 (200.0 CU. YDS. ALLOWED IN PROPOSAL)
 THIS MATERIAL IS TO BE EXCAVATED WITHIN THE LIMITS OF THE PROPOSED BRIDGE AND TAPERED TO MATCH EXISTING CHANNEL AT THE DITCH LINE.