

SCHEDULE OF QUANTITIES

EARTH EXCAVATION (20200100)
(FOR MEDIAN REMOVAL)

STATION	TO STATION	AREA (SQ FT)	DEPTH (FT)	VOLUME (CU YD)
0+32.00	2+01.90	2,030.1	1.17	88.0
TOTAL =				88.0

HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH (X4401198)

STATION	TO STATION	LOCATION	SQ YD
0+82.00	5+84.00	NB LANE	886.7
0+82.00	5+84.00	SB LANE	899.9
26+09.27	26+28.65	NB LANE	35.2
26+09.27	26+28.65	SB LANE	30.5
TOTAL =			1,853.0

MAINLINE RESURFACING SCHEDULE

STATION	TO STATION	LENGTH (FT)	AREA (SQ YD)	(40600100) BITUMINOUS MATERIALS PRIME COAT (GAL)	(40600300) AGGREGATE PRIME COAT (TON)	(X4060627) LEVELING BINDER (MM) IL-9.5FG, N50 1IN (TON)	(40603310) HMA SURF CSE MIX "C", N50 1.5 (TON)
0+32.00	0+82.00	50.00	458.77	45.88	0.46		38.54
0+67.00	0+82.00	15.00	111.86			4.70	
0+82.00	5+00.00	418.00	1,732.30	173.23	1.73	97.01	145.51
5+00.00	11+00.00	600.00	1,597.87	159.79	1.60	89.48	134.22
11+00.00	17+00.00	600.00	1,599.83	159.98	1.60	89.59	134.39
17+00.00	23+00.00	600.00	1,781.07	178.11	1.78	99.74	149.61
23+00.00	26+00.00	300.00	934.77	93.48	0.93	52.35	78.52
26+00.00	26+36.00	36.00	123.26	12.33	0.12		20.71
SAFETY EDGE			3,762.00	0.002			4.44
TOTALS			8,339.80	823.0	9.0	433.0	706.0

SUBBASE GRANULAR MATERIAL, TYPE A 4" (31100300)
(FOR MEDIAN REMOVAL)

STATION	TO STATION	SQ YD
0+32.00	2+01.90	248.6
TOTAL =		249.0

CLASS D PATCHES, TYPE II, 13 INCH (44201803)
(ADJACENT TO RR CROSSING)

STATION	LOCATION	SQ YD
26+28.65	NB LANE	14.4
26+28.65	SB LANE	14.4
TOTAL =		29.0

PORTLAND CEMENT CONCRETE BASE COURSE 9" (35300400)
(FOR MEDIAN REMOVAL)

STATION	TO STATION	SQ YD
0+32.00	2+01.90	248.6
TOTAL =		249.0

TEMPORARY RAMP (40800990)

STATION	LENGTH (FT)	WIDTH (FT)	AREA (SQ YD)
0+32.00 LT	5.0	19.6	10.9
0+32.00 LT	5.0	29.8	16.6
0+32.00 RT	5.0	66.2	36.8
6+16.10 RT	8.33	63.5	58.8
8+13.64 RT	8.33	99.3	91.9
12+59.28 RT	8.33	102.2	94.6
13+23.14 LT	8.33	76.4	70.7
15+01.27 LT	8.33	77.8	72.0
20+10.47 LT	8.33	49.3	45.6
20+39.75 RT	8.33	44.5	41.2
21+58.38 RT	8.33	42.4	39.2
22+42.63 LT	8.33	54.1	50.1
23+57.39 RT	8.33	131.3	121.5
23+79.12 LT	8.33	62.8	58.1
25+17.45 RT	8.33	39.2	36.3
25+45.28 LT	8.33	48	44.4
26+28.65	8.33	38.5	35.6
TOTAL =			925.0

INCIDENTAL HOT-MIX ASPHALT SURFACING SCHEDULE

STATION	ENTRANCE TYPE	AREA (SQ YD)	(40800050) INCIDENT HMA SURF (TON)	(40800010) BIT MATLS (PR CT) (GALLON)	(40800030) AGG (PR CT) (TON)	(X4400196) HMA SURF REM, SPECIAL (SQ YD)
3+04.11 LT	FE	26.1	2.1	2.6	0.03	
6+16.10 RT	CE	72.5	5.8	7.2	0.07	
8+13.64 RT	CE	112.6	9.1	11.3	0.11	
12+59.28 RT	CE	114.3	9.2	11.4	0.11	
13+23.14 LT	CE	84.6	6.8	8.5	0.08	
15+01.27 LT	CE	85.1	6.9	8.5	0.09	
20+10.47 LT	CE	54.8	4.4	5.5	0.05	
20+39.75 RT	CE	39.1	3.1	3.9	0.04	
21+58.38 RT	CE	38.1	3.1	3.8	0.04	
22+42.63 LT	CE	51.2	4.1	5.1	0.05	
23+57.39 RT	SIDE ROAD	209.2	23.4	20.9	0.21	209.2
23+79.12 LT	PE	58.1	4.7	5.8	0.06	
25+17.45 RT	CE	35.7	2.9	3.6	0.04	
25+45.28 LT	CE	43.5	3.5	4.4	0.04	
TOTALS		1,025.0	90.0	103.0	1.0	210.0

MEDIAN REMOVAL (44003100)

STATION	TO STATION	SQ FT
0+32.00	2+01.90	2,237.2
TOTAL =		2,238.0

HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT (40600982)

STATION	TO STATION	SQ YD
0+32.00 LT	0+82.00 LT	179.6
0+32.00 RT	0+82.00 RT	198.8
TOTAL =		379.0