

DRAINAGE SHEET STA 273+00 TO STA 286+00 (SEE SHEET 95)

PIPE NUMBER	STRUCTURE		DESCRIPTION	CLASS	TYPE	SIZE (IN)	LENGTH (FT)	SLOPE (%)	TBF (CY)
	FROM	TO							
7-1	6-48	7-1	STORM SEWERS	WM REQ		21	119	0.90%	
7-2	7-1	7-2	STORM SEWERS	WM REQ		21	43	0.90%	
7-3	7-2	7-3	STORM SEWERS	A	2	21	12	0.90%	8
7-4	7-4	7-3	STORM SEWERS	A	1	12	50	1.00%	11
7-5	7-16	7-5	STORM SEWERS	A	2	15	74	1.00%	56
7-6	7-6	7-5	STORM SEWERS	A	1	12	39	1.00%	5
7-7	7-5	7-7	STORM SEWERS	A	2	18	89	0.75%	87
7-8	7-8	7-7	STORM SEWERS	WM REQ		12	84	1.00%	25
7-9	7-9	7-8	STORM SEWERS	WM REQ		12	67	1.00%	15
7-10	7-10	7-11	STORM SEWERS	WM REQ		12	223	1.00%	63
7-11	7-11	7-17	STORM SEWERS	WM REQ		15	19	1.00%	
7-12	7-18		STORM SEWERS	WM REQ		12	10	MATCH EX	3
7-13	7-19		STORM SEWERS	A	2	12	10	MATCH EX	2
7-14	7-20	7-21	STORM SEWERS	WM REQ		12	9	1.00%	2
7-15	7-21		STORM SEWERS	WM REQ		12	6	MATCH EX	1
7-16	7-22		STORM SEWERS	A	2	12	6	MATCH EX	2
7-17	7-23		STORM SEWERS	WM REQ		24	4	MATCH EX	
7-18	7-24		STORM SEWERS	A	1	12	10	MATCH EX	2
7-19	7-25		STORM SEWERS	A	2	12	10	MATCH EX	3
7-20	7-27	7-26	STORM SEWERS	A	2	12	11	1.00%	3
7-21	7-28	7-27	STORM SEWERS	A	1	12	59	1.00%	10

DRAINAGE SHEET LT BASELINE STA 12+00 TO STA 20+00 (SEE SHEET 96)
 DRAINAGE SHEET RT BASELINE STA 31+79 TO STA 39+65 (SEE SHEET 96)

PIPE NUMBER	STRUCTURE		DESCRIPTION	CLASS	TYPE	SIZE (IN)	LENGTH (FT)	SLOPE (%)	TBF (CY)
	FROM	TO							
8-1	8-1	2-10	STORM SEWERS	A	2	12	58	1.00%	12
8-2	8-2	8-1	STORM SEWERS	A	2	12	64	1.00%	14
8-3	8-3	8-2	STORM SEWERS	A	2	12	26	1.00%	6
8-4	8-4	8-3	STORM SEWERS	A	2	12	36	1.00%	8
8-5	8-5	8-4	STORM SEWERS	A	1	12	64	1.00%	11
8-6	8-7	8-6	STORM SEWERS	A	1	15	10	0.50%	1
8-7	8-9	8-8	STORM SEWERS	A	1	12	4	1.00%	1
8-8	8-10	8-11	STORM SEWERS	A	1	12	15	1.00%	1