

GUARDRAIL SCHEDULE

STATION TO STATION				STEEL PLATE BEAM GUARD RAIL, TYPE A, 6 FOOT POSTS	STEEL PLATE BEAM GUARD RAIL, ATTACHED TO STRUCTURES	TRAFFIC BARRIER TERMINAL TYPE 1, SPECIAL (TANGENT)	GUARDRAIL REMOVAL	GUARDRAIL MARKER, TYPE A	TERMINAL MARKER - DIRECT APPLIED
				FT	FT	EACH	FT	EACH	EACH
LT STA 16+93.1	TO	LT STA 17+43.1		0	0	1	0	1	1
LT STA 17+43.1	TO	LT STA 18+08.8		65.7	0	0	19	1	0
LT STA 18+08.8	TO	LT STA 18+21.3		0	12.5	0	13	0	0
LT STA 18+21.3	TO	LT STA 19+68.1		146.8	0	0	69	2	0
LT STA 19+68.1	TO	LT STA 20+18.1		0	0	1	0	1	1
RT STA 16+11.9	TO	RT STA 16+61.9		0	0	1	0	1	1
RT STA 16+61.9	TO	RT STA 18+08.8		146.9	0	0	59	2	0
RT STA 18+08.8	TO	RT STA 18+21.3		0	12.5	0	13	0	0
RT STA 18+21.3	TO	RT STA 18+86.9		65.6	0	0	29	1	0
RT STA 18+86.9	TO	RT STA 19+36.9		0	0	1	0	1	1
TOTALS:				425	25	4	200	10	4

PAVEMENT SCHEDULE

STATION TO STATION				LENGTH	WIDTH	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	LEVELING BINDER (MACHINE METHOD), N70	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	TEMPORARY RAMP	HOT-MIX ASPHALT SURFACE, MIX "C", N70	HOT-MIX ASPHALT SURFACE REMOVAL, 1/2"	HOT-MIX ASPHALT SURFACE REMOVAL, 2 1/4"	AGGREGATE SHOULDERS, TYPE B
				FT	FT	GAL	TON	TON	SQ YD	SQ YD	TON	SQ YD	SQ YD	TON
STA 9+36	TO	STA 23+75		1439	30	479.5	10	202	117	53	403	4680	0	58
STA 23+75	TO	STA 31+45		770	23	197	4	83	0	0	165	1968	0	26
STA 31+45	TO	STA 32+00		55	22	13.5	0	6	0	0	11	134	0	2
STA 148+48	TO	STA 501+40		35292	22	8650.5	174	3631	513	235	7268	81478	4527	1360
STA 501+40	TO	STA 539+05		3765	22	920.5	18	387	0	0	773	8702	501.1	123
STA 539+05	TO	STA 542+30		325	22-33	99.5	2	42	0	0	83	0	993	0
STA 542+30	TO	STA 545+41		311	33	114	2	48	0	0	96	0	1140	0
STA 545+41	TO	STA 548+44		303	33-22	92.5	2	39	0	0	78	0	926	0
STA 548+44	TO	STA 564+48		1604	22	372.5	7	156	0	78	313	0	3725	0
STA 20+69.5	TO	STA 23+10		240.5	22	59	1	25	0	0	49	0	588	0
STA 23+10	TO	STA 24+82		172	23	44	1	19	0	41	37	0	440	0
TOTALS:				11043	221	4638	630	407	9276	96962	12840	1570		

HOT-MIX ASPHALT SHOULDER

STATION TO STATION				LENGTH	WIDTH	PAVED SHOULDER REMOVAL	HOT-MIX ASPHALT SHOULDERS, 8"
				FT	FT	SQ YD	SQ YD
RT STA 186+50	TO	STA 201+00		1450	4	644	644
RT STA 363+50	TO	STA 388+65		2515	3	838	838
LT STA 372+50	TO	STA 388+65		1615	4	718	718
RT STA 488+50	TO	STA 493+60		510	4	227	227
TOTALS:				2427		2427	

STRIPING SCHEDULE

STATION TO STATION				SHORT-TERM PAVEMENT MARKING	TEMPORARY PAINT PAVEMENT MARKING, LETTERS AND SYMBOLS	TEMPORARY PAINT PAVEMENT MARKING LINE 4"	TEMPORARY PAINT PAVEMENT MARKING LINE 6"	TEMPORARY PAINT PAVEMENT MARKING 12"	WORK ZONE PAVEMENT MARKING REMOVAL	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	PAINT PAVEMENT MARKING - LINE 4"	RAISED REFLECTIVE PAVEMENT MARKER
				FT	SQ FT	FT	FT	FT	SQ FT	SQ FT	FT	FT	FT	FT	FT
STA 9+36	TO	STA 32+00		905	0	5001	0	0	75	0	0	0	0	5001	28
STA 148+48	TO	STA 501+40		14116	0	99020	0	0	1176	0	0	0	0	99020	441
STA 501+40	TO	STA 538+85		1497	0	8104	0	0	125	0	0	0	0	8104	47
STA 538+85	TO	STA 548+82		235	166	3836	239	70	20	166	3146	239	70	690	53
STA 548+82	TO	STA 564+48		627	0	392	44	0	52	0	0	44	0	392	20
STA 20+69.5	TO	STA 24+82		165	0	103	0	0	14	0	0	0	0	103	5
TOTALS:				17545	166	116456	283	70	1462	166	3146	283	70	113310	594

FURNISHING AND INSTALLING PROPERTY MARKERS

STATION	OFFSET	DESCRIPTION	EACH
206+48	0.0'	VAULT - ALUMINUM DISK 1.0' DEEP	1
232+60	RT 7.0'	VAULT - ALUMINUM DISK 1.0' DEEP	1
258+87	RT 11.9'	IRON PIN IN CONCRETE OFF PAVEMENT	1
285+27	RT 11.0'	BRASS DISK IN CONCRETE OFF PAVEMENT	1
311+60	RT 18.0'	VAULT OFF PAVEMENT ON SIDEROAD 1100E	1
324+80	RT 8.9'	MAG NAIL	1
380+43	RT 5.8'	PK NAIL	1
433+00	RT 12.7'	BENT PIN OFF PAVEMENT	1
TOTAL:			8

PERMANENT SURVEY MARKERS, TYPE I

STA	DESCRIPTION	EACH
24+88.42	P. O. T. - IRON PIN	1
28+85.77	P. I. - BRASS MONUMENT	1
TOTAL:		2