


- LEGEND:**
- EXTG EDGE LIGHT
 - EXTG GUIDANCE SIGN
 - EXTG ELECTRICAL CABLE
 - EXTG STORM SEWER, FIELD TILE OR UNDERDRAIN
 - EXTG INLET
 - EXTG OUTLET
 - EXTG STORM MANHOLE
 - EXTG SANITARY MANHOLE
 - EXTG DRAINAGE DITCH
 - EXTG CONDUIT OR DUCT BANK
 - PROPOSED MANHOLE
 - PROPOSED INLET
 - PROPOSED FLARED END SECTION
 - PROPOSED STORM SEWER, SANITARY SEWER OR UNDERDRAIN
 - PROPOSED / EXISTING STRUCTURE NUMBER




STRUCTURE SCHEDULE

NUMBER	LOCATION	TYPE	ℓ ELEV.	LID OR GRATE ELEV.	REMARK
1*	573+46.46, LT 485.81'	PRC FLARED, END SECTION, 24" DIA.	564.00'	-	SUPPLY GRATING, AR752424 & AR752524
2*	573+93, LT 512'	EXTG. 24" DIA. PVC	565.20'	-	REMOVE EXTG. PIPE & END SECTIONS AS REQD, AR701900
3	574+62.42, LT 464.51'	PRC FLARED, END SECTION, 24" DIA.	564.51'	-	AR752424
4	584+50, LT 338'	PRC FLARED END SECTION, ELLIPTICAL, EQ ROUND SIZE 30"	568.93'	-	AR752730
5	585+67, LT 310'	EXTG. 18" DIA. PVC	569.00'	-	REMOVE EXTG. PIPE & END SECTIONS AS REQD, AR701900
6**	588+50, LT 343.50'	MANHOLE, 5' DIA. WITH FLAT SLAB TOP	569.33'	574.61'	AR751550
7	592+50, LT 350'	INLET, SPECIAL (DOUBLE)	569.73'	572.90'	NEENAH R-3475-3, AR751415
8*	573+69.88, RT 350'	PRC FLARED, END SECTION, 24" DIA.	566.09'	-	SUPPLY GRATING, AR752424 & AR752524
9	575+09.04, RT 350'	PRC FLARED, END SECTION, 24" DIA.	566.55'	-	AR752424

* = SEE NOTE 3. ** = PROP. MH TO BE COVERED WITH SOIL, MARK WITH PAINTED VERTICAL 2" X 4".

- NOTES:**
- SEE SHEET 21 FOR GENERAL DRAINAGE.
 - [A]** & **[B]** = SEE SHEET 21 FOR FIELD TILE NOTES.
 - THE CONTRACTOR SHALL NOT REMOVE ANY AIRPORT PERIMETER SECURITY FENCING. WHERE PROPOSED PIPES TRAVERSE UNDER THE EXISTING SECURITY FENCE, THE CONTRACTOR SHALL BORE UNDERNEATH THE FENCE WITHOUT DAMAGING THE FENCE. SHOULD THE CONTRACTOR DAMAGE THE FENCE OR FENCE MATERIALS, HE SHALL REPLACE THEM AT HIS OWN COST. THE CONTRACTOR SHALL NOT CREATE A BREACH THROUGH OR UNDER THE EXISTING SECURITY FENCE. IN LOCATIONS WHERE EXISTING PIPES ARE REMOVED, CONTRACTOR SHALL BACKFILL VOID MADE BY PIPE REMOVAL WITH COMPACTED SAND. INSTALL 4" OF COMPACTED AR209510 BASE ROCK AROUND BOTTOM OF FENCE TO MATCH EXISTING. SEE SAFETY PLAN FOR ADDITIONAL INFORMATION.



G:\Airport\AQ7T030 TP EARTHWORK DRAINAGE\DWG_4/21/2008 11:39:51 AM.jeffm