

INDEX OF SHEETS

| SHEET | DESCRIPTION | SHEET | DESCRIPTION | SHEET | DESCRIPTION |
|---------|--|-----------|---|-----------|--|
| 1 | COVER | 593-689 | TRAFFIC SIGNAL PLANS | 900 | LIGHT POLE FOUNDATION OFFSET 40' (12.192m) TO 47' 1/2" (14.478m) M.H. 15" (381mm) BOLT CIRCLE (BE-310) DELETED |
| 2 | INDEX OF SHEETS | 690 | EROSION CONTROL GENERAL NOTES | 901 | 24" (609.6 mm) DIA. LIGHT POLE FOUNDATION INTEGRAL WITH DOUBLE FACE BARRIER WALL (BE-322) DELETED |
| 3 | IDOT HIGHWAY STANDARDS | 691-760 | EROSION CONTROL PLANS | 902 | ALUMINUM LIGHT POLE 47'-6" (14.478 m) MOUNTING HEIGHT (BE-400) |
| 4-5 | GENERAL NOTES AND COMMITMENTS | 761 | LANDSCAPE SCHEDULES | 903 | LUMINAIRE SAFTEY CABLE ASSEMBLY (BE-701) |
| 6-49 | SUMMARY OF QUANTITIES | 762 | LANDSCAPE DETAILS | 904 | MISC. ELECTRICAL DETAILS - SHEET A (BE-702) |
| 50-64 | TYPICAL SECTIONS | 763-770 | LANDSCAPE PLANS | 905 | MISC. ELECTRICAL DETAILS - SHEET B - J BOX EMBEDDED IN BARRIER WALL - INSTALLATION OF CONDUIT IN BRIDGE PARAPET EXPANSION JOINT - ELECTRIC CONNECTION TO UNDERPASS LIGHTING (BE-703) |
| 65-67 | TYPICAL SECTION DETAILS | 771 | ELECTRICAL SYMBOLS, ABBREVIATIONS, AND GENERAL NOTES | 906 | PIER/ ABUTMENT MOUNTED UNDERPASS - LUMINAIRE INSTALLATION DETAILS (BE-902) |
| 68-86 | SCHEDULE OF QUANTITIES | 772-781 | LIGHTING REMOVAL PLANS | 907 | TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS (TC-10) |
| 87-94 | ALIGNMENT, BENCHMARKS, AND TIES | 782-796 | LIGHTING PLANS | 908 | TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS (SNOW PLOW RESISTANT) (TC-11) |
| 95 | MAINTENANCE OF TRAFFIC GENERAL NOTES | 797 | SINGLE LINE DIAGRAM PLANS | 909 | DISTRICT ONE TYPICAL PAVEMENT MARKINGS (TC-13) |
| 96-100 | MAINTENANCE OF TRAFFIC SUGGESTED CONSTRUCTION SEQUENCING | 798 | ELECTRICAL BILL OF MATERIALS | 910 | TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC) (TC-14) |
| 101-109 | MAINTENANCE OF TRAFFIC TYPICAL SECTIONS | 799-801 | LIGHTING DETAILS | 911 | PAVEMENT MARKING LETTERS AND SYMBOLS FOR TRAFFIC STAGING (TC-16) |
| 110-111 | MAINTENANCE OF TRAFFIC DETAILS | 802-803 | NAPERVILLE ELECTRIC DUCT BANK GENERAL NOTES | 912 | ARTERIAL ROAD INFORMATION SIGNING (TC-22) |
| 112-289 | MAINTENANCE OF TRAFFIC PLANS | 804-806 | NAPERVILLE ELECTRIC DUCT BANK INSTALLATION PLANS | 913 | DRIVEWAY ENTRANCE SIGNING (TC-26) |
| 290-299 | REMOVAL PLANS | 807-840 | NAPERVILLE ELECTRIC DETAILS AND STANDARDS | 914-977 | CROSS SECTIONS ILLINOIS ROUTE 59 - PRE-STAGE |
| 300 | REMOVAL DETAILS | 841 | NAPERVILLE ELECTRIC BILL OF MATERIALS | 978-1043 | CROSS SECTIONS ILLINOIS ROUTE 59 - STAGES 1 THRU 4 |
| 301-316 | ROADWAY PLAN AND PROFILE | 842-846 | SN 022-038 BNSF PLANS | 1044-1056 | CROSS SECTIONS NEW YORK ST./AURORA AVE. - PRE-STAGE |
| 317-322 | ROADWAY DETAILS | 847-859 | SN 022-W047 RETAINING WALL PLANS AND BORINGS | 1057-1071 | CROSS SECTIONS NEW YORK ST./AURORA AVE. - STAGES 1 THRU 4 |
| 323-324 | NOISEWALL PLAN AND PROFILE | * 860-876 | SN 022-W061 RETAINING WALL PLANS AND BORINGS | 1072-1081 | CROSS SECTIONS LIBERTY ST./JEFFERSON AVE. - PRE-STAGE |
| 325 | NOISEWALL DETAILS | 877-892 | SOIL BORING PLAN / PROFILE | 1082-1099 | CROSS SECTIONS LIBERTY ST./JEFFERSON AVE. - STAGES 1 THRU 4 |
| 326-357 | SIDEWALK / SHARED-USE PATH PLANS | 893 | BUTT JOINT AND HMA TAPERS (BD-32) | 1100-1108 | CROSS SECTIONS MERIDIAN PKWY./GLACIER PARK AVE. - PRE-STAGE |
| 358 | SIDEWALK / SHARED-USE PATH DETAILS | 894 | DETAILS FOR DEPRESSED CURB & GUTTER AND SHOULDER TREATMENT AT TBT TY 1 SPL (BD-34) | 1109-1122 | CROSS SECTIONS MERIDIAN PKWY./GLACIER PARK AVE. - STAGES 1 THRU 4 |
| 359-363 | PAVEMENT ELEVATION TABLES | 895 | FIRE HYDRANT TO BE MOVED (BD-36) | 1123-1128 | CROSS SECTIONS NORTH AURORA ROAD - PRE-STAGE |
| 364-372 | INTERSECTION DETAILS | 896 | BENCHING DETAIL FOR EMBANKMENT WIDENING (BD-51) | 1129-1156 | CROSS SECTIONS NORTH AURORA ROAD - STAGES 1 THRU 4 |
| 373-409 | DRIVEWAY DETAILS | 897 | DETAIL OF PAVEMENT SEPARATION, JOINT FOR JOINTED PCC PAVEMENT AT INTERSECTIONS (BD-52) | | |
| 410 | DRAINAGE NOTES AND LEGENDS | 898 | COMBINATION LIGHTING & TRAFFIC POLE MOUNTED ELECTRIC SERVICE BOX DETAIL (BE-230) | | |
| 411-451 | DRAINAGE SCHEDULES | * 899 | LIGHT POLE FOUNDATION - 40' (12.192 m) TO 47'-1/2" (14.478 m) M.H. 15" (381mm) BOLT CIRCLE (BE-301) | | |
| 452-466 | EXISTING DRAINAGE PLAN | | | | |
| 467-491 | PROPOSED DRAINAGE PLAN AND PROFILE | | | | |
| 492-499 | PIPE UNDERDRAINS AND UNDERCUT PLANS | | | | |
| 500-507 | DRAINAGE DETAILS | | | | |
| 508 | WATER MAIN GENERAL NOTES AND LEGEND | | | | |
| 509 | WATER MAIN PLAN AND PROFILE | | | | |
| 510-517 | WATER MAIN STANDARD DRAWINGS | | | | |
| 518-532 | SUE INVESTIGATION OF UNDERGROUND UTILITIES | | | | |
| 533-571 | PLAT OF HIGHWAYS | | | | |
| 572-589 | PAVEMENT MARKING AND SIGNING PLANS | | | | |
| 590-592 | SIGNING LEGEND | | | | |

* 860-876

* 899

* 876A. LIGHT POLE FOUNDATION 30' TO 35'
* 899A. FUTURE RETAINING WALL PLAN M.H. 11'1/2"...

900 LIGHT POLE FOUNDATION OFFSET 40' (12.192m) TO 47' 1/2" (14.478m) M.H. 15" (381mm) BOLT CIRCLE (BE-310) DELETED
901 24" (609.6 mm) DIA. LIGHT POLE FOUNDATION INTEGRAL WITH DOUBLE FACE BARRIER WALL (BE-322) DELETED

* 902A. ALUMINUM LIGHT POLE 40'-0" (12.192m) MOUNTING HEIGHT (BE-401)

Rev. 2-22-13

| | | | | | | | | | |
|-----------------|-----------|---|---------------------------|-------------------------|--------------------|-------------------|--------|--------------|-----------|
| DESIGNED PJO | REVISED - | STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION | INDEX OF SHEETS | | F.A.P. RTE. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. |
| DRAWN KES | REVISED - | | SCALE: NONE | SHEET NO. 1 OF 1 SHEETS | 338 | (112 & 113) WRS-7 | DUPAGE | 1156 | 2 |
| CHECKED JCM | REVISED - | | STA. | TO STA. | CONTRACT NO. 60R30 | | | | |
| DATE 12/14/2012 | REVISED - | | ILLINOIS FED. AID PROJECT | | | | | | |