

PIPE NUM	STORM SEWERS, CLASS A, TYPE 1 12"	STORM SEWERS, CLASS A, TYPE 2 12"	STORM SEWERS, CLASS A, TYPE 1 15"	STORM SEWERS, CLASS A, TYPE 2 15"	STORM SEWERS, CLASS A, TYPE 1 18"	STORM SEWERS, CLASS A, TYPE 2 18"	STORM SEWERS, CLASS A, TYPE 1 24"	STORM SEWERS, CLASS A, TYPE 2 24"	STORM SEWERS, CLASS A, TYPE 3 24"	STORM SEWERS, CLASS A, TYPE 1 30"	STORM SEWERS, CLASS A, TYPE 2 30"	STORM SEWERS, DUCTILE IRON, 30"	STORM SEWERS, CLASS A, TYPE 1 36"	STORM SEWERS, CLASS A, TYPE 2 36"	STORM SEWERS, CLASS A, TYPE 1 48"	STORM SEWERS, CLASS A, TYPE 2 48"	STORM SEWERS, CLASS A, TYPE 2 60"	STORM SEWERS, CLASS A, TYPE 2 60" EORS	STORM SEWERS, CLASS A, TYPE 2 48" EORS	STORM SEWERS, CLASS A, TYPE 2 60" EORS	STORM SEWERS, RG CLASS A, TYPE 1 12"	STORM SEWERS, RG CLASS A, TYPE 2 12"	STORM SEWERS, RG CLASS A, TYPE 2 15"	STORM SEWERS, RG CLASS A, TYPE 2 18"	STORM SEWERS, RG CLASS A, TYPE 1 24"		PIPE SLOPE	TRENCH BACKFILL
	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT	FT		CU YD	
535				25.5																							0.50%	19
536				30.8																							0.50%	21
537		3.5																									0.50%	3
538					56.0																						0.50%	21
539		3.5																									0.50%	2
540					58.8																						0.50%	20
541		9.7																									0.50%	3
542		32.0																									0.50%	10
543		13.4																									0.50%	5
544		1.5																									0.50%	1
545						47.3																					0.50%	31
546							2.5																				0.50%	2
560		44.0																									0.50%	0
561		4.1																									0.50%	0
562		50.0																									0.50%	0
563		1.5																									0.50%	0
564		56.0																									0.50%	0
566		1.5																									0.50%	0
567		56.3																									0.50%	0
568		1.5																									0.50%	0
569		57.1																									0.50%	0
570		44.0																									0.50%	0
571		1.5																									1.00%	0
572		57.1																									0.50%	0
573		3.5																									0.50%	0
574				56.4																							0.50%	0
575		3.5																									0.50%	0
576				56.1																							0.50%	0
577		2.5																									0.50%	0
578					33.5																						0.50%	10
579					21.0																						0.50%	8
580		3.5																									0.50%	2
581					60.8																						0.50%	22
582		2.0																									0.50%	0
583		54.7																									0.50%	0
584		2.0																									0.50%	0
585		55.4																									0.50%	0
586		2.0																									0.50%	0
587		56.3																									0.50%	0
588		2.0																									0.50%	0
589		56.3																									0.50%	0
590		49.4																									0.50%	0
591		2.0																									0.50%	0
592		56.7																									0.50%	0
593		2.0																									0.50%	0
594				57.0																							0.50%	0
596		2.0																									0.50%	0
597					57.0																						0.50%	0
598		2.0																									0.50%	0
599					29.9																						0.50%	8
600					26.3																						0.50%	9
602		4.0																									0.50%	2
603					56.0																						0.50%	15
604					46.0																						0.50%	13
605						2.0																					0.50%	1
606						2.8																					0.50%	1
607						4.2																					0.50%	2
608						5.0																					0.50%	2