

CODE NO.	PAY ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE						
				ROADWAY		SAFETY		STRUCTURE		
				PEORIA 0005	FULTON 0005	PEORIA 0021	FULTON 0021	029-0001 0014	029-0002 0005	072-0007 0005
* 78009008	MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	1061	520	541					
* 78009012	MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	457	125	332					
* 78009024	MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	74	36	38					
* 78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	566	362	204					
* 78200005	GUARDRAIL REFLECTORS, TYPE A	EACH	30	20	10					
78300100	PAVEMENT MARKING REMOVAL	SO FT	39141	25470	12959				355	357
78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	566	362	204					
* X2300007	TRAFFIC BARRIER TERMINAL, TYPE 1	EACH	2	1	1					
X0327296	TRACKLESS TACK	GALLON	11,134	7587	3463				84	
X0556100	PARTIAL DEPTH PATCHING (SPECIAL)	SO YD	1230	979	251					
X4401198	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SO YD	402		402					
X4421000	PARTIAL DEPTH PATCHING	TON	292	233	59					
* X6330725	STEEL PLATE BEAM GUARDRAIL (SHORT RADIUS)	FOOT	37.5	25	12.5					
X7015005	CHANGEABLE MESSAGE SIGN	CAL DA	244	122	122					

\* SPECIALTY ITEM

△ REVISED 5-31-16

FILE NAME : D48BC61-441-500.dgn  
Default

USER NAME : jsmith  
PLOT SCALE : 2.5000 "/in.  
PLOT DATE : 3/14/2016

DESIGNED - SJK  
DRAWN - KHB  
CHECKED -  
DATE - 3/14/2016

REVISED -  
REVISED -  
REVISED -  
REVISED -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

SCALE: NONE SHEET 4 OF 5 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
317	43RS-2; 44RS-4; 45RS-5	PEORIA/FULT.	43	6
ILLINOIS FED. AID PROJECT			CONTRACT NO. 68C61	

CODE NO.	PAY ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE						
				ROADWAY		SAFETY		STRUCTURE		
				PEORIA 0005	FULTON 0005	PEORIA 0021	FULTON 0021	029-0001 0014	029-0002 0005	072-0007 0005
* X7830060	GROOVING FOR RECESSED PAVEMENT MARKING, LETTERS AND SYMBOLS	SO FT	124	62	62					
* X7830070	GROOVING FOR RECESSED PAVEMENT MARKING 5"	FOOT	111006	74620	36386					
* X7830076	GROOVING FOR RECESSED PAVEMENT MARKING 9"	FOOT	1061	520	541					
* X7830078	GROOVING FOR RECESSED PAVEMENT MARKING 13"	FOOT	457	125	332					
* X7830090	GROOVING FOR RECESSED PAVEMENT MARKING 25"	FOOT	74	36	38					
XZ013798	CONSTRUCTION STATION LAYOUT	LSUM	1	0.5	0.5					
Z0001002	GUARDRAIL AGGREGATE EROSION CONTROL	TON	396	278	118					
Z0004542	HOT-MIX ASPHALT REMOVAL (SPECIAL)	SQ YD	2336	1613	707			16		
Z0004556	HOT-MIX ASPHALT SURFACE REMOVAL (DECK)	SQ YD	219						95	124
Z0006016	BRIDGE DECK LATEX CONCRETE OVERLAY, 2 3/4 INCHES	SQ YD	211						91	120
Z0012130	BRIDGE DECK SCARIFICATION 3/4"	SQ YD	219						95	124
Z0033700	LONGITUDINAL JOINT SEALANT	FOOT	84082	58055	25460	⚠		567		
<b>Z0034105</b>	<b>MATERIAL TRANSFER DEVICE</b>	<b>TON</b>	<b>19,408</b>	<b>13,251</b>	<b>6157</b>					
Z0041895	POLYMER CONCRETE	CU FT	14.7						6.8	7.9
Ø Z0070600	TRAINEES	HOOR	500	250	250					
Ø Z0070604	TRAINEES TRAINING PROGRAM GRADUATE	HOOR	500	250	250					

FULTON PEORIA

80% FED  
20% STATE

⚠ REVISED 5-31-16

FILE NAME : D468C61-INT-500.dgn  
Default

USER NAME : asmith  
DESIGNED - SJK  
DRAWN - KMB  
CHECKED -  
DATE - 3/14/2016

REVISOR -  
REVISOR -  
REVISOR -  
REVISOR -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

SCALE: NONE SHEET 5 OF 5 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
317	43RS-2; 44RS-4; 45RS-5	PEORIA/FULTON	43	7
CONTRACT NO. 68C61			ILLINOIS FED. AID PROJECT	

RESURFACING SCHEDULE																					
LOCATION			LENGTH	AVERAGE PAVEMENT WIDTH	AVERAGE HMA SHOULDER WIDTH		PAVEMENT AREA (TRAVELED WAY)	SHOULDER AREA	TRACKLESS TACK	HOT-MIX ASPHALT SURFACE REMOVAL					POLYMERIZED HMA SURFACE COURSE, MIX 1" NSO, 1 1/2"	POLYMERIZED HMA SURFACE COURSE, MIX 1" NSO, 1 1/2"	HOT-MIX ASPHALT SHOULDERS, 2"	POLYMERIZED LEVELING BINDER (MACHINE METHOD) IL-4.75, NSO, 1"	LONGITUDINAL JOINT SEALANT	SHOULDER RUMBLE STRIPS, 16 INCH**	AGGREGATE SHOULDERS, TYPE B***
					RIGHT	LEFT				SPECIAL	VARIABLE DEPTH	BUTT JOINT	1/2 INCH	2 1/2 INCH							
STA.	TO	STA.	FOOT	FOOT	FOOT	FOOT	SO YD	SO YD	GALLON	SO YD	SO YD	SO YD	SO YD	SO YD	TON	TON	TON	TON	FOOT	FOOT	TON
PEORIA COUNTY																					
US 24/IL 9																					
602+10.59	TO	605+84.85	374.26	24.0	3.0	3.0	998.0	249.5	96.1	20.8		320.0	998.0		83.8	1.7	27.9	55.9	748.5	748.5	15
605+88.63	TO	668+18.78	6230.15	24.0	3.0	3.0	16613.7	4153.4	1599.1	346.1		16613.7			1395.6	29.1	465.2	930.4	12460.3	12460.3	242
668+18.78	TO	670+79.42	260.64	30.0	2.0	3.0	868.8	144.8	81.4	14.5		418.2	868.8		73.0	1.2	16.2	48.7	521.3	521.3	10
SN 072-0007																					
670+79.42	TO	671+00.85	SEE BRIDGE SCHEDULE																		
US 24/IL 9																					
671+00.85	TO	672+27.24	126.39	36.0	2.0	4.5	505.6	91.3	47.5	7.0		418.2	505.6		42.5	0.6	10.2	28.3	252.8	252.8	5
672+27.24	TO	702+47.05	3019.81	24.0	3.0	3.0	8052.8	2013.2	775.1	167.8		8052.8			676.4	14.1	225.5	451.0	6039.6	6039.6	117
702+02.28	TO	769+58.16	6755.88	24.0	3.0	3.0	18015.7	4503.9	1734.1	375.3		18015.7			1513.3	31.5	504.4	1008.9	13511.8	13511.8	263
769+58.16	TO	772+46.16	288.00	24.0	9.5	3.0	768.0	400.0	80.0	16.0		768.0			64.5	1.3	44.8	43.0	576.0	576.0	11
772+46.16	TO	776+57.73	411.57	24.0	10.0	9.0	1097.5	868.9	122.9	22.9		1097.5			92.2	1.9	97.3	61.5	823.1	823.1	16
776+57.73	TO	779+19.27	261.54	24.0	10.0	3.0	697.4	377.8	73.0	14.5		697.4			58.6	1.2	42.3	39.1	523.1	523.1	10
779+19.27	TO	890+41.90	11122.63	24.0	3.0	3.0	29660.3	7415.1	2854.9	617.9		29660.3			2491.5	51.9	830.5	1661.0	22245.3	22245.3	433
Glasford Rd																					
009+87.15	TO	011+63.64	176.49	69.7	2.0	2.0	1367.0	78.4	123.0	9.8		206.7	1367.0		114.8	0.8	8.8	76.6	353.0	353.0	7
SUB-TOTAL:			29027.36						7587.0	1612.6	0.0	1363.1	78644.9	0.0	6606.2	135.5	2273.2	4404.1	58055	58054.7	1128.8
FULTON COUNTY																					
890+41.90	TO	901+25.40	1083.5	24.0	3.0	3.0	2889.3	722.3	278.1	60.2		2889.3			242.7	5.1	80.9	161.8	2167.0	2167.0	42
901+25.40	TO	902+40.84	115.4	24.0	3.0	3.5	307.8	83.4	29.8	6.4		307.8			25.9	0.5	9.3	17.2	230.9	230.9	4
902+40.84	TO	902+88.07	47.2	24.0	7.5	8.3	125.9	82.9	13.6	2.6		336.1	125.9		10.6	0.2	9.3	7.1	94.5	94.5	2
SN 029-0002																					
902+88.07	TO	903+07.27	SEE BRIDGE SCHEDULE																		
US 24/IL 9																					
903+07.27	TO	904+09.02	101.8	24.0	7.6	7.0	271.3	165.1	28.9	5.7		336.1	271.3		22.8	0.5	18.5	15.2	203.5	203.5	4
904+09.02	TO	961+00.00	5691.0	24.0	3.0	3.0	15175.9	3794.0	1460.7	316.2		15175.9			1274.8	26.6	424.9	849.9	11382.0	11382.0	221
963+00.00	TO	998+53.05	3553.1	24.0	3.0	3.0	9474.8	2368.7	912.0	197.4		133.3	9474.8		795.9	16.6	265.3	530.6	7106.1	7106.1	138
***SN 029-0001																					
998+53.05	TO	001+36.37	283.3	30.0	0.0	0.0	944.4		83.9	15.7			944.4		79.3	1.3		52.9	566.6		
US 24/IL 9																					
1001+36.37	TO	004+91.94	355.6	24.0	3.0	3.0	948.2	237.0	91.3	19.8		133.3	948.2		79.6	1.7	26.5	53.1	711.1		14
1004+91.94	TO	005+54.62	62.7	24.0	3.0	8.0	167.1	76.6	17.1	3.5		167.1			14.0	0.3	8.6	9.4	125.4		2
1005+54.62	TO	009+00.00	345.4	24.0	3.0	3.0	921.0	230.3	88.7	19.2		921.0			77.4	1.6	25.8	51.6	690.8		13
384+76.45	TO	379+26.45	550.0	24.0	3.0	3.0	1466.7	366.7	141.2	30.6		1466.7			123.2	2.6	41.1	82.1	1100.0		21
379+26.45	TO	378+92.83	33.6	28.5	3.0	3.0	106.5	22.4	10.1	1.9		106.5			8.9	0.2	2.5	6.0	67.2		1
378+92.83	TO	376+23.03	246.2	33.5	3.0	3.0	916.3	164.1	86.0	13.7		916.3			77.0	1.1	18.4	51.3	492.3		10
376+23.03	TO	373+89.04	234.0	41.6	0.0	8.0	1081.6	208.0	101.8	13.0	208.0	1081.6			90.9	1.1	23.3	60.6	468.0		9
373+89.04	TO	372+72.89	116.2	59.0	2.0	8.0	761.4	129.1	71.1	6.5	129.1	786.7	761.4		64.0	0.5	14.5	42.6	232.3		5
US 24																					
008+58.76	TO	010+53.66	194.9	67.2	3.0	3.0	1455.3	129.9	132.4	10.8	65.0	200.0	1455.3		122.2	0.9	14.6	81.5	389.8		8
SUB-TOTAL:			13013.7						3547.0	723.0	402.0	1925.6	36069.2	944.4	3109.1	60.7	983.4	2072.8	26027	21183.9	495.0
TOTAL:			42041.1						11134	2336	402	3289	114714	944	9715	196	3256	6477	84082	79239	1624

TOTAL = 9911

- \* FOR CENTERLINE LONGITUDINAL JOINT, SEE SPECIAL PROVISIONS.
- \*\*ENTRANCES FOR PRIVATE PROPERTIES (HOMEOWNERS) WITHIN 125' OF THE ROADWAY SHOULD BE GAPPED AT 100' EACH SIDE OF THE PROPERTY LINE ON BOTH SIDES OF THE ROAD.
- \*\*\*ASSUMED 3' WIDE PER TYPICAL SECTION, NO DEDUCTIONS FOR SIDEROADS AND ENTRANCES TO ACCOUNT FOR ADDITIONAL AGGREGATE PROVISIONAL QUANTITY.
- \*\*\*\*SEE BRIDGE PLANS FOR BRIDGE WIDTH AND BRIDGE DETAILS.

REVISD 5-31-16