


CONCRETE EXPANSION ANCHOR WITH WASHER AND NUT, MADE OF TYPE 304 OR 316 STAINLESS STEEL AND CONFORMING TO ASTM A276, ASTM A493, ASTM F594, AND ASTM A240.

SECTION A-A

CONCRETE EXPANSION ANCHOR MADE OF TYPE 304 OR 316 STAINLESS STEEL AND CONFORMING TO ASTM A276 OR ASTM A493.



NUTS MADE OF TYPE 304 OR 316 STAINLESS STEEL AND CONFORMING TO ASTM F594

FILE NAME = C:\LORENZO190-3-17-2010\SUB155TSC1YP.dgn	USER NAME = mezag	DESIGNED - J.G.	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION TRAFFIC SYSTEMS CENTER	FIBER OPTIC CABLE INSTALLATION - I-55 (LORENZO RD. TO I-80) CONDUIT CROSSING DETAIL		F.A.I. RTE. 55	SECTION 2009-1121	COUNTY WILL	TOTAL SHEETS 56	SHEET NO. 30
		DRAWN - G.M.	REVISED -				SCALE: NONE SHEET NO. OF SHEETS STA. TO STA.		CONTRACT NO. 60J24		
		CHECKED - J.G.	REVISED -		FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT						
		DATE - 04/19/2010	REVISED -								