

11 CLASS D PATCHES, of type specified, 10 INCH				
AREA (SQ-YD)				
AREA OF MAINLINE BITUMINOUS CONCRETE SURFACE COARSE				34615.0
PATCHING @ 5%				1730.8
PAY ITEM	DESCRIPTION	% OF TOTAL	QUANTITY	
44201761	CLASS D PATCHES, TYPE I, 10 INCH	10%	173.1	
44201765	CLASS D PATCHES, TYPE II, 10 INCH	15%	259.6	
44201769	CLASS D PATCHES, TYPE III, 10 INCH	35%	605.8	
44201771	CLASS D PATCHES, TYPE IV, 10 INCH	40%	692.3	
TOTAL			100%	1730.8

12 AGGREGATE SHOULDERS, TYPE A, 6"								
STATION	ITEM	LT/RT	LENGTH (FEET)	WIDTH (FEET)	DEPTH (INCHES)	AREA (SQ. YDS.)	QUANTITY (TONS)	
7+42	18+8.28	LT	1066.28	2.0	6.0	237.0	78.2	
7+42	18+6.20	RT	1017.44	2.0	6.0	226.1	74.6	
18+08.28	20+0.44	LT	192.16	6.1	6.0	129.2	42.6	
18+06.20	20+6.75	RT	200.55	4.7	6.0	104.7	34.6	
20+0.44	22+26.06	LT	225.62	2.0	6.0	50.1	16.5	
20+6.75	22+26.06	RT	219.31	2.0	6.0	48.7	16.1	
23+16.81	41+52.39	RT	1816.11	2.0	6.0	403.6	133.2	
28+00	50+10	LT	1987.12	2.0	6.0	441.6	145.7	
42+27.15	50+10	RT	782.85	2.0	6.0	174.0	57.4	
65+00	66+38.00	LT	138.00	2.0	6.0	30.7	10.1	
65+00	67+80	RT	280.00	2.0	6.0	62.2	20.5	
84+25	113+30.08	LT	2841.07	2.0	6.0	631.3	208.3	
84+25	102+71.91	RT	1770.60	2.0	6.0	393.5	129.8	
106+40.36	111+29.00	RT	484.57	2.0	6.0	107.7	35.5	
114+42.37	119+21.07	LT	478.70	2.0	6.0	106.4	35.1	
116+10.00	126+37.02	RT	969.17	2.0	6.0	215.4	71.1	
121+90.55	130+66.31	LT	809.32	2.0	6.0	179.8	59.4	
128+97.46	149+00	RT	1876.00	2.0	6.0	416.9	137.6	
131+10.13	134+67.66	LT	357.53	2.0	6.0	79.5	26.2	
135+33.89	148+70.52	LT	1336.63	2.0	6.0	297.0	98.0	
149+55.64	162+31.13	LT	1225.98	2.0	6.0	272.4	89.9	
149+91.74	165+80	RT	1488.70	2.0	6.0	330.8	109.2	
164+12.41	165+80	LT	167.59	2.0	6.0	37.2	12.3	
184+25	187+02.00	LT	277.00	2.0	6.0	61.6	20.3	
184+25	186+53.00	RT	228.00	2.0	6.0	50.7	16.7	
PAY ITEM						SUBTOTAL	5088.0	1679.1
48100500						10% CONTINGENCY	508.8	167.9
TOTAL						5596.8	1847.0	

13 FRAMES AND GRATES TO BE ADJUSTED (SPECIAL)				
STATION	OFFSET	LT/RT	DESCRIPTION	
119+88	17.3	LT	MANHOLE	
121+35	19.5	LT	MANHOLE	
121+38	19.5	LT	MANHOLE	
PAY ITEM				
60300310				TOTAL 3
SEE STA. EQUATION ON PLANS				

14 MOBILIZATION			
PAY ITEM	DESCRIPTION	UNIT	QUANTITY
67100100	SEE SECTION 671 OF THE HIGHWAY STANDARDS	LSUM	1


15 TRAFFIC CONTROL AND PROTECTION			
PAY ITEM	DESCRIPTION	UNIT	QUANTITY
70100460	TRAFFIC CONTROL AND PROTECTION, STANDARD 701306	LSUM	1
70100500	TRAFFIC CONTROL AND PROTECTION, STANDARD 701326	LSUM	2

16 CHANGEABLE MESSAGE SIGN			
PAY ITEM	DESCRIPTION	UNIT	QUANTITY
70106800		CAL MO	4

17 SHORT TERM PAVEMENT MARKING						
4" DOUBLE SOLID: 4' DASH - 40' SPACE YELLOW LINE = LENGTH X 0.1X2						
FROM	TO	LEFT OR RIGHT	LENGTH (FEET)	DESCRIPTION	QUANTITY (FEET)	
184+55	185+30	LT	75.0	MEDIAN	15.0	
184+55	185+30	RT	75.0	MEDIAN	15.0	
185+30	186+23	C/L	93.0	D. YELLOW C/L	18.6	
LENGTH PER APPLICATION					48.6	
1 APPLICATIONS					48.6	
1+55.09	5+22.59	LT	400.0	CONC. MEDIAN	80.0	
1.55+09	5+22.59	RT	400.0	CONC. MEDIAN	80.0	
184+25	184+55	LT	30.0	MEDIAN	6.0	
184+25	184+55	RT	30.0	MEDIAN	6.0	
186+23	187+10	C/L	87.0	D. YELLOW C/L	17.4	
LENGTH PER APPLICATION					189.4	
2 APPLICATIONS					378.8	
5+22.59	7+00	LT	177.4	MEDIAN	35.48	
5+22.59	7+00	RT	177.4	MEDIAN	35.48	
7+00	11+22.59	LT	422.6	MEDIAN	84.52	
7+00	11+22.59	RT	422.6	MEDIAN	84.52	
11+22.59	22+54.74	C/L	1132.2	D. YELLOW C/L	226.43	
22+96.5	41+65	C/L	1858.1	D. YELLOW C/L	371.618	
42+19.03	50+15	C/L	796.0	D. YELLOW C/L	159.194	
65+05	66+76.12	C/L	171.1	D. YELLOW C/L	34.224	
67+25.35	67+88	C/L	62.7	D. YELLOW C/L	12.53	
84+25	111+30.53	C/L	2705.5	D. YELLOW C/L	541.106	
111+89.00	113+47.07	C/L	158.1	D. YELLOW C/L	31.614	
114+10.5	130+67.57	C/L	1657.1	D. YELLOW C/L	331.414	
131+08.89	134+74.03	C/L	365.1	D. YELLOW C/L	73.028	
135+25.97	148+80.68	C/L	1354.7	D. YELLOW C/L	270.942	
149+70.00	150+21.50	C/L	51.5	D. YELLOW C/L	10.3	
150+21.5	152+72	C/L	250.5	D. YELLOW C/L	50.1	
152+72	160+24.78	C/L	752.8	D. YELLOW C/L	150.556	
160+24.78	161+80.43	C/L	155.7	D. YELLOW C/L	31.13	
161+80.43	162+50	C/L	69.6	D. YELLOW C/L	13.914	
162+83.70	165+80	C/L	296.3	D. YELLOW C/L	59.26	
LENGTH PER APPLICATION					2607.4	
4 APPLICATIONS					10429.4	
TOTAL OVERALL LENGTH 10856.8						

17 SHORT TERM PAVEMENT MARKING (cont.)							
4" SOLID WHITE LINE							
FROM	TO	LEFT OR RIGHT	LENGTH (FEET)	DESCRIPTION	QUANTITY (FEET)		
184+55	185+30	RT	75.0	2-6' SKIP DASH	18.8		
185+30	186+23	RT	93.0	TURN LANE SOLID	93.0		
LENGTH PER APPLICATION					111.8		
1 APPLICATIONS					111.8		
1+62.59	3+22.59	LT	160.0	TURN LANE SOLID	160.0		
1+62.59	5+22.59	LT	360.0	TURN LANE SOLID	360.0		
3+22.59	5+22.59	LT	200.0	2-6' SKIP DASH	50.0		
184+25	184+55	RT	30.0	2-6' SKIP DASH	7.5		
186+23	187+10	RT	87.0	TURN LANE SOLID	87.0		
LENGTH PER APPLICATION					664.5		
2 APPLICATIONS					1329.0		
5+22.59	7+22.59	LT	200.0	2-6' SKIP DASH	50.0		
39+55	40+60.8	RT	105.8	2-6' SKIP DASH	26.5		
40+60.8	41+65.8	RT	105.0	TURN LANE SOLID	105.0		
LENGTH PER APPLICATION					181.5		
4 APPLICATIONS					725.8		
SUBTOTAL						2166.6	
LETTERS AND SYMBOLS - 4" WHITE LINE							
FROM	TO	LEFT OR RIGHT	LENGTH (FEET)	DESCRIPTION	QUANTITY (SQ. FEET)		
185+40	185+72	RT	32	LEFT TURN ONLY	109		
LENGTH PER APPLICATION					109.0		
1 APPLICATIONS					109.0		
1+72.59	2+04.59	LT	32	LEFT TURN ONLY	109		
3+12.59	2+80.59	LT	32	LEFT TURN ONLY	109		
5+12.59	4+80.59	LT	32	LEFT TURN ONLY	109		
LENGTH PER APPLICATION					327.0		
2 APPLICATIONS					654.0		
40+70.8	41+02.8	RT	32	RIGHT TURN ONLY	109		
LENGTH PER APPLICATION					109.0		
4 APPLICATIONS					436.0		
PAY ITEM						SUBTOTAL	1199.0
70300100						TOTAL	14222.4

NO.	REVISIONS / REMARKS	DATE	BY	SURVEYOR
1	PER LCOOT REVIEW COMMENTS	10/06/09	EB	DSGMR/LIAISON
				PLOTTED BY: [REDACTED]



FAIRFIELD ROAD
RESURFACING 2009



FAIRFIELD RD RESURFACING
SCHEDULE OF QUANTITIES

ROUTE	SECTION	SECTION NUMBER	SHEET	SHEETS
CH 49	113	08-00999-01-RS	8	60