

HMA SURFACE REMOVAL						
LOCATION	DESCRIPTION	LENGTH (FOOT)	WIDTH (FOOT)	AREA (SQ YD)	HMA SURF REM VAR DEPTH (SQ YD)	HMA SURF REM 2 1/4" (SQ YD)
STATION TO STATION						
PART "A" (FAS 1773)						
174+89.0 TO 170+74.9	SB DL	414.1	12.0	552.1	552.1	
170+74.9 TO 167+23.0	SB DL	351.9	12.0	469.2		469.2
167+23.0 TO 29+90.0	SB DL	13733.0	12.0	18310.7	18310.7	
29+90.0 TO 21+17.0	SB DL	873.0	12.0	1164.0		1164.0
174+89.0 TO 170+74.9	SB PL	414.1	0.0 - 12.0	276.1	276.1	
170+74.9 TO 167+23.0	SB PL	351.9	12.0	469.2		469.2
167+23.0 TO 29+90.0	SB PL	13733.0	12.0	18310.7	18310.7	
29+90.0 TO 21+17.0	SB PL	873.0	12.0	1164.0		1164.0
174+89.0 TO 170+74.9	NB DL	414.1	12.0-14.0	598.1	598.1	
170+74.9 TO 167+23.1	NB DL	351.8	14.0	508.2		508.2
167+23.1 TO 163+35.0	NB DL	388.1	14.0-24.0	819.3	819.3	
163+35.0 TO 29+90.0	NB DL	13345.0	12.0	17793.3	17793.3	
29+90.0 TO 21+17.0	NB DL	873.0	12.0	1164.0		1164.0
163+35.0 TO 29+90.0	NB PL	13345.0	12.0	17793.3	17793.3	
29+90.0 TO 21+17.0	NB PL	873.0	12.0	1164.0		1164.0
121+89.0 TO 119+58.1	SB LT TL	230.9	0.0 - 12.0	153.9	153.9	
119+58.1 TO 116+83.9	SB LT TL	274.2	12.0	365.6	365.6	
100+65.0 TO 98+41.5	SB LT TL	223.5	0.0 - 12.0	149.0	149.0	
98+41.5 TO 96+14.5	SB LT TL	227.0	12.0	302.7	302.7	
90+36.0 TO 87+94.8	SB LT TL	241.2	0.0 - 12.0	160.8	160.8	
87+94.8 TO 85+13.1	SB LT TL	281.7	12.0	375.6	375.6	
29+90.0 TO 27+87.1	SB LT TL	202.9	0.0 - 12.0	135.3		135.3
27+87.1 TO 25+29.1	SB LT TL	258.0	12.0	344.0		344.0
23+50.1 TO 21+17.0	NB RT TL	233.1	12.0	310.8		310.8
157+78.0	MEDIAN	34.0	VARIES	100.0	100.0	
137+54.7	MEDIAN	100.0	VARIES	350.0	350.0	
127+24.7	MEDIAN	100.0	VARIES	350.0	350.0	
116+34.0	MEDIAN	155.0	VARIES	500.0	500.0	
95+55.0	MEDIAN	162.0	VARIES	515.0	515.0	
84+84.0	MEDIAN	90.0	VARIES	220.0	220.0	
72+20.0	MEDIAN	155.0	VARIES	385.0	385.0	
58+45.0	MEDIAN	120.0	VARIES	280.0	280.0	
24+70.0	MEDIAN	155.0	VARIES	335.0	335.0	
127+90.0 TO 82+10.0	SB OUTSIDE SHLDR	4580.0	10.0	5088.9	5088.9	
126+93.0 TO 116+80.0	SB INSIDE SHLDR	1013.0	6.0	675.3	675.3	
115+98.0 TO 96+00.0	SB INSIDE SHLDR	1998.0	6.0	1332.0	1332.0	
95+21.0 TO 85+05.0	SB INSIDE SHLDR	1016.0	6.0	677.3	677.3	
84+51.0 TO 82+10.0	SB INSIDE SHLDR	241.0	6.0	160.7	160.7	
127+90.0 TO 117+34.0	NB OUTSIDE SHLDR	1056.0	10.0	1173.3	1173.3	
115+60.0 TO 96+74.0	NB OUTSIDE SHLDR	1886.0	10.0	2095.6	2095.6	
94+78.0 TO 85+18.0	NB OUTSIDE SHLDR	960.0	10.0	1066.7	1066.7	
84+65.0 TO 82+10.0	NB OUTSIDE SHLDR	255.0	10.0	283.3	283.3	
126+93.0 TO 116+80.0	NB INSIDE SHLDR	1013.0	6.0	675.3	675.3	
115+98.0 TO 95+82.0	NB INSIDE SHLDR	2016.0	6.0	1344.0	1344.0	
95+21.0 TO 85+05.0	NB INSIDE SHLDR	1016.0	6.0	677.3	677.3	
84+51.0 TO 82+10.0	NB INSIDE SHLDR	241.0	6.0	160.7	160.7	
PART "B" (FAU 7706)						
21+17.0 TO 20+45.4	SB DL	71.6	12.0	95.5		95.5
21+17.0 TO 20+45.4	SB PL	71.6	12.0	95.5		95.5
21+17.0 TO 20+45.4	NB DL	71.6	12.0	95.5		95.5
21+17.0 TO 20+45.4	NB PL	71.6	12.0	95.5		95.5
21+17.0 TO 20+45.4	NB RT TL	71.6	12.0	95.5		95.5
STA EQ 20+45.38 BK = 7+16.66 AH						
7+16.7 TO 32+76.6	SB DL	2559.9	12.0	3413.3		3413.3
7+16.7 TO 32+76.6	SB PL	2559.9	12.0	3413.3		3413.3
7+16.7 TO 32+76.6	NB DL	2559.9	12.0	3413.3		3413.3
7+16.7 TO 32+76.6	NB PL	2559.9	12.0	3413.3		3413.3
7+16.7 TO 8+43.0	NB RT TL	126.3	12.0 - 0.0	84.2		84.2
9+30.0 TO 32+76.6	SB OUTSIDE SHLDR	2346.6	7.0	1825.1		1825.1
9+30.0 TO 25+84.0	NB OUTSIDE SHLDR	1654.0	7.0	1286.4		1286.4
26+76.0 TO 32+76.6	NB OUTSIDE SHLDR	600.6	7.0	467.1		467.1
25+56.0	MEDIAN	124.0	VARIES	219.4		219.4
STA EQ 32+76.61 BK = 32+67.00 AH						
32+67.0 TO 80+79.2	SB DL	4812.2	12.0	6416.2		6416.2
32+67.0 TO 80+79.2	SB PL	4812.2	12.0	6416.2		6416.2

HMA SURFACE REMOVAL - CONTINUED							
LOCATION	DESCRIPTION	LENGTH (FOOT)	WIDTH (FOOT)	AREA (SQ YD)	HMA SURF REM VAR DEPTH (SQ YD)	HMA SURF REM 2 1/4" (SQ YD)	
STATION TO STATION							
PART "A" (FAS 1773)							
32+67.0 TO 80+79.2	NB DL	4812.2	12.0	6416.2		6416.2	
32+67.0 TO 80+79.2	NB PL	4812.2	12.0	6416.2		6416.2	
66+82.0 TO 68+25.9	SB LT TL	143.9	0.0 - 12.0	95.9		95.9	
68+25.9 TO 69+25.9	SB LT TL	100.0	12.0	133.3		133.3	
70+08.1 TO 71+08.1	NB LT TL	100.0	12.0	133.3		133.3	
71+08.1 TO 72+51.0	NB LT TL	142.9	12.0 - 0.0	95.3		95.3	
45+57.3	MEDIAN	120.0	VARIES	133.2		133.2	
69+67.0	MEDIAN	82.2	12.0	109.6		109.6	
32+67.0 TO 69+25.0	SB OUTSIDE SHLDR	3658.0	7.0	2845.1		2845.1	
70+08.0 TO 80+79.2	SB OUTSIDE SHLDR	1071.2	7.0	833.2		833.2	
32+67.0 TO 40+25.0	NB OUTSIDE SHLDR	758.0	7.0	589.6		589.6	
41+14.0 TO 45+14.0	NB OUTSIDE SHLDR	400.0	7.0	311.1		311.1	
46+03.0 TO 69+25.0	NB OUTSIDE SHLDR	2322.0	7.0	1806.0		1806.0	
70+08.0 TO 80+79.0	NB OUTSIDE SHLDR	1071.0	7.0	833.0		833.0	
BRIDGE OMISSION STA 80+79.18 TO 83+49.80							
83+49.8 TO 138+62.1	SB DL	5512.3	12.0	7349.7		7349.7	
83+49.8 TO 138+62.1	SB PL	5512.3	12.0	7349.7		7349.7	
83+49.8 TO 138+62.1	NB DL	5512.3	12.0	7349.7		7349.7	
83+49.8 TO 138+62.1	NB PL	5512.3	12.0	7349.7		7349.7	
92+84.0 TO 94+94.5	SB RT TL	210.5	0.0 - 12.0	140.3		140.3	
94+94.5 TO 96+34.5	SB RT TL	140.0	12.0	186.7		186.7	
94+17.0 TO 95+67.0	SB LT TL	150.0	0.0 - 12.0	100.0		100.0	
95+67.0 TO 96+60.7	SB LT TL	93.7	12.0	124.9		124.9	
97+58.8 TO 98+16.3	NB LT TL	57.5	12.0	76.7		76.7	
98+16.3 TO 100+00.0	NB LT TL	183.7	12.0 - 0.0	122.5		122.5	
97+63.4 TO 99+03.5	NB RT TL	140.1	12.0	186.8		186.8	
99+03.5 TO 101+95.0	NB RT TL	291.5	12.0 - 0.0	194.3		194.3	
97+09.8	MEDIAN	98.1	12.0	130.8		130.8	
110+45.0	MEDIAN	35.0	VARIES	31.7		31.7	
136+39.0	MEDIAN	75.0	VARIES	63.4		63.4	
83+49.8 TO 96+51.0	SB OUTSIDE SHLDR	1301.2	7.0	1012.0		1012.0	
97+86.0 TO 136+04.0	SB OUTSIDE SHLDR	3818.0	7.0	2969.6		2969.6	
136+55.0 TO 138+62.1	SB OUTSIDE SHLDR	207.1	7.0	161.1		161.1	
83+49.8 TO 96+57.0	NB OUTSIDE SHLDR	1307.2	7.0	1016.7		1016.7	
97+48.0 TO 135+97.0	NB OUTSIDE SHLDR	3849.0	7.0	2993.7		2993.7	
136+96.0 TO 138+62.1	NB OUTSIDE SHLDR	166.1	7.0	129.2		129.2	
STA EQ 138+62.06 BK = 138+65.00 AH							
138+65.0 TO 157+42.6	SB DL	1877.6	12.0	2503.5		2503.5	
138+65.0 TO 157+42.6	SB PL	1877.6	12.0	2503.5		2503.5	
138+65.0 TO 157+42.6	NB DL	1877.6	12.0	2503.5		2503.5	
138+65.0 TO 157+42.6	NB PL	1877.6	12.0	2503.5		2503.5	
148+68.0	MEDIAN	80.0	VARIES	63.4		63.4	
138+65.0 TO 148+80.0	SB OUTSIDE SHLDR	1015.0	7.0	789.4		789.4	
149+38.0 TO 157+42.6	SB OUTSIDE SHLDR	804.6	7.0	625.8		625.8	
138+65.0 TO 157+42.6	NB OUTSIDE SHLDR	1877.6	7.0	1460.4		1460.4	
STA EQ 157+42.60 BK = 1746+30.50 AH							
1746+30.5 TO 1758+07.5	SB DL	1177.0	12.0	1569.3		1569.3	
1746+30.5 TO 1758+07.5	SB PL	1177.0	12.0	1569.3		1569.3	
1746+30.5 TO 1758+07.5	NB DL	1177.0	12.0	1569.3		1569.3	
1746+30.5 TO 1758+07.5	NB PL	1177.0	12.0	1569.3		1569.3	
1747+80.0 TO 1753+00.0	NB LT TL	520.0	12.0	693.3		693.3	
1753+00.0 TO 1754+67.0	NB LT TL	167.0	12.0 - 0.0	111.3		111.3	
1753+60.0 TO 1754+86.0	SB LT TL	126.0	0.0 - 12.0	84.0		84.0	
1754+86.0 TO 1757+36.0	SB LT TL	250.0	12.0	333.3		333.3	
1747+42.0	MEDIAN	70.0	VARIES	143.4		143.4	
1757+72.0	MEDIAN	75.0	VARIES	140.9		140.9	
1746+30.5 TO 1746+68.0	SB OUTSIDE SHLDR	37.5	7.0	29.2		29.2	
1747+13.0 TO 1750+85.0	SB OUTSIDE SHLDR	372.0	7.0	289.3		289.3	
1753+02.0 TO 1757+31.0	SB OUTSIDE SHLDR	429.0	7.0	333.7		333.7	
1746+30.5 TO 1746+74.0	NB OUTSIDE SHLDR	43.5	7.0	33.8		33.8	
1748+23.0 TO 1757+31.0	NB OUTSIDE SHLDR	908.0	7.0	706.2		706.2	
					PART "A" (FAS 1773) TOTAL:	94406.7	6892.6
					PART "B" (FAU 7706) TOTAL:	0.0	108277.1
					JOB TOTAL:	94406.7	115169.8

* FAS 773/ FAU 7706

FILE NAME =	USER NAME = laughlir1	DESIGNED -	REVISED -
er:\pwork\p\WID01\LAUGHLINRL\0151693\st	tschedule.dgn	DRAWN -	REVISED -
	PLOT SCALE = 100.0000' / IN.	CHECKED -	REVISED -
	PLOT DATE = Apr-09-2010 11:15:03AM	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SCHEDULES

SCALE: SHEET NO. OF SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	21RS-4 ,22RS-5	LOGAN	31	4
CONTRACT NO. 72A44				
ILLINOIS FED. AID PROJECT				