

ENTRANCE IMPROVEMENT SCHEDULE											
LOCATION	TYPE OF ENTRANCE	MATERIAL TYPE (PROP. HMA)	WIDTH (EDGE OF PAVEMENT)	WIDTH (ENTRANCE WIDTH)	LENGTH (EOP/BIT SHLD TO LIMITS OF IMPRVMT)	AREA	PREP. OF BASE	HMA SURF REM. - BUTT JOINT	BIT MATLS (P.C.)	AGG (P.C.)	INCIDENTAL BIT.SURF.
(LT / RT) (STA) (+)	(FE / PE / CE)	(EXISTING)	FOOT	FOOT	FOOT	SQ. YD.	SQ. YD.	SQ. YD.	TON	TON	TON
LT STA. 2+40	CE	HMA	30	20	14	38.9	38.9	38.9	0.01	0.08	3.3
LT STA. 3+00	CE	HMA	24	15	14	30.3	30.3	30.3	0.01	0.06	2.5
RT STA. 3+00	ALLEY/CE	HMA	24	15	14	30.3	30.3	30.3	0.01	0.06	5.9
LT STA. 4+12	PE	HMA	20	16	14	28.0	28.0	28.0	0.01	0.06	2.4
LT STA. 5+76	MADISON ST.	HMA	60	35	20	105.6	105.6	105.6	0.04	0.21	8.9
RT STA. 5+76	MADISON ST.	HMA	55	24	20	87.8	87.8	87.8	0.03	0.18	7.4
RT STA. 6+50	CE	HMA	44	35	14	61.4	61.4	61.4	0.02	0.12	5.2
RT STA. 6+90	CE	HMA	44	35	14	61.4	61.4	61.4	0.02	0.12	5.2
LT STA. 7+00	PE	HMA	18	10	14	21.8	21.8	21.8	0.01	0.04	4.3
LT STA. 8+59	ALLEY/CE	O&C	30	18	14	37.3	37.3	37.3	0.01	0.07	7.3
RT STA. 8+59	ALLEY/CE	O&C	30	15	14	35.0	35.0	35.0	0.01	0.07	6.9
LT STA. 9+90	CE	HMA	20	15	14	27.2	27.2	27.2	0.01	0.05	2.3
LT STA. 17+14	ALLEY/CE	O&C	22	18	14	31.1	31.1	31.1	0.01	0.06	6.1
RT STA. 17+14	ALLEY/CE	O&C	22	18	14	31.1	31.1	31.1	0.01	0.06	6.1
LT STA. 19+93	JEFFERSON ST.	HMA	60	40	20	111.1	111.1	111.1	0.04	0.22	9.3
RT STA. 19+93	JEFFERSON ST.	HMA	55	35	20	100.0	100.0	100.0	0.04	0.20	8.4
LT STA. 23+06	ADAMS ST.	HMA	60	40	20	111.1	111.1	111.1	0.04	0.22	9.3
RT STA. 23+06	ADAMS ST.	HMA	56	40	20	106.7	106.7	106.7	0.04	0.21	9.0
LT STA. 24+87	CE	HMA	20	14	14	26.4	26.4	26.4	0.01	0.05	2.2
LT STA. 25+90	CE	HMA	24	20	14	34.2	34.2	34.2	0.01	0.07	2.9
RT STA. 26+43	ALLEY/CE	O&C	30	20	14	38.9	38.9	38.9	0.01	0.08	7.6
LT STA. 26+87	PE	HMA	30	24	14	42.0	42.0	42.0	0.02	0.08	3.5
RT STA. 27+20	PE	HMA	18	10	14	21.8	21.8	21.8	0.01	0.04	4.3
RT STA. 28+19	PE	HMA	24	24	14	37.3	37.3	37.3	0.01	0.07	3.1
	TOTAL						1257	1257	0.5	2.5	133