

BITUMINOUS MATERIALS (PRIME COAT)						
LOCATION	LENGTH (FOOT)	PAVEMENT WIDTH (FOOT)	SHLD AV WIDTH (FOOT)	APS	AREA (SQ YD)	QUANTITY (TONS)
US 54						
RT STA 51+66.96 TO RT STA 134+51.00	8284.04	18	0	1	16,568.08	6.30
LT STA 51+66.96 TO LT STA 134+60.00	8293.04	18	0	1	16,586.08	6.30
RT STA 134+51.00 TO RT STA 136+00.00	149.00	18	3	1	347.67	0.13
RT STA 136+00.00 TO RT STA 139+50.00	350.00	18	3	1	680.56	0.26
RT STA 139+50.00 TO RT STA 140+00.00	50.00	11	3	1	77.78	0.03
LT STA 134+60.00 TO LT STA 136+00.00	140.00	18	3	1	326.67	0.12
LT STA 136+00.00 TO LT STA 139+50.00	350.00	18	3	1	680.56	0.26
LT STA 139+50.00 TO LT STA 140+00.00	50.00	11	3	1	77.78	0.03
RT STA 140+00.00 TO RT STA 200+75.00	6075.00	11	3	2	9,450.00	7.18
LT STA 140+00.00 TO LT STA 200+75.00	6075.00	11	3	2	9,450.00	7.18
RT STA 200+75.00 TO RT STA 202+25.00	150.00	11	3	2	241.67	0.18
LT STA 200+75.00 TO LT STA 202+25.00	150.00	11	3	2	241.67	0.18
RT STA 202+25.00 TO RT STA 204+83.11	258.11	12	3	2	430.18	0.33
LT STA 202+25.00 TO LT STA 204+83.11	258.11	12	3	2	430.18	0.33
RT STA 204+83.11 TO RT STA 206+87.39	204.28	12	3	2	476.65	0.36
RT STA 206+87.39 TO RT STA 209+63.11	275.72	12	3	2	827.16	0.63
RT STA 209+63.11 TO RT STA 212+20.75	257.64	12	0	2	343.52	0.26
LT STA 204+83.11 TO LT STA 209+63.11	480.00	12	3	2	1,120.00	0.85
LT STA 209+63.11 TO LT STA 213+88.00	424.89	24	3	2	1,274.67	0.97
RT STA 212+20.75 TO RT STA 213+88.00	167.25	12	3	2	278.75	0.21
RT STA 213+88.00 TO RT STA 218+68.03	480.03	12	3	2	800.05	0.61
LT STA 213+88.00 TO LT STA 218+68.03	480.03	24	3	2	1,120.07	0.85
LT STA 218+68.03 TO LT STA 219+00.00	31.97	12	3	2	53.28	0.04
RT STA 218+68.03 TO RT STA 219+00.00	31.97	12	3	2	53.28	0.04
STA EQN: 219+00.00 (BK) = STA 809+70.99 (AH)						
Note Stationing is reversed.						
RT STA 809+70.99 TO RT STA 801+00.00	870.99	13	6	2	1,838.76	1.40
LT STA 809+70.99 TO LT STA 801+00.00	870.99	13	6	2	1,838.76	1.40
RT STA 801+00.00 TO RT STA 781+24.00	1976.00	13	3	1	3,512.89	1.33
LT STA 801+00.00 TO LT STA 781+24.00	1976.00	13	3	1	3,512.89	1.33
RT STA 781+24.00 TO RT STA 761+52.00	1972.00	11	2	2	2,848.44	2.16
LT STA 781+24.00 TO LT STA 761+52.00	1972.00	11	2	2	2,848.44	2.16
IL 106						
RT STA 10+12.00 TO RT STA 11+67.49	155.49	CADD	CADD	2	691.90	0.53
LT STA 10+12.00 TO LT STA 11+67.49	155.49	CADD	CADD	2	662.37	0.50
RT STA 11+67.49 TO RT STA 17+58.09	590.60	12	3	2	984.33	0.75
LT STA 11+67.49 TO LT STA 12+18.90	51.41	12	3	2	85.68	0.07
LT STA 12+18.90 TO LT STA 12+48.35	29.45	12	0	2	39.27	0.03
LT STA 12+48.35 TO LT STA 17+58.09	509.74	12	3	2	849.57	0.65
STA EQN: 17+58.09 (BK) = STA 215+53.38 (AH)						
RT STA 215+53.38 TO RT STA 216+30.00	76.62	12	3	2	127.70	0.10
LT STA 215+53.38 TO LT STA 216+30.00	76.62	12	3	2	127.70	0.10
SHETLAND DR						
STA 0+18.00 TO STA 0+68.00		CADD		0	398.66	0.15
VALLEY VIEW						
STA 0+18.00 TO STA 0+48.00		CADD		0	1,108.36	0.42
TOTAL						46.7
ENTRANCES						0.4
GRAND TOTAL						47.1

AGGREGATE (PRIME COAT)						
LOCATION	LENGTH (FOOT)	PAVEMENT WIDTH (FOOT)	SHLD AV WIDTH (FOOT)	APS	AREA (SQ YD)	QUANTITY (TONS)
US 54						
RT STA 51+66.96 TO RT STA 134+51.00	8284.04	18	0	1	16,568.08	33.14
LT STA 51+66.96 TO LT STA 134+60.00	8293.04	18	0	1	16,586.08	33.17
RT STA 134+51.00 TO RT STA 136+00.00	149.00	18	3	1	347.67	0.70
RT STA 136+00.00 TO RT STA 139+50.00	350.00	18	3	1	680.56	1.36
RT STA 139+50.00 TO RT STA 140+00.00	50.00	11	3	1	77.78	0.16
LT STA 134+60.00 TO LT STA 136+00.00	140.00	18	3	1	326.67	0.65
LT STA 136+00.00 TO LT STA 139+50.00	350.00	18	3	1	680.56	1.36
LT STA 139+50.00 TO LT STA 140+00.00	50.00	11	3	1	77.78	0.16
RT STA 140+00.00 TO RT STA 200+75.00	6075.00	11	3	2	9,450.00	37.80
LT STA 140+00.00 TO LT STA 200+75.00	6075.00	11	3	2	9,450.00	37.80
RT STA 200+75.00 TO RT STA 202+25.00	150.00	11	3	2	241.67	0.97
LT STA 200+75.00 TO LT STA 202+25.00	150.00	11	3	2	241.67	0.97
RT STA 202+25.00 TO RT STA 204+83.11	258.11	12	3	2	430.18	1.72
LT STA 202+25.00 TO LT STA 204+83.11	258.11	12	3	2	430.18	1.72
RT STA 204+83.11 TO RT STA 206+87.39	204.28	12	3	2	476.65	1.91
RT STA 206+87.39 TO RT STA 209+63.11	275.72	12	3	2	827.16	3.31
RT STA 209+63.11 TO RT STA 212+20.75	257.64	12	0	2	343.52	1.37
LT STA 204+83.11 TO LT STA 209+63.11	480.00	12	3	2	1,120.00	4.48
LT STA 209+63.11 TO LT STA 213+88.00	424.89	24	3	2	1,274.67	5.10
RT STA 212+20.75 TO RT STA 213+88.00	167.25	12	3	2	278.75	1.12
RT STA 213+88.00 TO RT STA 218+68.03	480.03	12	3	2	800.05	3.20
LT STA 213+88.00 TO LT STA 218+68.03	480.03	24	3	2	1,120.07	4.48
LT STA 218+68.03 TO LT STA 219+00.00	31.97	12	3	2	53.28	0.21
RT STA 218+68.03 TO RT STA 219+00.00	31.97	12	3	2	53.28	0.21
STA EQN: 219+00.00 (BK) = STA 809+70.99 (AH)						
Note Stationing is reversed.						
RT STA 809+70.99 TO RT STA 801+00.00	870.99	13	6	2	1,838.76	7.36
LT STA 809+70.99 TO LT STA 801+00.00	870.99	13	6	2	1,838.76	7.36
RT STA 801+00.00 TO RT STA 781+24.00	1976.00	13	3	1	3,512.89	7.03
LT STA 801+00.00 TO LT STA 781+24.00	1976.00	13	3	1	3,512.89	7.03
RT STA 781+24.00 TO RT STA 761+52.00	1972.00	11	2	2	2,848.44	11.39
LT STA 781+24.00 TO LT STA 761+52.00	1972.00	11	2	2	2,848.44	11.39
IL 106						
RT STA 10+12.00 TO RT STA 11+67.49	155.49	CADD	CADD	2	691.90	2.77
LT STA 10+12.00 TO LT STA 11+67.49	155.49	CADD	CADD	2	662.37	2.65
RT STA 11+67.49 TO RT STA 17+58.09	590.60	12	3	2	984.33	3.94
LT STA 11+67.49 TO LT STA 12+18.90	51.41	12	3	2	85.68	0.34
LT STA 12+18.90 TO LT STA 12+48.35	29.45	12	0	2	39.27	0.16
LT STA 12+48.35 TO LT STA 17+58.09	509.74	12	3	2	849.57	3.40
STA EQN: 17+58.09 (BK) = STA 215+53.38 (AH)						
RT STA 215+53.38 TO RT STA 216+30.00	76.62	12	3	2	127.70	0.51
LT STA 215+53.38 TO LT STA 216+30.00	76.62	12	3	2	127.70	0.51
SHETLAND DR						
STA 0+18.00 TO STA 0+68.00		CADD		0	398.66	0.80
VALLEY VIEW						
STA 0+18.00 TO STA 0+48.00		CADD		0	1,108.36	2.22
TOTAL						245.9
ENTRANCES						1.0
GRAND TOTAL						247

HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT				
LOCATION	LENGTH (FOOT)	PAVEMENT WIDTH (FOOT)	AREA (SQ YD)	QUANTITY (TONS)
US 54				
STA 760+52.00 TO STA 760+82.00	30.00	26.0	86.7	
IL 106				
STA 216+00.00 TO STA 216+30.00	30.00	24.0	80.0	
TOTAL				166.7
ENTRANCES AND OTHER SIDE ROADS SEE ENTRANCE DETAIL AND SCHEDULE				1,049.6
GRAND TOTAL				1,216

CONSTRUCTING TEST STRIP	
LOCATION	L SUM
JOBSITE	1
TOTAL	1

MOBILIZATION	
LOCATION	TOTAL L SUM
JOBSITE	1

HOT-MIX ASPHALT SHOULDERS					
LOCATION	LENGTH (FOOT)	SHOULDER WIDTH (FOOT)	THICKNESS (INCH)	AREA (SQ YD)	QUANTITY (TONS)
US 54					
RT STA 134+51.00 TO RT STA 140+00.00	549.00	3	2.0	183.00	20.5
LT STA 134+60.00 TO LT STA 140+00.00	540.00	3	2.0	180.00	20.2
RT STA 204+83.11 TO RT STA 209+63.11	480.00	3	2.25	160.00	20.2
LT STA 204+83.11 TO LT STA 219+00.00	1416.89	3	2.25	472.30	59.5
RT STA 212+20.75 TO RT STA 219+00.00	679.25	3	2.25	226.42	28.5
STA EQN: 219+00.00 (BK) = STA 809+70.99 (AH)					
Note Stationing is reversed.					
RT STA 801+00.00 TO RT STA 796+31.00	469.00	3	2.0	156.33	17.5
LT STA 800+55.00 TO LT STA 796+55.00	400.00	3	2.0	133.33	14.9
RT STA 789+55.00 TO RT STA 781+24.00	831.00	3	2.0	277.00	31.0
LT STA 790+75.00 TO LT STA 781+50.00	925.00	3	2.0	308.33	34.5
TOTAL					247