

HMA QUANTITIES (SAFETY AREA 1)

LOCATION			HMA SURFACE COURSE (TON)	LEVELING BINDER (MACHINE METHOD) (TON)	BITUMINOUS MATERIALS (PRIME COAT) (TON)	AGGREGATE MATERIALS (PRIME COAT) (TON)	HMA SURFACE REMOVAL, 1" (SQ YD)
STA.	TO	STA.					
153+00	-	157+00	103.0	51.5	0.38	1.84	1225.0
157+00	-	163+00	186.0	93.0	0.69	3.32	2212.0
163+00	-	166+23.07	85.0	42.5	0.31	1.51	1006.0
HOOTS CHAPEL ROAD (NORTH & SOUTH)			33.0	16.5	0.12	0.59	392.0
TOTALS			407.0	204	1.5	7.26	4835.0

HMA BASE COURSE WIDENING, 11 1/2" (SAFETY AREA 1)

LOCATION			HMA BASE COURSE WIDENING, 11 1/2" (SQ YD)
STA.	TO	STA.	
153+00	-	157+00	282.0
157+00	-	163+00	745.0
163+00	-	166+23.07	210.0
HOOTS CHAPEL ROAD (NORTH & SOUTH)			390.0
TOTAL			1627.0

HMA SHOULDERS, 8" (SAFETY AREA 1)

LOCATION			HMA SHOULDERS, 8" (SQ YD)
STA.	TO	STA.	
153+00	-	157+00	320.0
157+00	-	163+00	535.0
163+00	-	166+23.07	290.0
HOOTS CHAPEL ROAD (NORTH & SOUTH)			95.0
TOTALS			1240.0

SUB-BASE GRANULAR MATERIAL, TYPE C (TON) (SAFETY AREA 1)

LOCATION			SUB-BASE GRAN. MAT'L, TYPE C (TON)
STA.	TO	STA.	
153+00	-	157+00	89.0
157+00	-	163+00	149.0
163+00	-	166+23.07	80.0
HOOTS CHAPEL ROAD (NORTH & SOUTH)			27.2
TOTALS			345.2

AGGREGATE BASE COURSE, TYPE A 12" (SAFETY AREA 1)

LOCATION			AGG. BASE COURSE, TYPE A 12" (SQ YD)
STA.	TO	STA.	
153+00	-	157+00	620.0
157+00	-	163+00	1410.0
163+00	-	166+23.07	540.0
HOOTS CHAPEL ROAD (NORTH & SOUTH)			510.0
TOTALS			3080.0