

ENTRANCE SCHEDULE - SUMMIT DR.

LOCATION	REMARKS	LENGTH	WIDTH	SQ YD	EARTH EXCAVATION (FOR INFO ONLY)	DRIVEWAY PAVEMENT REMOVAL	HOT - MIX ASPHALT BASE COURSE, 6"	POLYMERIZED BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	INCIDENTAL HOT - MIX ASPHALT SURFACING	PCC DRIVEWAY PAVEMENT 6"	PCC DRIVEWAY PAVEMENT 8"	AGGREGATE FOR TEMPORARY ACCESS
					CU YD	SQ YD	SQ YD	GALLON	TON	TON	SQ YD	SQ YD	TON
SOUTH SUMMIT					20100100	44000200	35501308	40600115	40600300	40800050	42300200	42300400	40201000
LT STA 108+84.20	CE	11.39	35	59.2	13.2	68.1						59.2	27.1
LT STA 109+55.70	CE	11.39	35	59.2	13.2	51.0						59.2	27.1
RT STA 109+58.50	CE	23.51	35	122.4	27.3	109.5						122.4	56.0
LT STA 110+14.77	PE	9.39	12	22.7	3.8						22.7		7.8
LT STA 111+35.72	PE	11.43	12	30.1	5.0	22.9				30.1			10.3
RT STA 112+11.50	CE	18.82	31	98.1	21.9	122.4						98.1	44.9
LT STA 112+59.60	CE	11.43	30	66.9	14.9	85.2						66.9	30.5
NORTH SUMMIT													
LT STA 12+22.50	PE	10.20	12	16.4	2.7	22.0					16.4		5.5
RT STA 12+57.90	CE	22.66	14.35	107.8	24.1	128.0						107.8	49.4
LT STA 13+86.00	CE	20.82	20	51.6	11.5	73.7						51.6	23.6
LT STA 15+60.00	CE	24.34	29.76	97.0	21.7	108.2						97.0	44.5
RT STA 15+76.50	PE	23.42	15	45.8	7.6						45.8		15.6
RT STA 16+51.50	PE	15.69	12	27.5	4.6						27.5		9.4
LT STA 17+11.50	PE	20.32	12	34.2	5.7						34.2		11.7
LT STA 18+08.60	PE	7.00	14	16.3	2.7						16.3		5.5
RT STA 18+13.00	PE	18.05	20	45.3	7.6	54.8					45.3		15.6
RT STA 18+38.50	PE	12.10	12	21.3	3.6	26.1					21.3		7.4
LT STA 18+70.60	PE	7.00	12	14.8	2.5	24.8					14.8		5.1
RT STA 18+73.60	PE	6.91	22	22.2	3.7	34.9					22.2		7.6
RT STA 19+68.50	PE	9.87	12	18.7	3.1						18.7		6.4
LT STA 20+18.50	PE	7.00	20	21.0	3.5						21.0		7.2
RT STA 20+52.60	PE	19.08	15	38.8	6.5						38.8		13.3
LT STA 21+21.50	PE	11.67	19	29.8	5.0						29.8		10.3
RT STA 21+50.00	PE	7.08	18	19.9	3.3	30.6					19.9		6.8
ILLINOIS ROUTE 8													
LT STA 196+98.43	CE						60.5	1.9	0.06	5.1		37.7	8.6
RT STA 197+33.48	CE						12.1	0.4	0.01	1.0		44.3	10.1
RT STA 198+06.15	CE											58.3	13.4
LT STA 198+37.71	CE											54.9	12.6
RT STA 198+71.99	CE											68.0	15.6
RT STA 113+60.64	CE											112.1	25.7
LT STA 11+15.00	CE											110.2	25.2
LT STA 202+91.76	CE						44.4	1.3	0.04	3.7			
RT STA 205+51.67	CE						135.4	4.1	0.14	11.4			
RT STA 207+51.68	CE						182.7	5.5	0.18	15.3			
SUBTOTALS					218.7	962.0	435.0	13.0	0.4	37.0	425.0	1148.0	559.5

NOTE: EARTH EXCAVATION QUANTITIES SHOWN ARE INCLUDED IN EARTHWORK SCHEDULE. SEE AGGREGATE BASE COURSE, TYPE A FOR BASE MATERIAL.

AGGREGATE BASE COURSE, TYPE A				
LOCATION STATION TO STATION	AREA	THICKNESS	CONVERSION	35100100
	SQ YD	INCHES	LB/SY*IN	TON
SOUTH SUMMIT DRIVE				
STA. 110+00.79 RT TO STA. 113+22.93 RT	309.6	8	114	141.2
STA. 111+65.18 LT TO STA. 113+22.93 LT	82.4	8	114	37.6
NORTH SUMMIT DRIVE				
STA. 11+95.91 TO STA. 12+00.00	26.9	12	114	18.4
STA. 12+00.00 TO STA. 18+00.00	2711.8	12	114	1854.9
STA. 18+00.00 TO STA. 24+00.00	2211.1	12	114	1512.4
STA. 24+00.00 TO STA. 30+00.00	2513.7	12	114	1719.4
STA. 30+00.00 TO STA. 36+00.00	2211.1	12	114	1512.4
STA. 36+00.00 TO STA. 42+00.00	2211.1	12	114	1512.4
STA. 42+00.00 TO STA. 48+00.00	2211.1	12	114	1512.4
STA. 48+00.00 TO STA. 52+32.21	1758.3	12	114	1202.7
TOTAL				11024

AGGREGATE BASE COURSE, TYPE B				
LOCATION STATION TO STATION	AREA	THICKNESS	CONVERSION	35101400
	SQ YD	INCHES	LB/SY*IN	TON
SOUTH SUMMIT DRIVE				
STA. 108+84.20 LT CE	59.2	8	114	27.0
STA. 109+55.70 LT CE	59.2	8	114	27.0
STA. 109+58.50 RT CE	122.4	8	114	55.8
STA. 110+14.77 LT PE	22.7	8	114	10.4
STA. 111+35.72 LT PE	30.1	8	114	13.7
STA. 112+11.50 RT CE	98.1	8	114	44.7
STA. 112+59.60 LT CE	66.9	8	114	30.5
NORTH SUMMIT DRIVE				
STA. 12+22.50 LT PE	16.4	8	114	7.5
STA. 12+57.90 RT CE	107.8	8	114	49.2
STA. 15+60.00 LT CE	97.0	8	114	44.2
STA. 15+76.50 RT PE	45.8	8	114	20.9
STA. 16+51.50 RT PE	27.5	8	114	12.5
STA. 17+11.50 LT PE	34.2	8	114	15.6
STA. 18+08.60 LT PE	16.3	8	114	7.4
STA. 18+13.00 RT PE	45.3	8	114	20.7
STA. 18+38.50 RT PE	21.3	8	114	9.7
STA. 18+70.60 LT PE	14.8	8	114	6.7
STA. 18+73.60 RT PE	22.2	8	114	10.1
STA. 19+68.50 RT PE	18.7	8	114	8.5
STA. 20+18.50 LT PE	21.0	8	114	9.6
STA. 20+52.60 RT PE	38.8	8	114	17.7
STA. 21+21.50 LT PE	29.8	8	114	13.6
STA. 21+50.00 RT PE	19.9	8	114	9.1
TOTAL				472

TEMPORARY PAVEMENT			
LOCATION STATION	LT/RT	STAGE	X0712400
			SQ YD
STA. 194+60 TO STA 195+00	RT	1	13.4
STA. 195+00 TO STA. 196+32.35	RT	1	92.8
STA. 196+89.54 TO STA. 198.36.36	RT	1	74.3
STA. 200+64.26 TO STA. 201+80.77	RT	1	124.9
STA. 202+49.55 TO STA. 205+00	RT	1	296.2
STA. 205+00 TO STA. 205+85	RT	1	28.2
STA. 194+60 TO STA 198+00	LT	2	157.4
STA. 198+00 TO STA. 199+64.08	RT	2	83.7
STA. 201+30.34 TO STA. 202+13.48	RT	2	20.3
TOTAL			891

DRIVEWAY PAVEMENT REMOVAL			
LOCATION STATION TO STATION	LT/RT	AREA	44000200
		SQ FT	SQ YD
IL ROUTE 8			
C.E. STA 196+87.96	LT	1,689.72	187.75
C.E. STA 197+19.00	RT	761.39	84.60
C.E. STA 198+40.49	LT	1,566.40	174.04
C.E. STA 198+06.15	RT	745.43	82.83
C.E. STA 198+71.99	RT	817.00	90.78
FROM STA 199+52.48 TO STA 11+09.43	LT	4,423.26	491.47
FROM RT STA 12+00.75 TO LT STA 201+30.56		1,549.68	172.19
C.E. STA 08+63.10	RT	1,512.20	168.02
C.E. STA 08+93.91	LT	1,838.26	204.25
C.E. STA 09+17.51	LT	40.99	4.55
C.E. STA 202+91.76	LT	623.91	69.32
C.E. STA 205+51.67	RT	1,122.51	124.72
C.E. STA 207+51.68	RT	1,647.91	183.10
TOTAL			2,038