

END SECTIONS 15"

EACH	LOCATION			
	IL 72			
2	Sta	1788 + 31		LT
	IL 251			
2	Sta	789 + 50		LT & RT
4	TOTAL			

PRECAST REINFORCED CONCRETE FLARED END SECTIONS 15"

EACH	LOCATION			
	IL 72			
1	Sta	1785 + 70		RT
1	TOTAL			

END SECTIONS, EQUIVALENT ROUND-SIZE 15"

EACH	LOCATION			
	IL 72			
2	Sta	1788 + 14		RT
2	TOTAL			

END SECTIONS, EQUIVALENT ROUND-SIZE 18"

EACH	LOCATION			
	IL 72			
2	Sta	1783 + 21		RT
2	Sta	1784 + 87		RT
4	TOTAL			

PRECAST REINFORCED CONCRETE FLARED END SECTIONS - ELLIPTICAL, EQUIVALENT ROUND-SIZE 18"

EACH	LOCATION			
	IL 72			
4	Sta	1785 + 31		LT
4	Sta	1785 + 31		LT
4	Sta	1787 + 52		RT
4	Sta	1787 + 52		RT
16	TOTAL			

STORM SEWERS, CLASS A, TYPE 1 15"

FOOT	LOCATION			
	IL 72			
6	Sta	1785 + 70		RT
6	TOTAL			

WATER VALVES TO BE ADJUSTED

EACH	LOCATION			
	IL 72			
1	*Sta	1784 + 24		47.3' LT
1	Sta	1785 + 08		41.3' LT
1	Sta	1786 + 72		48.8' LT
1	Sta	1786 + 96		45.6' LT
4	TOTAL			*As Needed & Directed by the Resident

FIRE HYDRANTS TO BE MOVED (SPECIAL)

EACH	LOCATION			
	IL 72			
1	Sta	1785 + 08		42.9' LT
1	Sta	1786 + 96		47.2' LT
2	TOTAL			

INLETS, SPECIAL, NO. 1

EACH	LOCATION			
	IL 72			
1	Sta	1785 + 70		50' RT
1	TOTAL			

CLASS SI CONCRETE (OUTLET)

CU YD	LOCATION			
	IL 251			
3	Sta	785 + 34	785 + 75	LT
3	Sta	785 + 70	786 + 11	RT
6	TOTAL			

COMBINATION CONCRETE CURB AND GUTTER, TYPE M-6.24

FOOT	LOCATION			
	IL 251			
149	Sta	785 + 87	787 + 00	LT
149	TOTAL			

CONCRETE MEDIAN SURFACE, 4 INCH

SQ FT	LOCATION			
	IL 72			
115.4	Sta	1785 + 79	1785 + 98	LT
114.1	Sta	1785 + 79	1785 + 95	RT
90.0	Sta	1786 + 49	1786 + 65	LT
94.8	Sta	1786 + 46	1786 + 64	RT
414.3	TOTAL			