

CONTRACT #	ROUTE #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	FAU 6814	09-00448-13-RS	11	1

CALL J.U.L.I.E.
BEFORE DIGGING
800-892-0123

FAU 6814

ENGINEERING DIVISION
CITY OF GALESBURG, ILLINOIS

PLANS FOR PROPOSED E. KNOX ST. RESURFACING

QC/QA HMA

PROJECT LIMITS: E. KNOX ST. FROM DAY ST. TO GRAND AVE.
FEDERAL PROJECT # ARA-5025(044)
JOB #: C-94-078-09
SECTION 09-00448-13-RS
T 11N, R 1E, S 10 OF THE 4th P.M.

SUMMARY OF QUANTITIES

SEE SHEET NO. 2

INDEX OF SHEETS

SHEET NO. 1	TITLE SHEET
SHEET NO. 2	SUMMARY OF QUANTITIES/ HMA MIX REQUIREMENTS/PAVEMENT DESIGN
SHEET NO. 3-5	TYPICAL SECTIONS/BASE COURSE WIDENING DETAILS
SHEET NO. 6-7	SCHEDULE OF QUANTITIES
SHEET NO. 8	PLAN & PROFILE 1 - STA. 10+00-20+00
SHEET NO. 9	PLAN & PROFILE 2 - STA. 20+00-30+00
SHEET NO. 10	PLAN & PROFILE 3 - STA. 30+00-40+00
SHEET NO. 11	PLAN & PROFILE 4 - STA. 40+00-44+20



GENERAL LOCATION MAP
NOT TO SCALE

TOTAL GROSS LENGTH OF PROJECT = 3,420 FEET = 0.647 MILES
TOTAL NET LENGTH OF PROJECT = 3,420 FEET = 0.647 MILES

PROJECT DESCRIPTION:

THIS PROJECT CONSISTS OF COLD MILLING THE EXISTING HMA SURFACE AT EITHER 2.25" OR 3.25" AND PLACING 0.75" OF PHMA LEVELING BINDER MM IL-4.75 N50, 1.5" OF PHMA SURFACE COURSE MIX "D" N50, AND FOR PART OF THE PROJECT LIMITS PLACING 1.0" OF LEVELING BINDER IL-9.5. WORK ALSO INCLUDES VARIOUS SIDEWALK REPAIRS FOR ADA COMPLIANCY, CURB REPAIRS, UTILITY ADJUSTMENTS, THERMOPLASTIC PAVEMENT MARKINGS, AND OTHER COLLATERAL WORK.

HIGHWAY STANDARDS

STD. NO.	DESCRIPTION
00001-05	STANDARD SYMBOLS ABBREVIATIONS & PATTERNS
42401-05	CURB RAMPS FOR SIDEWALK
44221-03	CLASS C&D PATCHES
60406-04	FRAME & GRATE TYPE 3
60601-04	CONCRETE CURB TYPE B & COMBINATION CONCRETE C&G
701301-03	LANE CLOSURE 2L2W SHORT-TIME OPERATIONS
701311-03	LANE CLOSURE 2L2W MOVING OPERATIONS DAY ONLY
701501-05	URBAN CLOSURE 2L2W UNDIVIDED
701701-06	URBAN LANE CLOSURE MULTILANE INTERSECTION
701801-04	LANE CLOSURE MULTILANE 1W2W WITH CROSSWALK OR SIDEWALK CLOSURE
701901-01	TRAFFIC CONTROL DEVICES
780001-02	TYPICAL PAVEMENT MARKINGS

ENGINEERING DIVISION
CITY OF GALESBURG ILLINOIS

APPROVED 4/1 2009

Wayne E. Carl
LOCAL AGENCY REPRESENTATIVE

PASSED Apr 19 2009

Dan C. Pie
DISTRICT 4 ENGINEER OF LOCAL ROADS & STREETS


RELEASING FOR BID
BASED ON LIMITED
REVIEW

APR 9 2009

[Signature]
DEPUTY DIRECTOR OF HIGHWAYS, REGION 4 ENGINEER
STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

TITLE SHEET

E. KNOX ST. RESURFACING
SECTION # 09-00448-13-RS
FAU ROUTE 6814
JOB # C-94-078-09
CONTRACT # 89520



SUMMARY OF QUANTITIES

PAY CODE	PAY ITEM	UNITS	FUND CODE 1000-2A QUANTITY	FUND CODE MFT QUANTITY	TOTAL QUANTITY
31101200	SUB-BASE GRANULAR MATERIAL, TYPE B, 4 INCHES	SQ YD	9	0	9
35300210	PORTLAND CEMENT CONCRETE BASE COURSE, 7.5 INCHES	SQ YD	5	0	5
40200800	AGGREGATE SURFACE COURSE, TYPE B	TDN	17	0	17
40600115	POLYMERIZED BITUMINOUS MATERIALS (PRIME COAT)	GAL	2282	0	2282
40600300	AGGREGATE (PRIME COAT)	TDN	26	0	26
40600627	LEVELING BINDER (MACHINE METHOD) IL-9.5, N50	TDN	351	0	351
40600990	TEMPORARY RAMP	SQ YD	761	0	761
40600995	TEMPORARY RAMP, SPECIAL	SQ YD	189	0	189
40603535	POLYMERIZED HOT MIX-ASPHALT SURFACE COURSE, MIX 'D', N50	TDN	1110	0	1110
40800050	INCIDENTAL HMA SURFACING	TDN	10	0	10
42300400	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8 INCH	SQ YD	0	16	16
42400100	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	1725	3072	4797
42400300	PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH	SQ FT	0	862	862
42400410	PORTLAND CEMENT CONCRETE SIDEWALK 8 INCH	SQ FT	1119	0	1119
42400800	DETECTABLE WARNINGS	SQ FT	336	0	336
44000158	HOT-MIX ASPHALT SURFACE REMOVAL, 2.25'	SQ YD	6999	0	6999
44000162	HOT-MIX ASPHALT SURFACE REMOVAL, 3.25'	SQ YD	6127	0	6127
44000200	DRIVEWAY PAVEMENT REMOVAL	SQ YD	0	16	16
44000300	CURB REMOVAL	FDDT	338	0	338
44000500	COMBINATION CURB AND GUTTER REMOVAL	FDDT	976	0	976
44000600	SIDEWALK REMOVAL	SQ FT	2514	3973	6487
44201365	CLASS C PATCHES, TYPE II, 11 INCH	SQ YD	26	0	26
60260100	INLETS TO BE ADJUSTED	EACH	6	0	6
60260500	INLETS TO BE ADJUSTED WITH NEW TYPE 3 FRAME AND GRATE	EACH	4	0	4
60262700	INLETS TO BE RECONSTRUCTED	EACH	2	0	2
60263100	INLETS TO BE RECONSTRUCTED WITH NEW TYPE 3 FRAME AND GRATE	EACH	2	0	2
60266600	VALVE BOXES TO BE ADJUSTED	EACH	22	0	22
60300305	FRAMES AND LIDS TO BE ADJUSTED	EACH	15	0	15
60600705	CONCRETE CURB- TYPE B, (ABUTTING EXISTING PAVEMENT)	FDDT	326	0	326
60603900	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12 (ABUTTING EXISTING PAVEMENT)	FDDT	986	0	986
67100100	MOBILIZATION	L. SUM	1	0	1
70101700	TRAFFIC CONTROL AND PROTECTION	L. SUM	1	0	1
* 78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	64.6	0	64.6
* 78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FDDT	753	0	753
* 78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FDDT	120	0	120
* 78300100	PAVEMENT MARKING REMOVAL	SQ FT	47	0	47
XX002873	BRICK SIDEWALK REMOVAL	SQ FT	485	686	1171
XX006793	BRICK SIDEWALK	SQ FT	296	678	974
XX006935	BRICK SURFACE REMOVAL - BUTT JOINT	SQ YD	35	0	35
X4067107	POLYMERIZED LEVELING BINDER (MACHINE METHOD) IL-4.75, N50	TDN	555	0	555

* SPECIALTY ITEM

CONTRACT #	ROUTE #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	FAU 6814	09-00448-13-RS	11	2

PAVEMENT DESIGN E. KNOX ST.

MODIFIED AASHTO DESIGN FOR OVERLAYS ON EXISTING RIGID/COMPOSITE PAVEMENTS

EST 2007 ADT = 2341
DESIGN PERIOD = 20 YEARS
2019 PROJECTED ADT = 2638
(1% ANNUAL INCREASE)

STREET CLASSIFICATION: CLASS II
(2 LANE WITH ADT GREATER THAN
2000 BUT LESS THAN 3500)

TRAFFIC FACTOR: 0.5958
ILLINOIS BEARING RATIO: 3
STRUCTURAL NUMBER: 2.85

TYPE	%	NO.
P. V	93.0	2,454
S. U.	4.0	106
M. U.	3.0	79
TOTAL	100	2,639

REQUIRED OVERLAY = 3.0 INCHES OF HMA
PROPOSED OVERLAY = 3.25 INCHES OF HMA

HMA MIXTURE REQUIREMENTS

THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE FOR THIS PROJECT

MIXTURE USE(S)	POLYMER SURFACE COURSE	LEVELING BINDER(MM)	POLYMER LEVELING BINDER(MM)
AC/PG:	SBS/SBR PG 70-22	PG 70-22, SBS/SBR PG 70-22	SBS/SBR PG 70-22
RAP % (MAX)**	10.0%	0%	0%
DESIGN AIR VOIDS:	4% @ N(des) = 50	3% @ N(des) = 50	4% @ N(des) = 50
MIXTURE COMPOSITION: (GRADATION MIXTURE)	IL 9.5 (ONLY)	IL 9.5 (ONLY)	IL 4.75
FRICTION AGGREGATE:	MIXTURE D (DOLDRITE ONLY)	N/A	N/A





SUMMARY OF QUANTITIES

E. KNOX ST. RESURFACING
SECTION # 09-00448-13-RS
FAU ROUTE 6814
JOB # C-94-078-09
CONTRACT # 89520



TYPICAL SECTIONS
E. KNOX ST.

CONTRACT #	ROUTE #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	FAU 6814	09-00448-13-RS	11	3







TYPICAL SECTIONS-E. KNOX ST 1

E. KNOX ST. RESURFACING
SECTION # 09-00448-13-RS
FAU ROUTE 6814
JOB # C-94-078-09
CONTRACT # 89520



TYPICAL SECTIONS (CONT.)
E. KNOX ST.

CONTRACT #	ROUTE #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	FAU 6814	09-00448-13-RS	11	4



TYPICAL SECTIONS-E. KNOX ST 2


E. KNOX ST. RESURFACING
SECTION # 09-00448-13-RS
FAU ROUTE 6814
JOB # C-94-078-09
CONTRACT # 89520

ALESBURG, ILLINOIS
Proud Past • Strong Future


TYPICAL SECTIONS (CONT.)
E. KNOX ST.

EXISTING
NOT TO SCALE
STA 35+92 - 44+20
66.0 FT R.D.W.


CONTRACT #	ROUTE #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	FAU 6814	09-00448-13-RS	11	5




PROPOSED
NOT TO SCALE
STA 35+92 - 44+20
66.0 FT R.D.W.



MILLING AND LEVELING BINDER TAPER DETAIL



TYPICAL SECTIONS-E. KNOX ST 3
E. KNOX ST. RESURFACING
SECTION # 09-00448-13-RS
FAU ROUTE 6814
JOB # C-94-078-09
CONTRACT # 89520



SCHEDULE OF QUANTITIES

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	09-00448-13-RS	11	6

31101200
SUB GRAN MAT B 4

STA 26+93 RT	6.1 SQ YD
STA 31+34 LT	2.7 SQ YD
TOTAL	9.0 SQ YD

35300210
PCC BSE CSE 7.5

STA 26+93 RT	3.1 SQ YD
STA 31+34 LT	1.7 SQ YD
TOTAL	5.0 SQ YD

40200800
AGG SURF CSE B

STA 15+55 RT	1.6 TON
STA 15+65 LT	2.6 TON
STA 16+30 RT	3.6 TON
STA 16+35 LT	2.4 TON
STA 16+95 RT	2.1 TON
STA 17+05 LT	3.2 TON
STA 17+65 RT	1.8 TON
TOTAL	17.0 TON

40600115
P BIT MATLS PR CT

APPLICATION RATE: 0.10 GAL/SY INITIAL COAT AND 0.05 GAL/SY FOR TWO FDG COATS

STA 10+00 - 18+43	552.9 GAL
STA 35+92 - 40+00	308.3 GAL
STA 40+00 - 44+20	340.9 GAL
STA 31+18 RT	6.9 GAL
STA 35+62 - 35+95 (ELM ST.)	23.3 GAL

APPLICATION RATE: 0.10 GAL/SY INITIAL COAT AND 0.05 GAL/SY FOR ONE FDG COAT

STA 18+43 - 20+00	96.4 GAL
STA 20+00 - 30+00	607.1 GAL
STA 30+00 - 35+92	346.3 GAL
TOTAL	2,282.0 GAL

40600300
AGG PR CT

APPLICATION RATE: 4 LBS/SY FOR ONE APPLICATION

STA 10+00 - 18+43	5.5 TON
STA 18+43 - 20+00	1.3 TON
STA 20+00 - 30+00	8.1 TON
STA 30+00 - 35+92	4.7 TON
STA 35+92 - 40+00	3.1 TON
STA 40+00 - 44+20	3.4 TON
STA 35+62 - 35+95 (ELM ST.)	0.2 TON
TOTAL	26.0 TON

40600627
LB MM IL-9.5FG N50

STA 10+00 - 18+43	155.5 TON
STA 35+92 - 40+00	86.7 TON
STA 40+00 - 44+20	95.9 TON
STA 35+62 - 35+95 (ELM ST.)	6.6 TON
STA 31+18 RT	5.9 TON
TOTAL	351.0 TON

40600990
TEMPORARY RAMP

STA 10+00 CL (APP 1)	19.8 SQ YD
STA 10+00 CL (APP 2)	19.8 SQ YD
STA 10+00 CL (APP 3)	7.9 SQ YD
STA 14+11 RT (APP 1)	12.8 SQ YD
STA 14+11 RT (APP 2)	12.8 SQ YD
STA 14+11 RT (APP 3)	5.1 SQ YD
STA 14+14 LT (APP 1)	10.6 SQ YD
STA 14+14 LT (APP 2)	10.6 SQ YD
STA 14+14 LT (APP 3)	4.2 SQ YD
STA 18+60 LT (APP 1)	17.2 SQ YD
STA 18+60 LT (APP 2)	17.2 SQ YD
STA 18+60 LT (APP 3)	6.9 SQ YD
STA 18+60 RT (APP 1)	17.8 SQ YD
STA 18+60 RT (APP 2)	17.8 SQ YD
STA 18+60 RT (APP 3)	7.1 SQ YD
STA 23+21 LT (APP 1)	20.0 SQ YD
STA 23+21 LT (APP 2)	20.0 SQ YD
STA 27+20 LT (APP 1)	18.9 SQ YD
STA 27+20 LT (APP 2)	18.9 SQ YD
STA 27+20 RT (APP 1)	17.8 SQ YD
STA 27+20 RT (APP 2)	17.8 SQ YD
STA 31+18 LT (APP 1)	18.3 SQ YD
STA 31+18 LT (APP 2)	18.3 SQ YD
STA 31+18 RT (APP 1)	16.7 SQ YD
STA 31+18 RT (APP 2)	16.7 SQ YD
STA 35+79 LT (APP 1)	17.8 SQ YD
STA 35+79 LT (APP 2)	17.8 SQ YD
STA 35+79 RT (APP 1)	17.2 SQ YD
STA 35+79 RT (APP 2)	17.2 SQ YD
STA 40+43 LT (APP 1)	36.1 SQ YD
STA 40+43 LT (APP 2)	36.1 SQ YD
STA 40+43 LT (APP 3)	14.4 SQ YD
TOTAL	189.0 SQ YD

40600990
TEMPORARY RAMP (CONT.)

STA 40+43 RT (APP 1)	36.1 SQ YD
STA 40+43 RT (APP 2)	36.1 SQ YD
STA 40+43 RT (APP 3)	14.4 SQ YD
STA 44+20 CL (APP 1)	6.1 SQ YD
STA 44+20 CL (APP 2)	6.1 SQ YD
STA 44+20 CL (APP 3)	24.4 SQ YD
TOTAL	761.0 SQ YD

40600995
TEMPORARY RAMP SPL

STA 10+75 RT (APP 1)	1.7 SQ YD
STA 10+75 RT (APP 2)	1.7 SQ YD
STA 10+77 LT (APP 1)	1.2 SQ YD
STA 10+77 LT (APP 2)	1.2 SQ YD
STA 11+23 LT (APP 1)	1.8 SQ YD
STA 11+23 LT (APP 2)	1.8 SQ YD
STA 12+00 LT (APP 1)	2.4 SQ YD
STA 12+00 LT (APP 2)	2.4 SQ YD
STA 12+04 RT (APP 1)	4.8 SQ YD
STA 12+04 RT (APP 2)	4.8 SQ YD
STA 12+70 LT (APP 1)	1.4 SQ YD
STA 12+70 LT (APP 2)	1.4 SQ YD
STA 13+33 RT (APP 1)	1.7 SQ YD
STA 13+33 RT (APP 2)	1.7 SQ YD
STA 13+42 LT (APP 1)	2.0 SQ YD
STA 13+42 LT (APP 2)	2.0 SQ YD
STA 14+91 LT (APP 1)	1.7 SQ YD
STA 14+91 LT (APP 2)	1.7 SQ YD
STA 15+55 RT (APP 1)	1.3 SQ YD
STA 15+55 RT (APP 2)	1.3 SQ YD
STA 15+60 LT (APP 1)	4.8 SQ YD
STA 15+60 LT (APP 2)	4.8 SQ YD
STA 16+28 RT (APP 1)	2.3 SQ YD
STA 16+28 RT (APP 2)	2.3 SQ YD
STA 16+36 LT (APP 1)	2.2 SQ YD
STA 16+36 LT (APP 2)	2.2 SQ YD
STA 16+96 RT (APP 1)	1.3 SQ YD
STA 16+96 RT (APP 2)	1.3 SQ YD
STA 17+06 LT (APP 1)	2.8 SQ YD
STA 17+06 LT (APP 2)	2.8 SQ YD
STA 17+67 RT (APP 1)	1.2 SQ YD
STA 17+67 RT (APP 2)	1.2 SQ YD
STA 20+12 LT	1.7 SQ YD
STA 20+80 LT	1.7 SQ YD
STA 22+06 LT	1.7 SQ YD
STA 22+27 LT	1.7 SQ YD
STA 24+07 LT	1.7 SQ YD
STA 24+26 LT	1.7 SQ YD
STA 24+92 LT	1.7 SQ YD
STA 25+56 LT	1.7 SQ YD
STA 26+25 LT	1.7 SQ YD
STA 28+37 RT	1.6 SQ YD
STA 28+75 LT	1.6 SQ YD
STA 28+92 LT	1.4 SQ YD
STA 29+49 RT	2.7 SQ YD
STA 29+58 LT	1.4 SQ YD
STA 30+20 RT	1.4 SQ YD
STA 32+11 RT	1.3 SQ YD
STA 32+77 LT	1.2 SQ YD
STA 32+82 RT	2.2 SQ YD
STA 32+91 LT	1.1 SQ YD
STA 34+15 LT	2.0 SQ YD
STA 34+15 RT	2.9 SQ YD
STA 34+85 RT	1.3 SQ YD
STA 34+88 LT	1.4 SQ YD
STA 36+76 LT (APP 2)	1.8 SQ YD
STA 36+76 LT (APP 1)	1.8 SQ YD
STA 37+38 LT (APP 2)	1.8 SQ YD
STA 37+38 LT (APP 1)	1.8 SQ YD
STA 37+98 LT (APP 2)	2.0 SQ YD
STA 37+98 LT (APP 1)	2.0 SQ YD
STA 38+71 LT (APP 2)	1.8 SQ YD
STA 38+71 LT (APP 1)	1.8 SQ YD
STA 38+79 RT (APP 2)	2.8 SQ YD
STA 38+79 RT (APP 1)	2.8 SQ YD
STA 38+91 LT (APP 2)	1.7 SQ YD
STA 38+91 LT (APP 1)	1.7 SQ YD
STA 39+50 LT (APP 2)	1.8 SQ YD
STA 39+50 LT (APP 1)	1.8 SQ YD
STA 39+55 RT (APP 2)	5.2 SQ YD
STA 39+55 RT (APP 1)	5.2 SQ YD
STA 41+44 LT (APP 2)	7.9 SQ YD
STA 41+44 LT (APP 1)	7.9 SQ YD
STA 42+32 RT (APP 2)	3.9 SQ YD
STA 42+32 RT (APP 1)	3.9 SQ YD
STA 42+73 LT (APP 2)	3.7 SQ YD
STA 42+73 LT (APP 1)	3.7 SQ YD
STA 43+61 RT (APP 2)	6.2 SQ YD
STA 43+61 RT (APP 1)	6.2 SQ YD
TOTAL	189.0 SQ YD

40603535
P HMA SC 'D' N50

STA 10+00 - 18+43	233.3 TON
STA 18+43 - 20+00	54.2 TON
STA 20+00 - 30+00	341.5 TON
STA 30+00 - 35+92	194.8 TON
STA 35+92 - 40+00	130.1 TON
STA 40+00 - 44+20	143.8 TON
STA 35+62 - 35+95 (ELM ST.)	9.8 TON
STA 31+18 RT	2.9 TON
TOTAL	1,110.0 TON

40800050
INCIDENTAL HMA SURF

STA 11+23 LT	0.5 TON
STA 12+00 LT	0.9 TON
STA 12+70 LT	0.4 TON
STA 13+42 LT	0.5 TON
STA 28+35 RT	1.0 TON
STA 30+23 RT	0.6 TON
STA 32+75 RT	0.4 TON
STA 32+77 LT	0.4 TON
STA 32+82 RT	0.6 TON
STA 32+90 RT	0.9 TON
STA 32+91 LT	0.4 TON
STA 32+95 LT	0.5 TON
STA 34+15 LT	0.4 TON
STA 34+20 LT	0.7 TON
STA 34+85 RT	0.4 TON
STA 34+88 LT	0.4 TON
STA 34+90 RT	0.5 TON
STA 34+95 LT	0.4 TON
TOTAL	10.0 TON

FUND MFT
42300400
PCC DRIVEWAY PAVT 8

STA 41+25 LT	16.0 SQ YD
TOTAL	16.0 SQ YD

FUND 1000-2A
42400100
PC CONC SIDEWALK 4

STA 14+28 RT	22.0 SQ FT
STA 18+26 RT	10.0 SQ FT
STA 23+50 RT	37.7 SQ FT
STA 23+97 RT	130.6 SQ FT
STA 26+86 RT	86.3 SQ FT
STA 27+36 RT	91.6 SQ FT
STA 30+72 RT	100.4 SQ FT
STA 31+39 RT	19.0 SQ FT
STA 31+46 RT	14.8 SQ FT
STA 35+48 RT	14.4 SQ FT
STA 35+57 RT	3.2 SQ FT
STA 35+94 RT	18.4 SQ FT
STA 40+75 RT	22.8 SQ FT
STA 9+81 LT	193.6 SQ FT
STA 14+00 LT	47.6 SQ FT
STA 14+28 LT	50.0 SQ FT
STA 18+36 LT	4.4 SQ FT
STA 22+61 LT	264.1 SQ FT
STA 23+45 LT	270.9 SQ FT
STA 26+92 LT	10.8 SQ FT
STA 27+46 LT	19.8 SQ FT
STA 30+80 LT	70.8 SQ FT
STA 31+39 LT	98.8 SQ FT
STA 35+25 LT	122.6 SQ FT
TOTAL	1,725.0 SQ FT

FUND MFT
42400100
PC CONC SIDEWALK 4

STA 10+36 RT	20.0 SQ FT
STA 10+65 RT	4.0 SQ FT
STA 17+58 RT	18.8 SQ FT
STA 23+00 RT	92.0 SQ FT
STA 25+23 RT	138.0 SQ FT
STA 27+98 RT	80.4 SQ FT
STA 29+08 RT	134.8 SQ FT
STA 29+61 RT	49.6 SQ FT
STA 30+14 RT	20.0 SQ FT
STA 30+34 RT	20.4 SQ FT
STA 30+60 RT	20.8 SQ FT
STA 32+93 RT	16.0 SQ FT
STA 33+08 RT	132.0 SQ FT
STA 33+51 RT	54.0 SQ FT
STA 33+78 RT	113.2 SQ FT
STA 34+34 RT	20.4 SQ FT
STA 35+16 RT	22.0 SQ FT
STA 36+17 RT	19.6 SQ FT
STA 37+43 RT	16.4 SQ FT
STA 38+35 RT	49.2 SQ FT
STA 38+59 RT	24.4 SQ FT
STA 38+97 RT	22.8 SQ FT
STA 39+28 RT	75.4 SQ FT
STA 40+05 RT	35.4 SQ FT

FUND MFT
42400100
PC CONC SIDEWALK 4 (CONT.)

STA 41+13 RT	16.0 SQ FT
STA 41+17 RT	45.6 SQ FT
STA 41+25 RT	31.6 SQ FT
STA 42+54 RT	128.4 SQ FT
STA 43+03 RT	161.2 SQ FT
STA 43+82 RT	110.4 SQ FT
STA 44+10 RT	110.5 SQ FT
STA 44+36 RT	21.6 SQ FT
STA 10+66 LT	29.4 SQ FT
STA 11+28 LT	40.4 SQ FT
STA 11+79 LT	40.4 SQ FT
STA 12+50 LT	40.8 SQ FT
STA 12+76 LT	20.0 SQ FT
STA 17+98 LT	16.4 SQ FT
STA 20+09 LT	5.8 SQ FT
STA 20+89 LT	26.5 SQ FT
STA 21+46 LT	75.0 SQ FT
STA 22+12 LT	52.0 SQ FT
STA 23+81 LT	41.8 SQ FT
STA 24+14 LT	16.4 SQ FT
STA 25+00 LT	34.4 SQ FT
STA 25+38 LT	16.0 SQ FT
STA 28+19 LT	31.6 SQ FT
STA 28+47 LT	93.2 SQ FT
STA 29+54 LT	13.2 SQ FT
STA 29+56 LT	232.0 SQ FT
STA 33+57 RT	49.6 SQ FT
STA 34+06 LT	16.8 SQ FT
STA 34+27 LT	44.0 SQ FT
STA 34+63 LT	97.2 SQ FT
STA 35+19 LT	16.0 SQ FT
STA 36+29 LT	16.0 SQ FT
STA 36+82 LT	3.2 SQ FT
STA 38+60 LT	34.0 SQ FT
STA 38+80 LT	28.0 SQ FT
STA 39+08 LT	83.2 SQ FT
STA 39+60 LT	34.0 SQ FT
TOTAL	3,072.0 SQ FT

FUND MFT
42400300
PC CONC SIDEWALK 6

STA 29+42 RT	76.8 SQ FT
STA 32+84 RT	36.4 SQ FT
STA 34+06 RT	46.0 SQ FT
STA 34+85 RT	21.2 SQ FT
STA 42+18 RT	64.4 SQ FT
STA 43+43 RT	34.0 SQ FT
STA 43+70 RT	49.2 SQ FT
STA 10+74 LT	32.0 SQ FT
STA 11+18 LT	40.0 SQ FT
STA 11+89 LT	81.6 SQ FT
STA 16+27 LT	26.8 SQ FT
STA 22+03 LT	46.0 SQ FT
STA 24+06 LT	30.0 SQ FT
STA 25+54 LT	8.0 SQ FT
STA 28+74 LT	32.4 SQ FT
STA 32+74 LT	104.8 SQ FT
STA 34+10 LT	68.4 SQ FT
STA 34+87 LT	32.4 SQ FT
STA 39+60 LT	32.0 SQ FT
TOTAL	862.0 SQ FT

FUND 10

SCHEDULE OF QUANTITIES (CONT.)

CONTRACT #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	09-00448-13-RS	11	7

FUND I000-2A
44000600
SIDEWALK REMOVAL (CONT.)

STA 14+00 LT	113.7 SQ FT
STA 14+25 LT	87.3 SQ FT
STA 18+36 LT	24.4 SQ FT
STA 22+90 LT	21.9 SQ FT
STA 23+42 LT	107.8 SQ FT
STA 26+94 LT	34.8 SQ FT
STA 27+41 LT	41.8 SQ FT
STA 31+40 LT	157.0 SQ FT
STA 35+25 LT	167.6 SQ FT
STA 40+75 LT	54.0 SQ FT
TOTAL 2,514.0 SQ FT	

FUND MFT
44000600
SIDEWALK REMOVAL

STA 10+36 RT	20.0 SQ FT
STA 10+65 RT	4.0 SQ FT
STA 17+58 RT	18.8 SQ FT
STA 27+98 RT	80.4 SQ FT
STA 29+08 RT	261.2 SQ FT
STA 30+14 RT	20.0 SQ FT
STA 30+34 RT	20.4 SQ FT
STA 30+60 RT	20.8 SQ FT
STA 32+84 RT	52.4 SQ FT
STA 33+08 RT	132.0 SQ FT
STA 33+51 RT	54.0 SQ FT
STA 33+78 RT	159.2 SQ FT
STA 34+34 RT	20.4 SQ FT
STA 34+85 RT	21.2 SQ FT
STA 35+16 RT	22.0 SQ FT
STA 36+17 RT	19.6 SQ FT
STA 37+43 RT	16.4 SQ FT
STA 38+35 RT	49.2 SQ FT
STA 38+59 RT	24.4 SQ FT
STA 38+97 RT	22.8 SQ FT
STA 39+28 RT	75.4 SQ FT
STA 40+05 RT	35.4 SQ FT
STA 41+13 RT	16.0 SQ FT
STA 41+17 RT	45.6 SQ FT
STA 41+25 RT	31.6 SQ FT
STA 42+18 RT	64.4 SQ FT
STA 42+54 RT	128.4 SQ FT
STA 43+03 RT	195.2 SQ FT
STA 43+70 RT	159.6 SQ FT
STA 44+10 RT	110.5 SQ FT
STA 44+36 RT	21.6 SQ FT
STA 10+66 LT	61.4 SQ FT
STA 11+18 LT	80.4 SQ FT
STA 11+79 LT	122.0 SQ FT
STA 12+50 LT	40.8 SQ FT
STA 12+76 LT	20.0 SQ FT
STA 16+27 LT	26.8 SQ FT
STA 17+98 LT	16.4 SQ FT
STA 18+36 LT	24.4 SQ FT
STA 20+09 LT	5.8 SQ FT
STA 20+89 LT	26.5 SQ FT
STA 21+46 LT	125.0 SQ FT
STA 22+03 LT	98.0 SQ FT
STA 22+61 LT	76.0 SQ FT
STA 23+66 LT	123.5 SQ FT
STA 23+81 LT	41.8 SQ FT
STA 24+06 LT	46.4 SQ FT
STA 25+00 LT	34.4 SQ FT
STA 25+38 LT	16.0 SQ FT
STA 28+19 LT	31.6 SQ FT
STA 28+47 LT	125.6 SQ FT
STA 29+54 LT	129.2 SQ FT
STA 29+65 LT	30.0 SQ FT
STA 29+82 LT	161.6 SQ FT
STA 32+74 LT	104.8 SQ FT
STA 33+57 LT	49.6 SQ FT
STA 34+06 LT	49.6 SQ FT
STA 34+63 LT	129.2 SQ FT
STA 35+19 LT	129.6 SQ FT
STA 36+29 LT	16.0 SQ FT
STA 36+82 LT	3.2 SQ FT
STA 38+60 LT	34.0 SQ FT
STA 38+80 LT	28.0 SQ FT
STA 39+08 LT	83.2 SQ FT
STA 39+60 LT	32.0 SQ FT
TOTAL 3,973.0 SQ FT	

FUND MFT
44000600
SIDEWALK REMOVAL

STA 10+36 RT	20.0 SQ FT
STA 10+65 RT	4.0 SQ FT
STA 17+58 RT	18.8 SQ FT
STA 27+98 RT	80.4 SQ FT
STA 29+08 RT	261.2 SQ FT
STA 30+14 RT	20.0 SQ FT
STA 30+34 RT	20.4 SQ FT
STA 30+60 RT	20.8 SQ FT
STA 32+84 RT	52.4 SQ FT
STA 33+08 RT	132.0 SQ FT
STA 33+51 RT	54.0 SQ FT
STA 33+78 RT	159.2 SQ FT
STA 34+34 RT	20.4 SQ FT
STA 34+85 RT	21.2 SQ FT
STA 35+16 RT	22.0 SQ FT
STA 36+17 RT	19.6 SQ FT
STA 37+43 RT	16.4 SQ FT
STA 38+35 RT	49.2 SQ FT
STA 38+59 RT	24.4 SQ FT
STA 38+97 RT	22.8 SQ FT
STA 39+28 RT	75.4 SQ FT
STA 40+05 RT	35.4 SQ FT
STA 41+13 RT	16.0 SQ FT
STA 41+17 RT	45.6 SQ FT
STA 41+25 RT	31.6 SQ FT
STA 42+18 RT	64.4 SQ FT
STA 42+54 RT	128.4 SQ FT
STA 43+03 RT	195.2 SQ FT
STA 43+70 RT	159.6 SQ FT
STA 44+10 RT	110.5 SQ FT
STA 44+36 RT	21.6 SQ FT
STA 10+66 LT	61.4 SQ FT
STA 11+18 LT	80.4 SQ FT
STA 11+79 LT	122.0 SQ FT
STA 12+50 LT	40.8 SQ FT
STA 12+76 LT	20.0 SQ FT
STA 16+27 LT	26.8 SQ FT
STA 17+98 LT	16.4 SQ FT
STA 18+36 LT	24.4 SQ FT
STA 20+09 LT	5.8 SQ FT
STA 20+89 LT	26.5 SQ FT
STA 21+46 LT	125.0 SQ FT
STA 22+03 LT	98.0 SQ FT
STA 22+61 LT	76.0 SQ FT
STA 23+66 LT	123.5 SQ FT
STA 23+81 LT	41.8 SQ FT
STA 24+06 LT	46.4 SQ FT
STA 25+00 LT	34.4 SQ FT
STA 25+38 LT	16.0 SQ FT
STA 28+19 LT	31.6 SQ FT
STA 28+47 LT	125.6 SQ FT
STA 29+54 LT	129.2 SQ FT
STA 29+65 LT	30.0 SQ FT
STA 29+82 LT	161.6 SQ FT
STA 32+74 LT	104.8 SQ FT
STA 33+57 LT	49.6 SQ FT
STA 34+06 LT	49.6 SQ FT
STA 34+63 LT	129.2 SQ FT
STA 35+19 LT	129.6 SQ FT
STA 36+29 LT	16.0 SQ FT
STA 36+82 LT	3.2 SQ FT
STA 38+60 LT	34.0 SQ FT
STA 38+80 LT	28.0 SQ FT
STA 39+08 LT	83.2 SQ FT
STA 39+60 LT	32.0 SQ FT
TOTAL 3,973.0 SQ FT	

FUND MFT
44000600
SIDEWALK REMOVAL

STA 10+36 RT	20.0 SQ FT
STA 10+65 RT	4.0 SQ FT
STA 17+58 RT	18.8 SQ FT
STA 27+98 RT	80.4 SQ FT
STA 29+08 RT	261.2 SQ FT
STA 30+14 RT	20.0 SQ FT
STA 30+34 RT	20.4 SQ FT
STA 30+60 RT	20.8 SQ FT
STA 32+84 RT	52.4 SQ FT
STA 33+08 RT	132.0 SQ FT
STA 33+51 RT	54.0 SQ FT
STA 33+78 RT	159.2 SQ FT
STA 34+34 RT	20.4 SQ FT
STA 34+85 RT	21.2 SQ FT
STA 35+16 RT	22.0 SQ FT
STA 36+17 RT	19.6 SQ FT
STA 37+43 RT	16.4 SQ FT
STA 38+35 RT	49.2 SQ FT
STA 38+59 RT	24.4 SQ FT
STA 38+97 RT	22.8 SQ FT
STA 39+28 RT	75.4 SQ FT
STA 40+05 RT	35.4 SQ FT
STA 41+13 RT	16.0 SQ FT
STA 41+17 RT	45.6 SQ FT
STA 41+25 RT	31.6 SQ FT
STA 42+18 RT	64.4 SQ FT
STA 42+54 RT	128.4 SQ FT
STA 43+03 RT	195.2 SQ FT
STA 43+70 RT	159.6 SQ FT
STA 44+10 RT	110.5 SQ FT
STA 44+36 RT	21.6 SQ FT
STA 10+66 LT	61.4 SQ FT
STA 11+18 LT	80.4 SQ FT
STA 11+79 LT	122.0 SQ FT
STA 12+50 LT	40.8 SQ FT
STA 12+76 LT	20.0 SQ FT
STA 16+27 LT	26.8 SQ FT
STA 17+98 LT	16.4 SQ FT
STA 18+36 LT	24.4 SQ FT
STA 20+09 LT	5.8 SQ FT
STA 20+89 LT	26.5 SQ FT
STA 21+46 LT	125.0 SQ FT
STA 22+03 LT	98.0 SQ FT
STA 22+61 LT	76.0 SQ FT
STA 23+66 LT	123.5 SQ FT
STA 23+81 LT	41.8 SQ FT
STA 24+06 LT	46.4 SQ FT
STA 25+00 LT	34.4 SQ FT
STA 25+38 LT	16.0 SQ FT
STA 28+19 LT	31.6 SQ FT
STA 28+47 LT	125.6 SQ FT
STA 29+54 LT	129.2 SQ FT
STA 29+65 LT	30.0 SQ FT
STA 29+82 LT	161.6 SQ FT
STA 32+74 LT	104.8 SQ FT
STA 33+57 LT	49.6 SQ FT
STA 34+06 LT	49.6 SQ FT
STA 34+63 LT	129.2 SQ FT
STA 35+19 LT	129.6 SQ FT
STA 36+29 LT	16.0 SQ FT
STA 36+82 LT	3.2 SQ FT
STA 38+60 LT	34.0 SQ FT
STA 38+80 LT	28.0 SQ FT
STA 39+08 LT	83.2 SQ FT
STA 39+60 LT	32.0 SQ FT
TOTAL 3,973.0 SQ FT	

FUND MFT
44000600
SIDEWALK REMOVAL

STA 10+36 RT	20.0 SQ FT
STA 10+65 RT	4.0 SQ FT
STA 17+58 RT	18.8 SQ FT
STA 27+98 RT	80.4 SQ FT
STA 29+08 RT	261.2 SQ FT
STA 30+14 RT	20.0 SQ FT
STA 30+34 RT	20.4 SQ FT
STA 30+60 RT	20.8 SQ FT
STA 32+84 RT	52.4 SQ FT
STA 33+08 RT	132.0 SQ FT
STA 33+51 RT	54.0 SQ FT
STA 33+78 RT	159.2 SQ FT
STA 34+34 RT	20.4 SQ FT
STA 34+85 RT	21.2 SQ FT
STA 35+16 RT	22.0 SQ FT
STA 36+17 RT	19.6 SQ FT
STA 37+43 RT	16.4 SQ FT
STA 38+35 RT	49.2 SQ FT
STA 38+59 RT	24.4 SQ FT
STA 38+97 RT	22.8 SQ FT
STA 39+28 RT	75.4 SQ FT
STA 40+05 RT	35.4 SQ FT
STA 41+13 RT	16.0 SQ FT
STA 41+17 RT	45.6 SQ FT
STA 41+25 RT	31.6 SQ FT
STA 42+18 RT	64.4 SQ FT
STA 42+54 RT	128.4 SQ FT
STA 43+03 RT	195.2 SQ FT
STA 43+70 RT	159.6 SQ FT
STA 44+10 RT	110.5 SQ FT
STA 44+36 RT	21.6 SQ FT
STA 10+66 LT	61.4 SQ FT
STA 11+18 LT	80.4 SQ FT
STA 11+79 LT	122.0 SQ FT
STA 12+50 LT	40.8 SQ FT
STA 12+76 LT	20.0 SQ FT
STA 16+27 LT	26.8 SQ FT
STA 17+98 LT	16.4 SQ FT
STA 18+36 LT	24.4 SQ FT
STA 20+09 LT	5.8 SQ FT
STA 20+89 LT	26.5 SQ FT
STA 21+46 LT	125.0 SQ FT
STA 22+03 LT	98.0 SQ FT
STA 22+61 LT	76.0 SQ FT
STA 23+66 LT	123.5 SQ FT
STA 23+81 LT	41.8 SQ FT
STA 24+06 LT	46.4 SQ FT
STA 25+00 LT	34.4 SQ FT
STA 25+38 LT	16.0 SQ FT
STA 28+19 LT	31.6 SQ FT
STA 28+47 LT	125.6 SQ FT
STA 29+54 LT	129.2 SQ FT
STA 29+65 LT	30.0 SQ FT
STA 29+82 LT	161.6 SQ FT
STA 32+74 LT	104.8 SQ FT
STA 33+57 LT	49.6 SQ FT
STA 34+06 LT	49.6 SQ FT
STA 34+63 LT	129.2 SQ FT
STA 35+19 LT	129.6 SQ FT
STA 36+29 LT	16.0 SQ FT
STA 36+82 LT	3.2 SQ FT
STA 38+60 LT	34.0 SQ FT
STA 38+80 LT	28.0 SQ FT
STA 39+08 LT	83.2 SQ FT
STA 39+60 LT	32.0 SQ FT
TOTAL 3,973.0 SQ FT	

44201365
CL C PATCH T2 11

STA 10+53 LT	11.6 SQ YD
STA 10+91 RT	14.8 SQ YD
TOTAL 26.0 SQ YD	

60260100
INLETS ADJUST

STA 13+95 RT	1.0 EA
STA 17+24 RT	1.0 EA
STA 22+79 RT	1.0 EA

60260100
INLETS ADJUST (CONT.)

STA 31+00 LT	1.0 EA
STA 31+04 RT	1.0 EA
STA 31+34 LT	1.0 EA
TOTAL 6.0 EA	

60260500
INLETS ADJ NEW T3F&G

STA 9+85 LT	1.0 EA
STA 14+28 RT	1.0 EA
STA 31+34 RT	1.0 EA
STA 40+64 LT	1.0 EA
TOTAL 4.0 EA	

60262700
INLETS RECONST

STA 9+85 RT	1.0 EA
STA 27+02 RT	1.0 EA
TOTAL 2.0 EA	

60263100
INL RECON NEW T3F&G

STA 27+35 RT	1.0 EA
STA 40+24 LT	1.0 EA
TOTAL 2.0 EA	

60266600
VALVE BOX ADJ


STA 14+19 RT	1.0 EA
STA 14+21 CL	1.0 EA
STA 14+26 LT	1.0 EA
STA 18+36 LT	1.0 EA
STA 18+46 LT	1.0 EA
STA 18+82 LT	1.0 EA
STA 23+07 LT	2.0 EA
STA 23+91 LT	1.0 EA
STA 27+22 LT	1.0 EA
STA 27+27 LT	1.0 EA
STA 27+32 RT	1.0 EA
STA 31+24 LT	1.0 EA
STA 31+27 LT	1.0 EA
STA 31+60 LT	1.0 EA
STA 35+53 LT	1.0 EA
STA 35+89 LT	1.0 EA
STA 36+13 LT	1.0 EA
STA 36+31 LT	1.0 EA
STA 39+18 LT	1.0 EA
STA 40+64 LT	1.0 EA
STA 43+85 LT	1.0 EA
TOTAL 22.0 EA	

60300305
FR & LIDS ADJUST


STA 13+56 RT	1.0 EA
STA 13+67 RT	1.0 EA
STA 13+99 LT	1.0 EA
STA 14+	

CONTRACT #	ROUTE #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	FAU 6814	09-00448-13-RS	11	8


STA. 9+50: PROJECT BEGINS STA 10+00



MATCH LINE STA. 15+00



MATCH LINE STA. 15+00




MATCH LINE STA. 20+00




- SIDEWALK REMOVAL
- BRICK SIDEWALK REMOVAL AND REPLACEMENT
- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- SIDEWALK REMOVAL AND NO REPLACE
- CURB REMOVAL AND REPLACE
- BRICK SURFACE REMOVAL - BJ
- CLASS C PATCHES
- PCC BASE COURSE

- CENTERLINE STATIONING
- EXISTING E.O.P.
- EXISTING WATER MAIN
- SANITARY SEWER
- OVERHEAD ELECTRIC
- STORM SEWER

PLAN & PROFILE 1
 STA 10+00 - 20+00
 E. KNOX ST. RESURFACING
 SECTION # 09-00448-13-RS
 FAU ROUTE 6814
 JOB # C-94-078-09
 CONTRACT # 89520



CONTRACT #	ROUTE #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	FAU 6814	09-00448-13-RS	11	9






- SIDEWALK REMOVAL
- BRICK SIDEWALK REMOVAL AND REPLACEMENT
- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- SIDEWALK REMOVAL AND NO REPLACE
- CURB REMOVAL AND REPLACE
- BRICK SURFACE REMOVAL - BJ
- CLASS C PATCHES
- PCC BASE COURSE

- CENTERLINE STATIONING
- EXISTING E.O.P.
- EXISTING WATER MAIN
- SANITARY SEWER
- OVERHEAD ELECTRIC
- STORM SEWER

PLAN & PROFILE 2
 STA 20+00 - 30+00
 E. KNOX ST. RESURFACING
 SECTION # 09-00448-13-RS
 FAU ROUTE 6814
 JOB # C-94-078-09
 CONTRACT # 89520



CONTRACT #	ROUTE #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	FAU 6814	09-00448-13-RS	11	10




- SIDEWALK REMOVAL
- BRICK SIDEWALK REMOVAL AND REPLACEMENT
- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- SIDEWALK REMOVAL AND NO REPLACE
- CURB REMOVAL AND REPLACE
- BRICK SURFACE REMOVAL - BJ
- CLASS C PATCHES
- PCC BASE COURSE
- CENTERLINE STATIONING
- EXISTING E.O.P.
- EXISTING WATER MAIN
- SANITARY SEWER
- D.E. OVERHEAD ELECTRIC
- STORM SEWER

PLAN & PROFILE 3
 STA 30+00 - 40+00
 E. KNOX ST. RESURFACING
 SECTION # 09-00448-13-RS
 FAU ROUTE 6814
 JOB # C-94-078-09
 CONTRACT # 89520



CONTRACT #	ROUTE #	SECTION #	TOTAL SHEETS	SHEET NO.
89520	FAU 6814	09-00448-13-RS	11	11



- SIDEWALK REMOVAL
- BRICK SIDEWALK REMOVAL AND REPLACEMENT
- PC CONC SIDEWALK 4
- PC CONC SIDEWALK 6
- PC CONC SIDEWALK 8
- SIDEWALK REMOVAL AND NO REPLACE
- CURB REMOVAL AND REPLACE
- BRICK SURFACE REMOVAL - BJ
- CLASS C PATCHES
- PCC BASE COURSE

- CENTERLINE STATIONING
- EXISTING E.O.P.
- EXISTING WATER MAIN
- SANITARY SEWER
- D.E. OVERHEAD ELECTRIC
- STORM SEWER

PLAN & PROFILE 4
 STA 40+00 - 44+20
 E. KNOX ST. RESURFACING
 SECTION # 09-00448-13-RS
 FAU ROUTE 6814
 JOB # C-94-078-09
 CONTRACT # 89520

