

48101600							TOTAL	4,021	SQ YD	
AGGREGATE SHOULDERS, TYPE B 8"										
STA.	STA.	LENGTH FT	WIDTH FT	LOCATION LT/RT	AREA SQ FT	SUBTOTALS SQ YD				
E, FRONTAGE RD.										
6499+84.00	6504+45.32	461.3	8.00	LT & RT	3,691	410.1				
6504+45.32	6518+00.00	1,354.7	8.00	LT & RT	10,837	1,204.2				
6518+00.00	6529+18.39	1,118.4	8.00	LT & RT	8,947	994.1				
SEIL RD										
4004+00.00	4008+73.00	473.00	2.00	RT	946	105.1				
4004+00.00	4008+73.00	348.00	2.00	LT	596	66.2				
NB RAMP										
8000+86.22	8010+32.00	945.78	2.00	RT	1,883	209.2				
8004+55.03	8010+32.00	576.97	2.00	LT	1,161	129.0				
SB RAMP										
7005+05.36	7024+62.50	1,957.14	2.00	RT	3,926	436.2				
7005+05.36	7026+11.91	2,106.55	2.00	LT	4,199	466.6				

48203029							TOTAL	9,036	SQ YD	
HOT-MIX ASPHALT SHOULDERS, 8"										
STA.	STA.	LENGTH FT	WIDTH FT	LOCATION RT/LT	AREA SQ FT	SUBTOTALS SQ YD				
S.B. SHOULDER										
7000+75.64	7005+05.43	429.79	VAR	RT	5,400	600.0				
7005+05.43	7009+35.50	430.07	6.00	RT	2,581	286.8				
7009+35.50	7024+62.50	1,527.00	9.00	RT	9,171	1,019.0				
7024+62.50	7033+24.48	861.98	6.00	RT	7,228	803.1				
7005+05.43	7026+11.91	2,106.48	4.00	LT	8,402	933.6				
N.B. SHOULDER INCLUDES BIT STAB AT SPBGR AREAS										
8000+86.22	8004+55.03	368.81	6.00	RT	2,212	245.8				
8004+55.03	8010+27.50	572.47	6.00	RT	3,430	381.1				
8010+27.50	8019+28.40	900.90	9.00	RT	8,366	929.6				
8023+11.42	8033+35.77	1,024.35	9.00	RT	9,197	1,021.9				
8033+35.77	8036+79.66	343.89	3.00	RT	1,032	114.6				
8004+55.03	8010+27.50	572.47	4.00	LT	2,310	256.7				
8010+27.50	8019+02.84	875.34	7.00	LT	6,316	701.8				
8022+85.86	8031+60.77	874.91	7.00	LT	6,187	687.4				
IL59										
8033+35.77	7479+50.00	N/A	3.00	RT	2,437	270.8				
7476+72.09	7479+86.52			LT	1,100	122.2				
I-55										
CANTILEVER AT 63+00					809	89.9				
CANTILEVER AT 79+00					868	96.4				
CANTILEVER AT 88+00					818	90.9				
EX TRUSS AT 92+40					849	94.3				
SEIL										
4016+00.00	IL59			RT	910	101.1				
4015+36.30	SBRAMP			LT	1,112	123.6				
4012+50.00	4014+07.00			LT	585	65.00				

48203049				TOTAL	7,896	SQ YD
HOT-MIX ASPHALT SHOULDERS, 13"						
STA.	STA.	AREA SQ FT	SUBTOTALS SQ YD			
S.B. I-55						
82+50.00	97+53.23	17,301	1,922.3			
104+67.07	108+00.00	3,329	369.9			
111+46.80	130+00.00	18,384	2,042.7			
139+80.00	142+80.00	819	91.0			
N.B. I-55						
85+00.00	95+63.58	12,503	1,389.2			
99+33.13	103+42.95	3,815	423.9			
113+00.00	127+00.00	13,923	1,547.0			
137+50.00	140+50.00	988	109.8			

60600605							TOTAL	909	FOOT	
CONCRETE CURB, TYPE B										
DESCRIPTION	OFFSET LT / RT	STATION	LEFT CURB LENGTH FT	RIGHT CURB LENGTH FT	MEDIAN	SUBTOTALS FOOT				
C.E. DRIVEWAY	LT	7484+00.00	48.39	48.70		97.09				
C.E. DRIVEWAY	LT	7486+65.44	47.27	47.29	0	94.56				
C.E. DRIVEWAY	RT	7498+58.68	58.15	51.59		109.74				
C.E. DRIVEWAY	RT	7502+18.03	44.54	43.39		87.93				
C.E. DRIVEWAY	RT	7504+20.68	42	77.64		119.64				
C.E. DRIVEWAY	RT	7504+68.54	39.66	79.59		119.25				
C.E. DRIVEWAY	RT	7506+25.20	39.01	39.01		78.02				
C.E. DRIVEWAY	RT	7509+14.83	39.27	39.27		78.54				
C.E. DRIVEWAY	RT	7512+33.40	39.27	39.27	45.78	124.32				

60603800				TOTAL	32	FOOT
COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12						
STA.	OFFSET	LENGTH FT	SUBTOTALS FOOT			
4003+20.50	27.46 LT	15.76	15.76			
4003+75.33	27.58 LT	15.86	15.86			

60605000						TOTAL	13,993	FOOT	
COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24									
STA.	STA.	LENGTH FT	OFFSET RT / LT	SUBTOTALS FOOT					
					MEDIAN				
6999+18.00	6999+70.00	54.3	LT	54					
7000+37.20	7002+66.13	228.9	LT	229					
7002+66.13	7005+05.37	239.2	LT	239					
8031+85.79	8034+00.00	214.2	LT	214					
8034+00.00	8036+28.90	228.9	LT	229					
8031+60.77	MEDIAN	22.0	LT	22					
8036+95.00	8037+44.00	53.5	LT	54					
7476+72.09	7483+64.86	692.8	LT	693					
7476+68.47	7479+80.12	311.7	RT	312					
7479+80.12	7481+76.97	196.8	RT	197					
7481+76.97	7483+64.86	187.9	RT	188					
7484+34.00	7486+00.00	166.0	LT	166					
7484+36.37	7486+00.00	180.4	RT	180					
7486+00.00	7486+62.42	62.4	LT	62					
7486+00.00	7486+62.42	62.4	RT	62					
					EOP				
8033+83.04	8034+00.00	17.0	RT	17					
8034+00.00	8037+44.39	344.4	RT	344					
7476+72.09	7486+00.00	927.9	LT	928					
7476+68.47	7486+00.00	931.5	LT	932					
7486+00.00	7492+23.37	623.4	LT	623					
7492+23.37	RADII	46.9	LT	47					
7493+16.19	RADII	47.4	LT	47					
7493+16.19	7499+00.00	583.8	LT	584					
7486+00.00	7499+00.00	1,300.0	RT	1,300					
7499+00.00	7500+68.41	168.4	LT	168					
7500+68.41	RADII	46.9	LT	47					
7501+54.08	RADII	47.4	LT	47					
7501+54.08	7503+94.04	240.0	LT	240					
7503+94.04	RADII	46.8	LT	47					
7504+79.10	RADII	47.4	LT	47					
7504+79.10	7513+14.22	835.1	LT	835					
7513+14.22	RADII	46.8	LT	47					
7514+00.00	RADII	74.8	LT	75					
7499+00.00	7507+48.27	848.3	RT	848					
7507+48.27	RADII	47.3	RT	47					
7508+31.94	RADII	47.0	RT	47					
7508+31.94	7514+00.00	568.1	RT	568					
7514+00.00	7515+41.42	141.4	LT	141					
7515+38.53	RADII	30.8	LT	31					
7516+20.30	RADII	30.5	LT	30					
7516+20.30	7517+72.38	152.1	LT	152					
7517+72.38	RADII	30.0	LT	30					
7518+48.30	RADII	29.1	LT	29					
7518+48.30	7520+73.09	224.8	LT	225					
7514+00.00	7514+84.20	84.2	RT	84					
7514+84.20	RADII	47.1	RT	47					
7515+68.79	RADII	46.9	RT	47					
7515+68.79	7519+81.87	413.1	RT	413					
7519+81.87	RADII	31.5	RT	32					
7520+85.47	RADII	63.1	RT	63					
7520+85.47	7521+86.27	100.8	RT	101					
7519+81.87	SIDE STREET	49.9	RT	50					
4008+73.25	4017+00.00	826.8	LT	827					
4017+00.00	4018+30.00	172.7	LT	173					
4008+73.25	4010+06.13	135.3	RT	135					
4011+02.34	4014+07.00	304.7	RT	305					
4015+35.00	4017+00.00	165.0	RT	165					
4017+00.00	4018+30.00	125.6	RT	126					

60605400					TOTAL	75	FOOT
COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24 (SPECIAL)							
STA.	LENGTH			SUBTOTALS FOOT			
8031+60.77	8031+85.79		MEDIAN	25.02			
8033+35.77	8033+85.77		SHOULDER	50.00			

60618300					TOTAL	486	SQ FT
CONCRETE MEDIAN SURFACE, 4 INCH							
STA	ROAD	OFFSET	LOCATION	SUBTOTALS SQ FT			
748665	IL59	RT	MEDIAN	0			
750444	IL59	RT	MEDIAN	402.96			
751233	IL59	RT	MEDIAN	83.35			

60624600					TOTAL	13,720	SQ FT
CONCRETE MEDIAN SURFACE 5" ( SPECIAL)							
LOCATION	STA.	STA.	AREA SQ FT	SUBTOTALS SQ FT			
SB RAMP							
SBRP	7000+52.19	7005+05.37	3,094	1,509			
IL59	6999+18.33	7483+64.70	8,816	1,509			
IL59	7484+30.85	7486+37.45	1,810	1,510			
		TOTAL	13,720	9,192 STATE PORTION			

60624600			TOTAL	458	SQ FT
CORRUGATED MEDIAN					
STA.	STA.		SUBTOTALS SQ FT		
7486+37.00	7487+58.61		457.83		

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION  
 FAI 55 AT FAP 338 ILLINOIS ROUTE 59  
 SECTION: (26, 26HB-18114) R-2

## SCHEDULE OF QUANTITIES 19

SCALE: \_\_\_\_\_ DRAWN BY: JB  
 DATE: 03/14/08 CHECKED BY: ACL

**TENG**  
 TENG & ASSOCIATES, INC.  
 ENGINEERS ARCHITECTS PLANNERS  
 80 N. MICHIGAN AVE. CHICAGO, IL 60