#### If you plan to submit a bid directly to the Department of Transportation

#### **PREQUALIFICATION**

Any contractor who desires to become pre-qualified to bid on work advertised by IDOT must submit the properly completed pre-qualification forms to the Bureau of Construction no later that 4:30 p.m. prevailing time twenty-one days prior to the letting of interest. This pre-qualification requirement applies to first time contractors, contractors renewing expired ratings, contractors maintaining continuous pre-qualification or contractors requesting revised ratings. To be eligible to bid, existing pre-qualification ratings must be effective through the date of letting.

#### **REQUESTS FOR AUTHORIZATION TO BID**

Contractors downloading and/or ordering CD-ROM's and are wanting to bid on items included in a particular letting must submit the properly completed "Request for Authorization to Bid/or Not For Bid Status" (BDE 124INT) and the ORIGINAL, signed and notarized, "Affidavit of Availability" (BC 57) to the proper office no later than 4:30 p.m. prevailing time, three (3) days prior to the letting date.

#### WHO CAN BID?

Bids will be accepted from only those companies that request and receive written **Authorization to Bid** from IDOT's Central Bureau of Construction.

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID? When a prospective prime bidder submits a "Request for Authorization to Bid/or Not For Bid Status" (BDE 124INT) he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a Proposal Denial and/or Authorization Form, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If Authorization to Bid cannot be approved, the Proposal Denial and/or Authorization Form will indicate the reason for denial.

**ABOUT AUTHORIZATION TO BID:** Firms that have not received an authorization form within a reasonable time of complete and correct original document submittal should contact the department as to status. This is critical in the week before the letting. These documents must be received three days before the letting date. Firms unsure as to authorization status should call the Prequalification Section of the Bureau of Construction at the number listed at the end of these instructions.

**ADDENDA AND REVISIONS:** It is the contractor's responsibility to determine which, if any, addenda or revisions pertain to any project they may be bidding. Failure to incorporate all relevant addenda or revisions may cause the bid to be declared unacceptable.

Each addendum will be placed with the contract number. Addenda and revisions will also be placed on the Addendum/Revision Checklist and each subscription service subscriber will be notified by e-mail of each addendum and revision issued.

The Internet is the Department's primary way of doing business. The subscription server e-mails are an added courtesy the Department provides. It is suggested that bidder check IDOT's website <a href="http://www.dot.il.gov/desenv/delett.html">http://www.dot.il.gov/desenv/delett.html</a> before submitting final bid information.

#### IDOT is not responsible for any e-mail related failures.

Addenda Questions may be directed to the Contracts Office at (217)782-7806 or D&Econtracts@dot.il.gov

Technical Questions about downloading these files may be directed to Tim Garman (217)524-1642 or Timothy. Garman @illinois.gov.

**WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?**: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

**ABOUT SUBMITTING BIDS**: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

#### WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

Questions Regarding	Call
Prequalification and/or Authorization to Bid	(217)782-3413
Preparation and submittal of bids	(217)782-7806
Mailing of plans and proposals	(217)782-7806
Electronic plans and proposals	(217)524-1642

#### ADDENDUMS AND REVISIONS TO THE PROPOSAL FORMS

Planholders should verify that they have received and incorporated the addendum and/or revision prior to submitting their bid. Failure by the bidder to include an addendum could result in a bid being rejected as irregular.

KETOKK WITH BIB
Proposal Submitted By
Name
Address
City

### Letting June 13, 2008

#### NOTICE TO PROSPECTIVE BIDDERS

This proposal can be used for bidding purposes by only those companies that request and receive written AUTHORIZATION TO BID from IDOT's Central Bureau of Construction. (SEE INSTRUCTIONS ON THE INSIDE OF COVER)

# Notice To Bidders, Specifications, Proposal, Contract and Contract Bond



Springfield, Illinois 62764

Contract No. 63032 COOK County Section 06-00120-00-BR (Brookfield) Route PEDESTRIAN BRIDGE Project CMM-8003(673) District 1 Construction Funds

PLEASE MARK THE APPROPRIATE BOX BELOW:
A Bid Bond is included.
A Cashier's Check or a Certified Check is included

Prepared by

F

Checked by

Printed by authority of the State of Illinois

BIDDERS NEED NOT RETURN THE ENTIRE PROPOSAL (See instructions inside front cover)

#### **INSTRUCTIONS**

**ABOUT IDOT PROPOSALS**: All proposals issued by IDOT are potential bidding proposals. Each proposal contains all Certifications and Affidavits, a Proposal Signature Sheet and a Proposal Bid Bond required for Prime Contractors to submit a bid after written **Authorization to Bid** has been issued by IDOT's Central Bureau of Construction.

**WHO CAN BID**?: Bids will be accepted from only those companies that request and receive written **Authorization to Bid** from IDOT's Central Bureau of Construction. To request authorization, a potential bidder <u>must complete and submit Part B of the Request for Authorization to Bid/or Not For Bid Status form (BDE 124 INT) and submit an original Affidavit of Availability (BC 57).</u>

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Request for Proposal Forms and Plans" he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a Proposal Denial and/or Authorization Form, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If Authorization to Bid cannot be approved, the Proposal Denial and/or Authorization Form will indicate the reason for denial. If a contractor has requested to bid but has not received a Proposal Denial and/or Authorization Form, they should contact the Central Bureau of Construction in advance of the letting date.

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

**ABOUT SUBMITTING BIDS**: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

Call

#### WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

**Questions Regarding** 

Prequalification and/or Authorization to Bid	217/782-3413
Preparation and submittal of bids	217/782-7806
Mailing of CD-ROMS	217/782-7806



#### **PROPOSAL**

#### TO THE DEPARTMENT OF TRANSPORTATION

**District 1 Construction Funds** 

1.	Proposal of
Та	xpayer Identification Number (Mandatory) for the improvement identified and advertised for bids in the Invitation for Bids as:
	Contract No. 63032 COOK County Section 06-00120-00-BR (Brookfield) Project CMM-8003(673) Route PEDESTRIAN BRIDGE

Project consists of the removal and disposal of the existing bridge and installation of a pre-engineered steel truss pedestrian bridge, installation of a service feed for the bridge electrical from a nearby street light circuit and all other incidental items to complete the pedestrian bridge project on Salt Creek near Brookfield Avenue and Prairie Avenue in the Village of Brookfield.

2. The undersigned bidder will furnish all labor, material and equipment to complete the above described project in a good and workmanlike manner as provided in the contract documents provided by the Department of Transportation. This proposal will become part of the contract and the terms and conditions contained in the contract documents shall govern performance and payments.

- 3. **ASSURANCE OF EXAMINATION AND INSPECTION/WAIVER.** The undersigned further declares that he/she has carefully examined the proposal, plans, specifications, form of contract and contract bond, and special provisions, and that he/she has inspected in detail the site of the proposed work, and that he/she has familiarized themselves with all of the local conditions affecting the contract and the detailed requirements of construction, and understands that in making this proposal he/she waives all right to plead any misunderstanding regarding the same.
- 4. **EXECUTION OF CONTRACT AND CONTRACT BOND.** The undersigned further agrees to execute a contract for this work and present the same to the department within fifteen (15) days after the contract has been mailed to him/her. The undersigned further agrees that he/she and his/her surety will execute and present within fifteen (15) days after the contract has been mailed to him/her contract bond satisfactory to and in the form prescribed by the Department of Transportation, in the penal sum of the full amount of the contract, guaranteeing the faithful performance of the work in accordance with the terms of the contract.
- 5. PROPOSAL GUARANTY. Accompanying this proposal is either a bid bond on the department form, executed by a corporate surety company satisfactory to the department, or a proposal guaranty check consisting of a bank cashier's check or a properly certified check for not less than 5 per cent of the amount bid or for the amount specified in the following schedule:

<u> </u>	Amount o	of Bid	Proposal <u>Guaranty</u>	<u>An</u>	nount c	of Bid	Proposal <u>Guaranty</u>
Up to		\$5,000	\$150	\$2,000,000	to	\$3,000,000	\$100,000
\$5,000	to	\$10,000	\$300	\$3,000,000	to	\$5,000,000	\$150,000
\$10,000	to	\$50,000	\$1,000	\$5,000,000	to	\$7,500,000	\$250,000
\$50,000	to	\$100,000	\$3,000	\$7,500,000	to	\$10,000,000	\$400,000
\$100,000	to	\$150,000	\$5,000	\$10,000,000	to	\$15,000,000	\$500,000
\$150,000	to	\$250,000	\$7,500	\$15,000,000	to	\$20,000,000	\$600,000
\$250,000	to	\$500,000	\$12,500	\$20,000,000	to	\$25,000,000	\$700,000
\$500,000	to	\$1,000,000	\$25,000	\$25,000,000	to	\$30,000,000	\$800,000
\$1,000,000	to	\$1,500,000	\$50,000	\$30,000,000	to	\$35,000,000	\$900,000
\$1,500,000	to	\$2,000,000	\$75,000	over		\$35,000,000	\$1,000,000

Bank cashier's checks or properly certified checks accompanying proposals shall be made payable to the Treasurer, State of Illinois, when the state is awarding authority; the county treasurer, when a county is the awarding authority; or the city, village, or town treasurer, when a city, village, or town is the awarding authority.

If a combination bid is submitted, the proposal guaranties which accompany the individual proposals making up the combination will be considered as also covering the combination bid.

The amount of the proposal guaranty check is	\$(	). If this proposal is accepted
and the undersigned shall fail to execute a contract bond as required herein, i	it is hereby agreed that the amount	of the proposal guaranty shall become
the property of the State of Illinois, and shall be considered as payment of dar	nages due to delay and other cause	es suffered by the State because of the
failure to execute said contract and contract bond; otherwise, the bid bond s	hall become void or the proposal gr	uaranty check shall be returned to the
undersigned.		•

#### 

Mark the proposal cover sheet as to the type of proposal guaranty submitted.

6. **COMBINATION BIDS.** The undersigned further agrees that if awarded the contract for the sections contained in the following combination, he/she will perform the work in accordance with the requirements of each individual proposal comprising the combination bid specified in the schedule below, and that the combination bid shall be prorated against each section in proportion to the bid submitted for the same. If an error is found to exist in the gross sum bid for one or more of the individual sections included in a combination, the combination bid shall be corrected as provided in the specifications.

When a combination bid is submitted, the schedule below must be completed in each proposal comprising the combination.

If alternate bids are submitted for one or more of the sections comprising the combination, a combination bid must be submitted for each alternate.

#### **Schedule of Combination Bids**

Combination		Combination Bid	Combination Bid	
No.	Sections Included in Combination	Dollars 0	Cents	

- 7. SCHEDULE OF PRICES. The undersigned bidder submits herewith, in accordance with the rules and instructions, a schedule of prices for the items of work for which bids are sought. The unit prices bid are in U.S. dollars and cents, and all extensions and summations have been made. The bidder understands that the quantities appearing in the bid schedule are approximate and are provided for the purpose of obtaining a gross sum for the comparison of bids. If there is an error in the extension of the unit prices, the unit prices shall govern. Payment to the contractor awarded the contract will be made only for actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as provided elsewhere in the contract.
- 8. **CERTIFICATE OF AUTHORITY.** The undersigned bidder, if a business organized under the laws of another State, assures the Department that it will furnish a copy of its certificate of authority to do business in the State of Illinois with the return of the executed contract and bond. Failure to furnish the certificate within the time provided for execution of an awarded contract may be cause for cancellation of the award and forfeiture of the proposal guaranty to the State.

STATE JOB #- C-91-356-06 PPS NBR - 1-11008-0000

# ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT NUMBER - 63032

ECMS002 DTGECM03 ECMR003 PAGE RUN DATE - 05/07/08 RUN TIME - 204128

	TOTAL \$			•		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.000 X	1.000	L SUM	ROT SPL	TRAF CONT & PROT SPL	70101800
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0   -   -   -   -   -   -   -   -   -	1.000 X	L SUM	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MOBILIZATION	67100100
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 1 -	8.000 X	EACH	CH BOLTS	REM & REPL ANCH BOLTS	Z0050400
	000 X	1.000 X	L SUM	ITY INS	RR PROT LIABILITY INS	Z0048665
	O	1.000	L SUM	1	ELECT SERV CONNECT	X8040305
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	O	1.000	L SUM	R PED BR	STL	XX007455
	- II	1.000	EACH	WOVAL	PED BRIDGE REMOVAL	XX006174
TOTAL PRICE DOLLARS CTS	UNIT PRICE DOLLARS CENTS	QUANTITY	UNIT OF MEASURE	PAY ITEM DESCRIPTION	PAY ITE	ITEM NUMBER
BRIDGE				-		
PDESTRIAN	CMM-8003/673/000		0-BR (BROOKFIELD	06-00120-00-BR	1 1	COOK
				ITOES	COUNTY NAME CODE IDIST	COLINTY

## NOTE:

- 1. EACH PAY ITEM SHOULD HAVE A UNIT PRICE AND A TOTAL PRICE.
- THE UNIT PRICE SHALL GOVERN IF NO TOTAL PRICE IS SHOWN OR IF THERE IS A DISCREPANCY BETWEEN THE PRODUCT OF THE UNIT PRICE MULTIPLIED BY THE QUANTITY.
- ω. IF A UNIT PRICE IS OMITTED, THE TOTAL PRICE WILL BE DIVIDED BY THE QUANTITY IN ORDER TO ESTABLISH A UNIT PRICE.
- 4.  $\triangleright$ BID MAY BE DECLARED UNACCEPTABLE IF NEITHER A UNIT PRICE NOR A TOTAL PRICE IS SHOWN.

# STATE REQUIRED ETHICAL STANDARDS GOVERNING CONTRACT PROCUREMENT: ASSURANCES, CERTIFICATIONS AND DISCLOSURES

#### I. GENERAL

- **A.** Article 50 of the Illinois Procurement Code establishes the duty of all State chief procurement officers, State purchasing officers, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.
- **B.** In order to comply with the provisions of Article 50 and to carry out the duty established therein, all bidders are to adhere to ethical standards established for the procurement process, and to make such assurances, disclosures and certifications required by law. By execution of the Proposal Signature Sheet, the bidder indicates that each of the mandated assurances has been read and understood, that each certification is made and understood, and that each disclosure requirement has been understood and completed.
- **C.** In addition to all other remedies provided by law, failure to comply with any assurance, failure to make any disclosure or the making of a false certification shall be grounds for termination of the contract and the suspension or debarment of the bidder.

#### **II. ASSURANCES**

**A.** The assurances hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous assurance, and the surety providing the performance bond shall be responsible for the completion of the contract.

#### B. Felons

1. The Illinois Procurement Code provides:

Section 50-10. Felons. Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any state agency from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-10.

#### C. Conflicts of Interest

1. The Illinois Procurement Code provides in pertinent part:

Section 50-13. Conflicts of Interest.

- (a) Prohibition. It is unlawful for any person holding an elective office in this State, holding a seat in the General Assembly, or appointed to or employed in any of the offices or agencies of state government and who receives compensation for such employment in excess of 60% of the salary of the Governor of the State of Illinois, or who is an officer or employee of the Capital Development Board or the Illinois Toll Highway Authority, or who is the spouse or minor child of any such person to have or acquire any contract, or any direct pecuniary interest in any contract therein, whether for stationery, printing, paper, or any services, materials, or supplies, that will be wholly or partially satisfied by the payment of funds appropriated by the General Assembly of the State of Illinois or in any contract of the Capital Development Board or the Illinois Toll Highway authority.
- (b) Interests. It is unlawful for any firm, partnership, association or corporation, in which any person listed in subsection (a) is entitled to receive (i) more than 7 1/2% of the total distributable income or (ii) an amount in excess of the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.
- (c) Combined interests. It is unlawful for any firm, partnership, association, or corporation, in which any person listed in subsection (a) together with his or her spouse or minor children is entitled to receive (i) more than 15%, in the aggregate, of the total distributable income or (ii) an amount in excess of 2 times the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.
- (d) Securities. Nothing in this Section invalidates the provisions of any bond or other security previously offered or to be offered for sale or sold by or for the State of Illinois.
- (e) Prior interests. This Section does not affect the validity of any contract made between the State and an officer or employee of the State or member of the General Assembly, his or her spouse, minor child or any combination of those persons if that contract was in existence before his or her election or employment as an officer, member, or employee. The contract is voidable, however, if it cannot be completed within 365 days after the officer, member, or employee takes office or is employed.

The current salary of the Governor is \$171,000.00. Sixty percent of the salary is \$102,600.00.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-13, or that an effective exemption has been issued by the Board of Ethics to any individual subject to the Section 50-13 prohibitions pursuant to the provisions of Section 50-20 of the Code and Executive Order Number 3 (1998). Information concerning the exemption process is available from the Department upon request.

#### D. Negotiations

1. The Illinois Procurement Code provides in pertinent part:

Section 50-15. Negotiations.

- (a) It is unlawful for any person employed in or on a continual contractual relationship with any of the offices or agencies of State government to participate in contract negotiations on behalf of that office or agency with any firm, partnership, association, or corporation with whom that person has a contract for future employment or is negotiating concerning possible future employment.
- 2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-15, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### E. Inducements

1. The Illinois Procurement Code provides:

Section 50-25. Inducement. Any person who offers or pays any money or other valuable thing to any person to induce him or her not to bid for a State contract or as recompense for not having bid on a State contract is guilty of a Class 4 felony. Any person who accepts any money or other valuable thing for not bidding for a State contract or who withholds a bid in consideration of the promise for the payment of money or other valuable thing is guilty of a Class 4 felony.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-25, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### F. Revolving Door Prohibition

1. The Illinois Procurement Code provides:

Section 50-30. Revolving door prohibition. Chief procurement officers, associate procurement officers, State purchasing officers, their designees whose principal duties are directly related to State procurement, and executive officers confirmed by the Senate are expressly prohibited for a period of 2 years after terminating an affected position from engaging in any procurement activity relating to the State agency most recently employing them in an affected position for a period of at least 6 months. The prohibition includes, but is not limited to: lobbying the procurement process; specifying; bidding; proposing bid, proposal, or contract documents; on their own behalf or on behalf of any firm, partnership, association, or corporation. This Section applies only to persons who terminate an affected position on or after January 15, 1999.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-30, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### G. Reporting Anticompetitive Practices

1. The Illinois Procurement Code provides:

Section 50-40. Reporting anticompetitive practices. When, for any reason, any vendor, bidder, contractor, chief procurement officer, State purchasing officer, designee, elected official, or State employee suspects collusion or other anticompetitive practice among any bidders, offerors, contractors, proposers, or employees of the State, a notice of the relevant facts shall be transmitted to the Attorney General and the chief procurement officer.

2. The bidder assures the Department that it has not failed to report any relevant facts concerning the practices addressed in Section 50-40 which may involve the contract for which the bid is submitted.

#### H. Confidentiality

1. The Illinois Procurement Code provides:

Section 50-45. Confidentiality. Any chief procurement officer, State purchasing officer, designee, or executive officer who willfully uses or allows the use of specifications, competitive bid documents, proprietary competitive information, proposals, contracts, or selection information to compromise the fairness or integrity of the procurement, bidding, or contract process shall be subject to immediate dismissal, regardless of the Personnel code, any contract, or any collective bargaining agreement, and may in addition be subject to criminal prosecution.

2. The bidder assures the Department that it has no knowledge of any fact relevant to the practices addressed in Section 50-45 which may involve the contract for which the bid is submitted.

#### I. Insider Information

1. The Illinois Procurement Act provides:

Section 50-50. Insider information. It is unlawful for any current or former elected or appointed State official or State employee to knowingly use confidential information available only by virtue of that office or employment for actual or anticipated gain for themselves or another person.

2. The bidder assures the Department that it has no knowledge of any facts relevant to the practices addressed in Section 50-50 which may involve the contract for which the bid is submitted.

#### **III. CERTIFICATIONS**

**A.** The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous certification, and the surety providing the performance bond shall be responsible for completion of the contract.

#### B. Bribery

1. The Illinois Procurement Code provides:

Section 50-5. Bribery.

- (a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:
  - (1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or
  - (2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.
- (b) Businesses. No business shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:
  - (1) the business has been finally adjudicated not guilty; or
  - (2) the business demonstrates to the governmental entity with which it seeks to contract, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 1961.
- (c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.
- (d) Certification. Every bid submitted to and contract executed by the State shall contain a certification by the contractor that the contractor is not barred from being awarded a contract or subcontract under this Section. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.
- 2. The bidder certifies that it is not barred from being awarded a contract under Section 50.5.

#### C. Educational Loan

- 1. Section 3 of the Educational Loan Default Act provides:
- § 3. No State agency shall contract with an individual for goods or services if that individual is in default, as defined in Section 2 of this Act, on an educational loan. Any contract used by any State agency shall include a statement certifying that the individual is not in default on an educational loan as provided in this Section.
- 2. The bidder, if an individual as opposed to a corporation, partnership or other form of business organization, certifies that the bidder is not in default on an educational loan as provided in Section 3 of the Act.

#### D. Bid-Rigging/Bid Rotating

- 1. Section 33E-11 of the Criminal Code of 1961 provides:
- § 33E-11. (a) Every bid submitted to and public contract executed pursuant to such bid by the State or a unit of local government shall contain a certification by the prime contractor that the prime contractor is not barred from contracting with any unit of State or local government as a result of a violation of either Section 33E-3 or 33E-4 of this Article. The State and units of local government shall provide the appropriate forms for such certification.

(b) A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

A violation of Section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

2. The bidder certifies that it is not barred from contracting with the Department by reason of a violation of either Section 33E-3 or Section 33E-4.

#### E. International Anti-Boycott

- 1. Section 5 of the International Anti-Boycott Certification Act provides:
- § 5. State contracts. Every contract entered into by the State of Illinois for the manufacture, furnishing, or purchasing of supplies, material, or equipment or for the furnishing of work, labor, or services, in an amount exceeding the threshold for small purchases according to the purchasing laws of this State or \$10,000.00, whichever is less, shall contain certification, as a material condition of the contract, by which the contractor agrees that neither the contractor nor any substantially-owned affiliated company is participating or shall participate in an international boycott in violation of the provisions of the U.S. Export Administration Act of 1979 or the regulations of the U.S. Department of Commerce promulgated under that Act.
- 2. The bidder makes the certification set forth in Section 5 of the Act.

#### F. Drug Free Workplace

- 1. The Illinois "Drug Free Workplace Act" applies to this contract and it is necessary to comply with the provisions of the "Act" if the contractor is a corporation, partnership, or other entity (including a sole proprietorship) which has 25 or more employees.
- 2. The bidder certifies that if awarded a contract in excess of \$5,000 it will provide a drug free workplace by:
- (a) Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensation, possession or use of a controlled substance, including cannabis, is prohibited in the contractor's workplace; specifying the actions that will be taken against employees for violations of such prohibition; and notifying the employee that, as a condition of employment on such contract, the employee shall abide by the terms of the statement, and notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.
- (b) Establishing a drug free awareness program to inform employees about the dangers of drug abuse in the workplace; the contractor's policy of maintaining a drug free workplace; any available drug counseling, rehabilitation, and employee assistance programs; and the penalties that may be imposed upon employees for drug violations.
- (c) Providing a copy of the statement required by subparagraph (1) to each employee engaged in the performance of the contract and to post the statement in a prominent place in the workplace.
- (d) Notifying the Department within ten (10) days after receiving notice from an employee or otherwise receiving actual notice of the conviction of an employee for a violation of any criminal drug statute occurring in the workplace.
- (e) Imposing or requiring, within 30 days after receiving notice from an employee of a conviction or actual notice of such a conviction, an appropriate personnel action, up to and including termination, or the satisfactory participation in a drug abuse assistance or rehabilitation program approved by a federal, state or local health, law enforcement or other appropriate agency.
- (f) Assisting employees in selecting a course of action in the event drug counseling, treatment, and rehabilitation is required and indicating that a trained referral team is in place.
- (g) Making a good faith effort to continue to maintain a drug free workplace through implementation of the actions and efforts stated in this certification.

#### G. Debt Delinquency

1. The Illinois Procurement Code provides:

Section 50-11 and 50-12. Debt Delinquency.

The contractor or bidder certifies that it, or any affiliate, is not barred from being awarded a contract under 30 ILCS 500. Section 50-11 prohibits a person from entering into a contract with a State agency if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt Collection Board. Section 50-12 prohibits a person from entering into a contract with a State agency if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The contractor further acknowledges that the contracting State agency may declare the contract void if this certification is false or if the contractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

#### H. Sarbanes-Oxley Act of 2002

1. The Illinois Procurement Code, Section 50-60(c), provides:

The contractor certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 for a period of five years prior to the date of the bid or contract. The contractor acknowledges that the contracting agency shall declare the contract void if this certification is false.

#### I. Addenda

The contractor or bidder certifies that all relevant addenda have been incorporated in to this contract. Failure to do so may cause the bid to be declared unacceptable.

#### J. Section 42 of the Environmental Protection Act

The contractor certifies in accordance with 30 ILCS 500/50-12 that the bidder or contractor is not barred from being awarded a contract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The contractor acknowledges that the contracting agency may declare the contract void if this certification is false.

#### K. Apprenticeship and Training Certification (Does not apply to federal aid projects)

In accordance with the provisions of Section 30-22 (6) of the Illinois Procurement Code, the bidder certifies that it is a participant, either as an individual or as part of a group program, in the approved apprenticeship and training programs applicable to each type of work or craft that the bidder will perform with its own forces. The bidder further certifies for work that will be performed by subcontract that each of its subcontractors submitted for approval either (a) is, at the time of such bid, participating in an approved, applicable apprenticeship and training program; or (b) will, prior to commencement of performance of work pursuant to this contract, begin participation in an approved apprenticeship and training program applicable to the work of the subcontract. The Department, at any time before or after award, may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractor and any or all of its subcontractors. Applicable apprenticeship and training programs are those that have been approved and registered with the United States Department of Labor. The bidder shall list in the space below, the official name of the program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's forces. Types of work or craft work that will be subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or craft job category that does not have an applicable apprenticeship or training program. The bidder is responsible for making a complete report and shall make certain that each type of work or craft job category that will be utilized on the project as reported on the Construction Employee Workforce Projection (Form BC-1256) and returned with the bid is accounted for and listed.

#### NA - FEDERAL

The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. In order to fulfill this requirement, it shall not be necessary that an applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract.

#### L. Executive Order Number 1 (2007) Regarding Lobbying on Government Procurements

The bidder hereby warrants and certifies that they have complied and will comply with the requirements set forth in this Order. The requirements of this warrant and certification are a material part of the contract, and the contractor shall require this warrant and certification provision to be included in all approved subcontracts.

#### M. Disclosure of Business Operations in Iran

Public Act 95-0616 provides that each bid, offer, or proposal submitted for a State contract shall include a disclosure of whether or not the Company acting as the bidder, offer or, or proposing entity, or any of its corporate parents or subsidiaries, within the 24 months before submission of the bid, offer, or proposal had business operations that involved contracts with or provision of supplies or services to the Government of Iran, companies in which the Government of Iran has any direct or indirect equity share, consortiums or projects commissioned by the Government of Iran, or companies involved in consortiums or projects commissioned by the Government of Iran and either of the following conditions apply:

- (1) More than 10% of the Company's revenues produced in or assets located in Iran involve oil-related activities or mineral-extraction activities; less than 75% of the Company's revenues produced in or assets located in Iran involve contracts with or provision of oil-related or mineral-extraction products or services to the Government of Iran or a project or consortium created exclusively by that government; and the Company has failed to take substantial action.
- (2) The Company has, on or after August 5, 1996, made an investment of \$20 million or more, or any combination of investments of at least \$10 million each that in the aggregate equals or exceeds \$20 million in any 12-month period, which directly or significantly contributes to the enhancement of Iran's ability to develop petroleum resources of Iran.

The terms "Business operations", "Company", "Mineral-extraction activities", "Oil-related activities", "Petroleum resources", and "Substantial action" are all defined in the Act.

Failure to make the disclosure required by the Act shall cause the bid, offer or proposal to be considered not responsive. The disclosure will be considered when evaluating the bid, offer, or proposal or awarding the contract. The name of each Company disclosed as doing business or having done business in Iran will be provided to the State Comptroller.

Check the appropriate statement:
// Company has no business operations in Iran to disclose.
// Company has business operations in Iran as disclosed the attached document.

#### **NOTICE**

## PA 95-0635 SUBSTANCE ABUSE PREVENTION PROGRAM (SAPP) Effective January 1, 2008

This Public Act requires that all contractors and subcontractors have a SAPP, meeting certain requirements, in place before starting work.

The as read low bidder is required to submit a correctly completed SAPP Certification Form BC 261 within seven (7) working days after the Letting. The Department will not accept a SAPP that does not meet the seven day submittal requirement and the bid will be declared not responsive. In the event the bid is declared not responsive due to failure to comply the Department may elect to cause the forfeiture of the penal sum of the bidder's proposal guaranty, may deny authorization to bid the project if re-advertised for bids and may not allow the bidder to participate on subsequent Lettings.

#### Submittal and approval of the bidder's SAPP is a condition of award.

The SAPP is to be submitted to the Bureau of Design & Environment, Contracts Office, Room 326, 2300 South Dirksen Parkway, Springfield, IL 62764. Voice 217-782-7806. Fax 217-785-1141. It is the bidder's responsibility to obtain confirmation of delivery.

The requirements of this Public Act are a material part of the contract, and the contractor shall require this provision to be included in all approved subcontracts. The contractor shall submit the correctly completed SAPP Certification Form BC 261 for each subcontractor with the Request for Approval of Subcontractor Form BC 260A.

#### TO BE RETURNED WITH BID

#### **IV. DISCLOSURES**

**A.** The disclosures hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous disclosure, and the surety providing the performance bond shall be responsible for completion of the contract.

#### **B.** Financial Interests and Conflicts of Interest

1. Section 50-35 of the Illinois Procurement Code provides that all bids of more than \$10,000 shall be accompanied by disclosure of the financial interests of the bidder. This disclosed information for the successful bidder, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the bidding entity or its parent entity, whichever is less, unless the contractor or bidder is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each person making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each person making the disclosure having any of the relationships identified in Section 50-35 and on the disclosure form.

In addition, all disclosures shall indicate any other current or pending contracts, proposals, leases, or other ongoing procurement relationships the bidding entity has with any other unit of state government and shall clearly identify the unit and the contract, proposal, lease, or other relationship.

2. <u>Disclosure Forms</u>. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. Subject individuals should be covered each by one form. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies. **The forms must be included with each bid or incorporated by reference.** 

#### C. <u>Disclosure Form Instructions</u>

#### Form A: For bidders that have previously submitted the information requested in Form A

The Department has retained the Form A disclosures submitted by all bidders responding to these requirements for the April 24, 1998 or any subsequent letting conducted by the Department. The bidder has the option of submitting the information again or the bidder may check the following certification statement indicating that the information previously submitted by the bidder is, as of the date of submission, current and accurate. Before checking this certification, the bidder should carefully review its prior submissions to ensure the Certification is correct. If the Bidder checks the Certification, the Bidder should proceed to Form B instructions.

#### **CERTIFICATION STATEMENT**

I have determined that the Form A disclosure information previously submitted is accurate, and all forms are hereby incorporated by reference in this bid. Any nec forms or amendments to previously submitted forms are attached to this bid.	
(Bidding Company)	
Signature of Authorized Representative	Date

#### Form A: For bidders who have NOT previously submitted the information requested in Form A

D.

If the bidder is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. If a bidder is not subject to Federal 10K reporting, the bidder must determine if any individuals are required by law to complete a financial disclosure form. To do this, the bidder should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the NOT APPLICABLE STATEMENT on the second page of Form A must be signed and dated by a person that is authorized to execute contracts for the bidding company. Note: These questions are for assistance only and are not required to be completed.

1.	Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES NO
2.	Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than \$102,600.00? YES NO
3.	Does anyone in your organization receive more than \$102,600.00 of the bidding entity's or parent entity's distributive income? (Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.) YES NO
4.	Does anyone in your organization receive greater than 5% of the bidding entity's or parent entity's total distributive income, but which is less than \$102,600.00? YES NO
	(Note: Only one set of forms needs to be completed <u>per person per bid</u> even if a specific individual would require a yes answer to more than one question.)
bidding e authorize	answer to any of these questions requires the completion of Form A. The bidder must determine each individual in the bidding entity or the entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by a person that is ed to execute contracts for your organization. <b>Photocopied or stamped signatures are not acceptable</b> . The person signing can be, but have to be, the person for which the form is being completed. The bidder is responsible for the accuracy of any information provided.
	swer to each of the above questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on page 2 of Form A must be signed and dated by that is authorized to execute contracts for your company.
bidding 6	Identifying Other Contracts & Procurement Related Information Disclosure Form B must be completed for each bid submitted by the entity. Note: Checking the NOT APPLICABLE STATEMENT on Form A does not allow the bidder to ignore Form B. Form B must be end, checked, and dated or the bidder may be considered nonresponsive and the bid will not be accepted.
ongoing	der shall identify, by checking Yes or No on Form B, whether it has any pending contracts (including leases), bids, proposals, or other procurement relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the bidder only needs to complete the box on the bottom of Form B. If "Yes" is checked, the bidder must do one of the following:
agency pattached and are	If the bidder did not submit an Affidavit of Availability to obtain authorization to bid, the bidder must list all non-IDOT State of Illinois pending contracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an sheet(s). Do not include IDOT contracts. Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts not to be included. Contracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development ust be included. Bidders who submit Affidavits of Availability are suggested to use Option II.
"See Affi agency p	: If the bidder is required and has submitted an Affidavit of Availability in order to obtain authorization to bid, the bidder may write or type davit of Availability" which indicates that the Affidavit of Availability is incorporated by reference and includes all non-IDOT State of Illinois bending contracts, leases, bids, proposals, and other ongoing procurement relationships. For any contracts that are not covered by the of Availability, the bidder must identify them on Form B or on an attached sheet(s). These might be such things as leases.
Bidders	Submitting More Than One Bid
	submitting multiple bids may submit one set of forms consisting of all required Form A disclosures and one Form B for use with all bids. Indicate in the space provided below the bid item that contains the original disclosure forms and the bid items which incorporate the forms ence.
	ne bid submitted for letting item contains the Form A disclosures or Certification Statement and the Form B sclosures. The following letting items incorporate the said forms by reference:

# ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form A Financial Information & Potential Conflicts of Interest Disclosure

Contractor Name		
egal Address		
ity, State, Zip		
elephone Number	Email Address	Fax Number (if available)
sclosure of the information contained in the CS 500). Vendors desiring to enter into cential conflict of interest information as plicly available contract file. This Form intracts. A publicly traded company may requirements set forth in Form A. See	a contract with the State of Illinois specified in this Disclosure Form. A must be completed for bids in eay submit a 10K disclosure (or e	must disclose the financial information and This information shall become part of excess of \$10,000, and for all open-endiance.
<u> </u>	OSURE OF FINANCIAL INFORM	<u>MATION</u>
Disclosure of Financial Information.  The perms of ownership or distributive income in the second of the Governor's salary and the perms of the Governor's salary are perms of the perms of	hare in excess of 5%, or an interest as of 7/1/07). (Make copies of this dividual meeting these requireme	which has a value of more than s form as necessary and attach a
FOR INDIVIDUAL (type or print informa	tion)	
NAME:		
ADDRESS		
Type of ownership/distributable inco	me share:	
stock sole proprietorship		other: (explain on separate sheet):
% or \$ value of ownership/distributable		other. (explain on separate sheet).
Disclosure of Potential Conflicts of Interest relationships applescribe.		
(a) State employment, currently or in	the previous 3 years, including cont	ractual employment of services. YesNo
If your answer is yes, please answ	ver each of the following questions.	
Are you currently an office Highway Authority?	er or employee of either the Capitol	Development Board or the Illinois Toll YesNo
currently appointed to or exceeds \$102,600.00, (6	ted to or employed by any agency employed by any agency of the State 0% of the Governor's salary as of 7 employed and your annual salary.	e of Illinois, and your annual salary 7/1/07) provide the name the State

3.	<ul> <li>If you are currently appointed to or employed by any agency of salary exceeds \$102,600.00, (60% of the Governor's salary at (i) more than 7 1/2% of the total distributable income of your corporation, or (ii) an amount in excess of the salary of the Governor.</li> </ul>	as of 7/1/07) are you entitled to receive our firm, partnership, association or
4.	If you are currently appointed to or employed by any agency or salary exceeds \$102,600.00, (60% of the Governor's salary or minor children entitled to receive (i) more than 15% in aggr of your firm, partnership, association or corporation, or (ii) ar salary of the Governor?	as of 7/1/07) are you and your spouse egate of the total distributable income
	employment of spouse, father, mother, son, or daughter, includi previous 2 years.	ng contractual employment for services
If your	r answer is yes, please answer each of the following questions.	YesNo
1.	. Is your spouse or any minor children currently an officer or em Board or the Illinois Toll Highway Authority?	ployee of the Capitol Development YesNo
2.	Is your spouse or any minor children currently appointed to or of Illinois? If your spouse or minor children is/are currently ap agency of the State of Illinois, and his/her annual salary exce Governor's salary as of 7/1/07) provide the name of the spous of the State agency for which he/she is employed and his/her a	pointed to or employed by any eds \$102,600.00, (60% of the se and/or minor children, the name
3.	If your spouse or any minor children is/are currently appointed State of Illinois, and his/her annual salary exceeds \$102,600.0 as of 7/1/07) are you entitled to receive (i) more than 71/2% of firm, partnership, association or corporation, or (ii) an amou Governor?	00, (60% of the salary of the Governor the total distributable income of your
4.	. If your spouse or any minor children are currently appointed to State of Illinois, and his/her annual salary exceeds \$102,600.00 7/1/07) are you and your spouse or any minor children entitled aggregate of the total distributable income from your firm, partners (ii) an amount in excess of 2 times the salary of the Governor?	O, (60% of the Governor's salary as of to receive (i) more than 15% in the ership, association or corporation, or
		Yes No
unit of	re status; the holding of elective office of the State of Illinois, the local government authorized by the Constitution of the State of currently or in the previous 3 years.	
` '	onship to anyone holding elective office currently or in the previor daughter.	us 2 years; spouse, father, mother, YesNo
Americ of the S	ntive office; the holding of any appointive government office of the ca, or any unit of local government authorized by the Constitution State of Illinois, which office entitles the holder to compensation scharge of that office currently or in the previous 3 years.	n of the State of Illinois or the statues
` '	nship to anyone holding appointive office currently or in the previously	rious 2 years; spouse, father, mother, YesNo
(g) Emplo	yment, currently or in the previous 3 years, as or by any register	red lobbyist of the State government. YesNo

(h) Relationship to anyone who is or was a registered lobbyist in the previous 2 years; spous son, or daughter.  YesNo						
(i) Compensated employment, currently or in the previous 3 years, by any registered elect committee registered with the Secretary of State or any county clerk of the State of Illinoi action committee registered with either the Secretary of State or the Federal Board of Ele Yes No.	s, or any political ctions.					
(j) Relationship to anyone; spouse, father, mother, son, or daughter; who was a compensate last 2 years by any registered election or re-election committee registered with the Secret county clerk of the State of Illinois, or any political action committee registered with either State or the Federal Board of Elections.	ary of State or any of the Secretary of					
Yes No	· _					
APPLICABLE STATEMENT						
This Disclosure Form A is submitted on behalf of the INDIVIDUAL named on previous	page.					
Completed by:						
Signature of Individual or Authorized Representative	Date					
NOT APPLICABLE STATEMENT						
I have determined that no individuals associated with this organization meet the criteria that would require the completion of this Form A.						
This Disclosure Form A is submitted on behalf of the CONTRACTOR listed on the previous page.						
Signature of Authorized Representative	Date					

## ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form B Other Contracts & Procurement Related Information Disclosure

Contractor Name			
Legal Address			
City, State, Zip			
Telephone Number	Email Address	Fax Number (if availab	le)
Disclosure of the information contain	ned in this Form is required by the	Section 50-35 of the Illinois	Procurement
Act (30 ILCS 500). This information	shall become part of the publicly	available contract file. This Fo	rm B must
be completed for bids in excess of \$	10,000, and for all open-ended c	ontracts.	
DISCLOSURE OF	OTHER CONTRACTS AND PRO	CUREMENT RELATED INFO	RMATION
1. Identifying Other Contracts & has any pending contracts (including any other State of Illinois agency:  If "No" is checked, the bidder only	ng leases), bids, proposals, or oth Yes No	her ongoing procurement relati	onship with
2. If "Yes" is checked. Identify earlinformation such as bid or project in INSTRUCTIONS:			
ī	THE FOLLOWING STATEMENT	MUST BE CHECKED	
	Signature of Authorized Repre	esentative	Date

#### **SPECIAL NOTICE TO CONTRACTORS**

The following requirements of the Illinois Department of Human Rights' Rules and Regulations are applicable to bidders on all construction contracts advertised by the Illinois Department of Transportation:

#### **CONSTRUCTION EMPLOYEE UTILIZATION PROJECTION**

- (a) All bidders on construction contracts shall complete and submit, along with and as part of their bids, a Bidder's Employee Utilization Form (Form BC-1256) setting forth a projection and breakdown of the total workforce intended to be hired and/or allocated to such contract work by the bidder including a projection of minority and female employee utilization in all job classifications on the contract project.
- (b) The Department of Transportation shall review the Employee Utilization Form, and workforce projections contained therein, of the contract awardee to determine if such projections reflect an underutilization of minority persons and/or women in any job classification in accordance with the Equal Employment Opportunity Clause and Section 7.2 of the Illinois Department of Human Rights' Rules and Regulations for Public Contracts adopted as amended on September 17, 1980. If it is determined that the contract awardee's projections reflect an underutilization of minority persons and/or women in any job classification, it shall be advised in writing of the manner in which it is underutilizing and such awardee shall be considered to be in breach of the contract unless, prior to commencement of work on the contract project, it submits revised satisfactory projections or an acceptable written affirmative action plan to correct such underutilization including a specific timetable geared to the completion stages of the contract.
- (c) The Department of Transportation shall provide to the Department of Human Rights a copy of the contract awardee's Employee Utilization Form, a copy of any required written affirmative action plan, and any written correspondence related thereto. The Department of Human Rights may review and revise any action taken by the Department of Transportation with respect to these requirements.



**PART I. IDENTIFICATION** 

Contract No. 63032 COOK County Section 06-00120-00-BR (Brookfield) Project CMM-8003(673) Route PEDESTRIAN BRIDGE District 1 Construction Funds

Dept. Human Right: Name of Bidder:							_ Du	ration o	of Proje	ect: _								
PART II. WORKFO A. The undersigned which this contract wo projection including a	bidder hark is to be	as analyz e perform	ed mir	d for th d fema	ne locati	ions fro	m whi	ch the b	idder re	cruits	employe	es, and h	ereb	y subm	its the follo	owing cont	g workfo	rce
		TOT	AL Wo	rkforce	Projec	tion for	Contr	act						C	URRENT	EM	PLOYEE	S
															TO BE			
JOB	ТО	TAL		MIN	ORITY I	EMPLC		HER	APP		AINEES	HE JOB		TC	TAL		MINC	DITV
CATEGORIES	_	OYEES	BL	ACK	HISP	ANIC	_	NOR.	TIC			INEES		_	OYEES		_	DYEES
	М	F	М	F	М	F	М	F	М	F	М	F		М	F	Ì	М	F
OFFICIALS (MANAGERS)																		
SUPERVISORS																		
FOREMEN																		
CLERICAL													•			Ī		
EQUIPMENT OPERATORS																-		
MECHANICS																Ī		
TRUCK DRIVERS																		
IRONWORKERS																		
CARPENTERS																		
CEMENT MASONS																		
ELECTRICIANS																		
PIPEFITTERS, PLUMBERS																		
PAINTERS													•					
LABORERS, SEMI-SKILLED																=		
LABORERS, UNSKILLED																		
TOTAL																		
		BLE C				•	-		<b>-</b> 1	•	Г	FOR	? DE	PARTI	ENT USE	ON	ΙΥ	
	OTAL Tra		ojectio	n for C	ontract			TUED	-			1 01		. /	OOL	<b>O</b> 14		
EMPLOYEES IN		TAL OYEES	ы	ACK	шег	ANIC		THER INOR.										
TRAINING	M	F	M M	F	M	F	M	F	1									
APPRENTICES	IVI		IVI		IVI		IVI	Г	1									
ON THE JOB TRAINEES									1									
*(	Other minori								_		L				00 1056 //	Davi	10/11/0	0)
ŀ	Please spec	my race of e	eacn em	pioyee s	snown in	Other Mi	norities	column.							3C 1256 (I	Rev.	12/11/0	0)

Note: See instructions on page 2

Contract No. 63032 COOK County Section 06-00120-00-BR (Brookfield) Project CMM-8003(673) Route PEDESTRIAN BRIDGE District 1 Construction Funds

#### PART II. WORKFORCE PROJECTION - continued

	event	the undersigned bidder is awarded this contract.
	The up	ndersigned bidder projects that: (number) new hires would cruited from the area in which the contract project is located; and/or (number) new hires would be recruited from the area in which the bidder's principal
	office	or base of operation is located.
C.	Includ	led in "Total Employees" under Table A is a projection of numbers of persons to be employed directly by the signed bidder as well as a projection of numbers of persons to be employed by subcontractors.
	be dire	ndersigned bidder estimates that (number) persons will ectly employed by the prime contractor and that (number) persons will be byed by subcontractors.
PART	III. AFF	FIRMATIVE ACTION PLAN
A.	utilizatin any comm (geare utilizat	ndersigned bidder understands and agrees that in the event the foregoing minority and female employee tion projection included under <b>PART II</b> is determined to be an underutilization of minority persons or women job category, and in the event that the undersigned bidder is awarded this contract, he/she will, prior to rencement of work, develop and submit a written Affirmative Action Plan including a specific timetable ed to the completion stages of the contract) whereby deficiencies in minority and/or female employee tion are corrected. Such Affirmative Action Plan will be subject to approval by the contracting agency and epartment of Human Rights.
B.	submi	ndersigned bidder understands and agrees that the minority and female employee utilization projection itted herein, and the goals and timetable included under an Affirmative Action Plan if required, are deemed part of the contract specifications.
Comp	any	Telephone Number
Addre	ss	
		NOTICE REGARDING SIGNATURE
		signature on the Proposal Signature Sheet will constitute the signing of this form. The following signature block needs to only if revisions are required.
Signat	ure: 🗌	Title: Date:
Instructi	ions:	All tables must include subcontractor personnel in addition to prime contractor personnel.
Table A		Include both the number of employees that would be hired to perform the contract work and the total number currently employed (Table B) that will be allocated to contract work, and include all apprentices and on-the-job trainees. The "Total Employees" column should include all employees including all minorities, apprentices and on-the-job trainees to be employed on the contract work.
Table B	-	Include all employees currently employed that will be allocated to the contract work including any apprentices and on-the-job trainees currently employed.
Table C	: -	Indicate the racial breakdown of the total apprentices and on-the-job trainees shown in Table A.

B. Included in "Total Employees" under Table A is the total number of **new hires** that would be employed in the

#### **ADDITIONAL FEDERAL REQUIREMENTS**

In addition to the Required Contract Provisions for Federal-Aid Construction Contracts (FHWA 1273), all bidders make the following certifications.

- A. By the execution of this proposal, the signing bidder certifies that the bidding entity has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. This statement made by the undersigned bidder is true and correct under penalty of perjury under the laws of the United States.
- B. <u>CERTIFICATION</u>, <u>EQUAL EMPLOYMENT OPPORTUNITY</u>:

1.	Have you participated in any previous contracts or subcontracts subject to the equal opportunity clause. YES NO
2.	If answer to #1 is yes, have you filed with the Joint Reporting Committee, the Director of OFCC, any Federal agency, or the former President's Committee on Equal Employment Opportunity, all reports due under the applicable filing requirements of those organizations? YES NO

Contract No. 63032 COOK County Section 06-00120-00-BR (Brookfield) Project CMM-8003(673) Route PEDESTRIAN BRIDGE District 1 Construction Funds

#### PROPOSAL SIGNATURE SHEET

The undersigned bidder hereby makes and submits this bid on the subject Proposal, thereby assuring the Department that all requirements of the Invitation for Bids and rules of the Department have been met, that there is no misunderstanding of the requirements of paragraph 3 of this Proposal, and that the contract will be executed in accordance with the rules of the Department if an award is made on this bid.

	Firm Name	
(IF AN INDIVIDUAL)	Signature of Owner	
	Business Address	
	Firm Name	
	Ву	
(IF A CO-PARTNERSHIP)		
		Name and Address of All Members of the Firm:
<u>-</u>		
	Ву	Signature of Authorized Representative
(IF A CORPORATION)		O. g
		Typed or printed name and title of Authorized Representative
	A 11 1	
	Attest	Signature
(IF A JOINT VENTURE, USE THIS SECTION FOR THE MANAGING PARTY AND THE	Business Address	
SECOND PARTY SHOULD SIGN BELOW)		
	Corporate Name	
(IE A JOINT VENTURE)	Ву	Signature of Authorized Representative
(IF A JOINT VENTURE)		Signature of Authorized Representative
		Typed or printed name and title of Authorized Representative
	Attest	Signature
	Business Address	·
	_ 30200 / 1241000	
If more than two parties are in the joint venture, p	olease attach an addit	ional signature sheet.

# Illinois Department of Transportation

#### **Return with Bid**

#### Division of Highways Proposal Bid Bond

(Effective November 1, 1992)

		Item No.
		Letting Date
KNOW ALL MEN BY THESE PRESENTS, That We		
·		
as PRINCIPAL, and		
as PRINCIPAL, and		
		as SURETY, are
held jointly, severally and firmly bound unto the STATE of specified in Article 102.09 of the "Standard Specifications for is the lesser sum, well and truly to be paid unto said STA administrators, successors and assigns.	or Road and Bridge Construc	ction" in effect on the date of invitation for bids, whichever
THE CONDITION OF THE FOREGOING OBLIGATION STATE OF ILLINOIS, acting through the Department of Number and Letting Date indicated above.	*	• •
NOW, THEREFORE, if the Department shall accept to and as specified in the bidding and contract documents, surfater award by the Department, the PRINCIPAL shall enter including evidence of the required insurance coverages as performance of such contract and for the prompt payment of the PRINCIPAL to make the required DBE submission of Department the difference not to exceed the penalty hereof the Department may contract with another party to perform otherwise, it shall remain in full force and effect.	ubmit a DBE Utilization Plan to ir into a contract in accordance and providing such bond as of labor and material furnished ir to enter into such contract a of between the amount specif	that is accepted and approved by the Department; and if, ce with the terms of the bidding and contract documents specified with good and sufficient surety for the faithfuld in the prosecution thereof; or if, in the event of the failure and to give the specified bond, the PRINCIPAL pays to the fied in the bid proposal and such larger amount for which
IN THE EVENT the Department determines the PRIN paragraph, then Surety shall pay the penal sum to the Department within such period of time, the Department may be expenses, including attorney's fees, incurred in any litigation	artment within fifteen (15) day ring an action to collect the a	s of written demand therefor. If Surety does not make full mount owed. Surety is liable to the Department for all its
In TESTIMONY WHEREOF, the said PRINCIPAL and	d the said SURETY have cau	ised this instrument to be signed by
		• •
		A.D.,
PRINCIPAL		
(Company Name)		(Company Name)
By:	Ву:	
By: (Signature & Title)		(Signature of Attorney-in-Fact)
Notary Certification for Principal and Surety		
STATE OF ILLINOIS, County of		
I,	a Notary Pu	blic in and for said County, do hereby certify that
',		blic in and for said dounty, do noteby certify that
(Insert names of individ	and and duals signing on behalf of PRI	INCIPAL & SURFTY)
who are each personally known to me to be the same pers and SURETY, appeared before me this day in person and and voluntary act for the uses and purposes therein set fort	ons whose names are subscracknowledged respectively, the	ribed to the foregoing instrument on behalf of PRINCIPAL
Given under my hand and notarial seal this	day of	A.D
My commission expires		
		Notary Public
In lieu of completing the above section of the Proposal Bi marking the check box next to the Signature and Title line and the Principal and Surety are firmly bound unto the State	below, the Principal is ensur	ring the identified electronic bid bond has been executed
Electronic Bid Bond ID# Company / Bi	idder Name	Signature and Title

#### PROPOSAL ENVELOPE



## **PROPOSALS**

for construction work advertised for bids by the Illinois Department of Transportation

Item No.	Item No.	Item No.

#### Submitted By:

Name:	
Address:	
Phone No.	

Bidders should use an IDOT proposal envelope or affix this form to the front of a 10" x 13" envelope for the submittal of bids. If proposals are mailed, they should be enclosed in a second or outer envelope addressed to:

Engineer of Design and Environment - Room 326 Illinois Department of Transportation 2300 South Dirksen Parkway Springfield, Illinois 62764

#### **NOTICE**

Individual bids, including Bid Bond and/or supplemental information if required, should be securely stapled.

# CONTRACTOR OFFICE COPY OF CONTRACT SPECIFICATIONS

#### **NOTICE**

None of the following material needs to be returned with the bid package unless the special provisions require documentation and/or other information to be submitted.

Contract No. 63032 COOK County Section 06-00120-00-BR (Brookfield) Project CMM-8003(673) Route PEDESTRIAN BRIDGE District 1 Construction Funds



# Illinois Department of Transportation

#### **NOTICE TO BIDDERS**

- 1. TIME AND PLACE OF OPENING BIDS. Sealed proposals for the improvement described herein will be received by the Department of Transportation at the Harry R. Hanley Building, 2300 South Dirksen Parkway, in Springfield, Illinois until 10:00 o'clock a.m., June 13, 2008. All bids will be gathered, sorted, publicly opened and read in the auditorium at the Department of Transportation's Harry R. Hanley Building shortly after the 10:00 a.m. cut off time.
- **2. DESCRIPTION OF WORK**. The proposed improvement is identified and advertised for bids in the Invitation for Bids as:

Contract No. 63032
COOK County
Section 06-00120-00-BR (Brookfield)
Project CMM-8003(673)
Route PEDESTRIAN BRIDGE
District 1 Construction Funds

Project consists of the removal and disposal of the existing bridge and installation of a pre-engineered steel truss pedestrian bridge, installation of a service feed for the bridge electrical from a nearby street light circuit and all other incidental items to complete the pedestrian bridge project on Salt Creek near Brookfield Avenue and Prairie Avenue in the Village of Brookfield.

- 3. INSTRUCTIONS TO BIDDERS. (a) This Notice, the invitation for bids, proposal and letter of award shall, together with all other documents in accordance with Article 101.09 of the Standard Specifications for Road and Bridge Construction, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.
  - (b) State law, and, if the work is to be paid wholly or in part with Federal-aid funds, Federal law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.
- 4. AWARD CRITERIA AND REJECTION OF BIDS. This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Department in the rules, Invitation for Bids and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to readvertise the proposed improvement, and to waive technicalities.

By Order of the Illinois Department of Transportation

Milton R. Sees, Secretary

BD 351 (Rev. 01/2003)

# INDEX FOR SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

#### Adopted January 1, 2008

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS and frequently used RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction (Adopted 1-1-07) (Revised 1-1-08)

#### SUPPLEMENTAL SPECIFICATIONS

Std. Sp	pec. Sec.	Page No.
205	Embankment	
251	Mulch	2
253	Planting Woody Plants	3
280	Temporary Erosion Control	5
443	Reflective Crack Control Treatment	6
502	Excavation for Structures	9
503	Concrete Structures	10
505	Steel Structures	
540	Box Culverts	
633	Removing and Reerecting Guardrail and Terminals	13
672	Sealing Abandoned Water Wells	
701	Work Zone Traffic Control and Protection	15
838	Breakaway Devices	
1004	Coarse Aggregates	17
1020	Portland Cement Concrete	18
1022	Concrete Curing Materials	20
1042	Precast Concrete Products	21
1062	Reflective Crack Control System	22
1069	Pole and Tower	24
1081	Materials for Planting	
1083	Elastomeric Bearings	
1102	Hot-Mix Asphalt Equipment	30

#### RECURRING SPECIAL PROVISIONS

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

<b>CHECK</b>	SHEET#	AGE NO.
1 X		
2 X	Subletting of Contracts (Federal-Aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93)	
3 X		
4	Specific Equal Employment Opportunity Responsibilities  Non Federal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-94)	
5	Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-07)	
6	Reserved	
7	Reserved	
8	Haul Road Stream Crossings, Other Temporary Stream Crossings, and	
0	In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)	57
9	Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)	60
10	Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)	60
11		
12	Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)	
13	Hot-Mix Asphalt Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 1-1-07)	
14 15	Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-07)	71 72
16	Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)	72
17	Polymor Congrete (FE 9.1.05) (Poly 1.1.09)	74
18	Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)	73 77
19	Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)	78
20	Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)	79
21	Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)	83
22	Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)	85
23	Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)	
24	Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)	
25	Night Time Inspection of Roadway Lighting (Eff. 5-1-96)	90
26	English Substitution of Metric Bolts (Eff. 7-1-96)	91
27	English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)	
28	Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)	
29	Quality Control of Concrete Mixtures at the Plant-Single A(Eff. 8-1-00) (Rev. 1-1-04)	
30	Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)	
31	Quality Control/Quality Assurance of Concrete Mixtures(Eff. 4-1-92) (Rev. 1-1-07)	
LRS 1	Reserved	
LRS 2	Furnished Excavation (Eff. 1-1-99) (Rev. 1-1-07)	121
LRS 3	☐ Yournstred Excevation (Ell. 1-1-99) (Nev. 1-1-07)	122
LRS 4	☐ Flaggers in Work Zones (Eff. 1-1-99) (Rev 1-1-07)	123
LRS 5	Contract Claims (Eff. 1-1-02) (Rev. 1-1-07).	125
LRS 6	☐ Bidding Requirements and Conditions for Contract Proposals (Eff. 1-1-02)	
LRS 7	☐ Bidding Requirements and Conditions for Material Proposals (Eff. 1-1-02) (Rev. 1-1-03)	
LRS 8	Failure to Complete the Work on Time (Eff. 1-1-99)	
LRS 9	☐ Bituminous Surface Treatments (Eff. 1-1-99)	
LRS 10	Reflective Sheeting Type C (Eff. 1-1-99) (Rev. 1-1-02)	140
LRS 11	Employment Practices (Eff. 1-1-99)	
LRS 12	Wages of Employees on Public Works (Eff. 1-1-99) (Rev. 4-1-06)	
LRS 13	Selection of Labor (Eff. 1-1-99)	
LRS 14	Paving Brick and Concrete Paver Pavements and Sidewalks (Eff. 1-1-04) (Rev. 1-1-07)	
LRS 15	Partial Payments (Eff. 1-1-07)	

## SPECIAL PROVISIONS PEDESTRIAN BRIDGE REPLACEMENT PROJECT

#### INDEX

ITEM	PAGE
LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
STATUS OF UTILITES TO BE ADJUSTED	2
NOTIFICATION OF CONSTRUCTION	2
COMPLIANCE WITH CODES	3
MAINTENANCE OF ROADWAYS	3
SPECIAL SPECIFICATIONS FOR PREFABRICATED BRIDGE	3
SPECIAL SPECIFICATIONS FOR GROUT	
PEDESTRIAN BRIDGE REMOVAL	
PRE-ENGINEERED STEEL TRUSS PEDESTRIAN BRIDGE	21
REMOVE AND REPLACE ANCHOR BOLTS	22
BRIDGE ELECTRICAL CONNECTION	22
TRAFFIC CONTROL AND PROTECTION (SPECIAL)	23
TRAFFIC CONTROL PLAN	23
IDNR	25
404	58

#### INDEX LOCAL ROADS AND STREETS SPECIAL PROVISIONS

LR # LR SD 12         Special Provision Title         Effective         Revised           LR SD 12         Slab Movement Detection Device         Nov. 11, 1984         Jan. 1, 2007           LR SD 13         Required Cold Milled Surface Texture         Nov. 1, 1987         Jan. 1, 2007           LR 102         Protests on Local Lettings         Jan. 1, 2007           LR 107-2         Railroad Protective Liability Insurance for Local Lettings         Mar. 1, 2005         Jan. 1, 2007           LR 107-3         Disadvantaged Business Enterprise Participation         Jan. 1, 2007         Aug. 1, 2007           LR 107-4         33         X         Insurance         Feb. 1, 2007         Aug. 1, 2007           LR 108         Combination Bids         Jan. 1, 1994         Mar. 1, 2005           LR 212         Shaping Roadway         Jan. 1, 1994         Mar. 1, 2005           LR 212         Asphalt Stabilized Base Course, Road Mix or Traveling Plant Mix         Oct. 1, 1973         Jan. 1, 2007           LR 355-1         Asphalt Stabilized Base Course, Plant Mix         Feb. 2, 1963         Jan. 1, 2007           LR 400-1         Bituminous Treated Earth Surface         Jan. 1, 2008           LR 400-2         Bituminous Surface Mixture (Class B)         Jan. 1, 2008           LR 400-3         Pavement Rehabilitation by
Protests on Local Lettings   Jan. 1, 2007
LR 105       30       X       Cooperation with Utilities       Jan. 1, 1999       Jan. 1, 2007         LR 107-2       Railroad Protective Liability Insurance for Local Lettings       Mar. 1, 2005       Jan. 1, 2006         LR 107-3       Disadvantaged Business Enterprise Participation       Jan. 1, 2007         LR 107-4       33       X       Insurance       Feb. 1, 2007       Aug. 1, 2007         LR 108       Combination Bids       Jan. 1, 1994       Mar. 1, 2005         LR 212       Shaping Roadway       Aug. 1, 1969       Jan. 1, 2002         LR 355-1       Asphalt Stabilized Base Course, Road Mix or Traveling Plant Mix       Oct. 1, 1973       Jan. 1, 2007         LR 400-1       Bituminous Treated Earth Surface       Jan. 1, 2008       Jan. 1, 2008         LR 400-2       Bituminous Surface Mixture (Class B)       Jan. 1, 2008       Jan. 1, 2008         LR 400-3       Pavement Rehabilitation by the Heat-Scarify-Overlay Method       Jan. 1, 2008       Jan. 1, 2007         LR 403-2       Bituminous Hot Mix Sand Seal Coat       Aug. 1, 1969       Jan. 1, 2007         LR 403-2       Bituminous Hot Mix Sand Seal Coat       Aug. 1, 1969       Jan. 1, 2007         LR 420       PCC Pavement (Special)       May 12, 1964       Jan. 2, 2007         LR 421       Bituminous Patch
LR 107-2       Rallroad Protective Liability Insurance for Local Lettings       Mar. 1, 2005       Jan. 1, 2006         LR 107-3       Disadvantaged Business Enterprise Participation       Jan. 1, 2007         LR 107-4       33       X       Insurance       Feb. 1, 2007       Aug. 1, 2007         LR 108       Combination Bids       Jan. 1, 1994       Mar. 1, 2005         LR 212       Shaping Roadway       Aug. 1, 1969       Jan. 1, 2002         LR 355-1       Asphalt Stabilized Base Course, Road Mix or Traveling Plant Mix       Oct. 1, 1973       Jan. 1, 2007         LR 400-1       Asphalt Stabilized Base Course, Plant Mix       Feb. 2, 1963       Jan. 1, 2007         LR 400-2       Bituminous Surface Earth Surface       Jan. 1, 2008         LR 400-3       Pavement Rehabilitation by the Heat-Scarify-Overlay Method       Jan. 1, 2008         LR 403-2       Bituminous Surface Course       Feb. 20, 1963       Jan. 1, 2007         LR 403-2       Bituminous Hot Mix Sand Seal Coat       Aug. 1, 1969       Jan. 1, 2007         LR 406       Filling HMA Core Holes with Non-shrink Grout       Jan. 1, 2008         LR 420       PCC Pavement (Special)       May 12, 1964       Jan. 2, 2007         LR 451       Crack Filling Bituminous Patching Mixtures for Maintenance Use       Jan. 1, 2004       Jun. 1, 2007<
LR 107-3         Disadvantaged Business Enterprise Participation         Jan. 1, 2007           LR 107-4         33         X           LR 108         Combination Bids         Jan. 1, 1994         Mar. 1, 2005           LR 212         Shaping Roadway         Aug. 1, 1969         Jan. 1, 2002           LR 355-1         Asphalt Stabilized Base Course, Road Mix or Traveling Plant Mix         Oct. 1, 1973         Jan. 1, 2007           LR 400-1         Bituminous Treated Earth Surface         Jan. 1, 2008           LR 400-2         Bituminous Surface Mixture (Class B)         Jan. 1, 2008           LR 400-3         Pavement Rehabilitation by the Heat-Scarify-Overlay Method         Jan. 1, 2008           LR 402         Salt Stabilized Surface Course         Feb. 20, 1963         Jan. 1, 2007           LR 403-2         Bituminous Hot Mix Sand Seal Coat         Aug. 1, 1969         Jan. 1, 2007           LR 406         Filling HMA Core Holes with Non-shrink Grout         Jan. 1, 2008         Jan. 1, 2008           LR 420         PCC Pavement (Special)         May 12, 1964         Jan. 2, 2007           LR 442         Bituminous Patching Mixtures for Maintenance Use         Jan. 1, 2004         Jun. 1, 2007           LR 451         Crack Filling Bituminous Pavement with Fiber-Asphalt         Oct. 1, 1973         Jan. 1, 2002
LR 107-4       33       X       Insurance       Feb. 1, 2007       Aug. 1, 2007         LR 108       Combination Bids       Jan. 1, 1994       Mar. 1, 2005         LR 212       Shaping Roadway       Aug. 1, 1969       Jan. 1, 2002         LR 355-1       Asphalt Stabilized Base Course, Road Mix or Traveling Plant Mix       Oct. 1, 1973       Jan. 1, 2007         LR 355-2       Asphalt Stabilized Base Course, Plant Mix       Feb. 2, 1963       Jan. 1, 2007         LR 400-1       Bituminous Treated Earth Surface       Jan. 1, 2008         LR 400-2       Bituminous Surface Mixture (Class B)       Jan. 1, 2008         LR 400-3       Pavement Rehabilitation by the Heat-Scarify-Overlay Method       Jan. 1, 2008         LR 402       Salt Stabilized Surface Course       Feb. 20, 1963       Jan. 1, 2007         LR 403-2       Bituminous Hot Mix Sand Seal Coat       Aug. 1, 1969       Jan. 1, 2007         LR 406       Filling HMA Core Holes with Non-shrink Grout       Jan. 1, 2008         LR 420       PCC Pavement (Special)       May 12, 1964       Jan. 2, 2007         LR 442       Bituminous Patching Mixtures for Maintenance Use       Jan. 1, 2004       Jun. 1, 2007         LR 451       Crack Filling Bituminous Pavement with Fiber-Asphalt       Oct. 1, 1991       Jan. 1, 2002
LR 108       Combination Bids       Jan. 1, 1994       Mar. 1, 2005         LR 212       Shaping Roadway       Aug. 1, 1969       Jan. 1, 2002         LR 355-1       Asphalt Stabilized Base Course, Road Mix or Traveling Plant Mix       Oct. 1, 1973       Jan. 1, 2007         LR 355-2       Asphalt Stabilized Base Course, Plant Mix       Feb. 2, 1963       Jan. 1, 2007         LR 400-1       Bituminous Treated Earth Surface       Jan. 1, 2008         LR 400-2       Bituminous Surface Mixture (Class B)       Jan. 1, 2008         LR 400-3       Pavement Rehabilitation by the Heat-Scarify-Overlay Method       Jan. 1, 2008         LR 402       Salt Stabilized Surface Course       Feb. 20, 1963       Jan. 1, 2007         LR 403-2       Bituminous Hot Mix Sand Seal Coat       Aug. 1, 1969       Jan. 1, 2007         LR 406       Filling HMA Core Holes with Non-shrink Grout       Jan. 1, 2008         LR 420       PCC Pavement (Special)       May 12, 1964       Jan. 2, 2007         LR 442       Bituminous Patching Mixtures for Maintenance Use       Jan. 1, 2004       Jun. 1, 2007         LR 451       Crack Filling Bituminous Pavement with Fiber-Asphalt       Oct. 1, 1991       Jan. 1, 2007         LR 503-1       Furnishing Class SI Concrete       Oct. 1, 1973       Jan. 1, 2002         LR 503-2
LR 212 Shaping Roadway  Asphalt Stabilized Base Course, Road Mix or Traveling Plant Mix  Oct. 1, 1973 Jan. 1, 2007  LR 355-2 Asphalt Stabilized Base Course, Plant Mix  Feb. 2, 1963 Jan. 1, 2007  LR 400-1 Bituminous Treated Earth Surface  LR 400-2 Bituminous Surface Mixture (Class B)  LR 400-3 Pavement Rehabilitation by the Heat-Scarify-Overlay Method  LR 402 Salt Stabilized Surface Course  LR 403-2 Bituminous Hot Mix Sand Seal Coat  LR 406 Filling HMA Core Holes with Non-shrink Grout  LR 420 PCC Pavement (Special)  LR 442 Bituminous Patching Mixtures for Maintenance Use  LR 451 Crack Filling Bituminous Pavement with Fiber-Asphalt  Cot. 1, 1973 Jan. 1, 2007  LR 503-1 Furnishing Class SI Concrete  Furnishing Class SI Concrete (Short Load)  Jan. 1, 1989 Jan. 1, 2002
LR 355-1 Asphalt Stabilized Base Course, Road Mix or Traveling Plant Mix Oct. 1, 1973 Jan. 1, 2007 LR 355-2 Asphalt Stabilized Base Course, Plant Mix Feb. 2, 1963 Jan. 1, 2007 LR 400-1 Bituminous Treated Earth Surface Jan. 1, 2008 LR 400-2 Bituminous Surface Mixture (Class B) LR 400-3 Pavement Rehabilitation by the Heat-Scarify-Overlay Method Jan. 1, 2008 LR 402 Salt Stabilized Surface Course Feb. 20, 1963 Jan. 1, 2007 LR 403-2 Bituminous Hot Mix Sand Seal Coat Aug. 1, 1969 Jan. 1, 2007 LR 406 Filling HMA Core Holes with Non-shrink Grout Jan. 1, 2008 LR 420 PCC Pavement (Special) May 12, 1964 Jan. 2, 2007 LR 442 Bituminous Patching Mixtures for Maintenance Use Jan. 1, 2004 Jun. 1, 2007 LR 451 Crack Filling Bituminous Pavement with Fiber-Asphalt Oct. 1, 1991 Jan. 1, 2007 LR 503-1 Furnishing Class SI Concrete Oct. 1, 1973 Jan. 1, 2002 LR 503-2 Furnishing Class SI Concrete (Short Load) Jan. 1, 1989 Jan. 1, 2002
LR 355-2 Asphalt Stabilized Base Course, Plant Mix Feb. 2, 1963 Jan. 1, 2007 LR 400-1 Bituminous Treated Earth Surface Jan. 1, 2008 LR 400-2 Bituminous Surface Mixture (Class B) LR 400-3 Pavement Rehabilitation by the Heat-Scarify-Overlay Method Jan. 1, 2008 LR 402 Salt Stabilized Surface Course Feb. 20, 1963 Jan. 1, 2007 LR 403-2 Bituminous Hot Mix Sand Seal Coat Aug. 1, 1969 Jan. 1, 2007 LR 406 Filling HMA Core Holes with Non-shrink Grout Jan. 1, 2008 LR 420 PCC Pavement (Special) May 12, 1964 Jan. 2, 2007 LR 442 Bituminous Patching Mixtures for Maintenance Use Jan. 1, 2004 Jun. 1, 2007 LR 451 Crack Filling Bituminous Pavement with Fiber-Asphalt Oct. 1, 1991 Jan. 1, 2007 LR 503-1 Furnishing Class SI Concrete Oct. 1, 1973 Jan. 1, 2002 LR 503-2 Furnishing Class SI Concrete (Short Load) Jan. 1, 1989 Jan. 1, 2002
LR 400-1 LR 400-2 LR 400-2 Bituminous Surface Mixture (Class B) LR 400-3 LR 402 Salt Stabilized Surface Course LR 403-2 LR 403-2 LR 406 LR 420 LR 420 LR 420 LR 420 LR 420 LR 420 LR 421 LR 422 LR 422 LR 423 LR 424 LR 424 LR 425 LR 425 LR 426 LR 427 LR 427 LR 427 LR 428 LR 428 LR 429 LR 429 LR 429 LR 429 LR 420
LR 400-2 LR 400-3 Pavement Rehabilitation by the Heat-Scarify-Overlay Method Jan. 1, 2008 LR 402 Salt Stabilized Surface Course Feb. 20, 1963 Jan. 1, 2007 LR 403-2 Bituminous Hot Mix Sand Seal Coat LR 406 Filling HMA Core Holes with Non-shrink Grout Jan. 1, 2008 LR 420 PCC Pavement (Special) May 12, 1964 Jan. 2, 2007 LR 442 Bituminous Patching Mixtures for Maintenance Use Jan. 1, 2004 Jun. 1, 2007 LR 451 Crack Filling Bituminous Pavement with Fiber-Asphalt Oct. 1, 1991 Jan. 1, 2007 LR 503-1 Furnishing Class SI Concrete Furnishing Class SI Concrete (Short Load) Jan. 1, 1989 Jan. 1, 2002
LR 400-3       Pavement Rehabilitation by the Heat-Scarify-Overlay Method       Jan. 1, 2008         LR 402       Salt Stabilized Surface Course       Feb. 20, 1963       Jan. 1, 2007         LR 403-2       Bituminous Hot Mix Sand Seal Coat       Aug. 1, 1969       Jan. 1, 2007         LR 406       Filling HMA Core Holes with Non-shrink Grout       Jan. 1, 2008         LR 420       PCC Pavement (Special)       May 12, 1964       Jan. 2, 2007         LR 442       Bituminous Patching Mixtures for Maintenance Use       Jan. 1, 2004       Jun. 1, 2007         LR 451       Crack Filling Bituminous Pavement with Fiber-Asphalt       Oct. 1, 1991       Jan. 1, 2007         LR 503-1       Furnishing Class SI Concrete       Oct. 1, 1973       Jan. 1, 2002         LR 503-2       Furnishing Class SI Concrete (Short Load)       Jan. 1, 1989       Jan. 1, 2002
LR 402       Salt Stabilized Surface Course       Feb. 20, 1963       Jan. 1, 2007         LR 403-2       Bituminous Hot Mix Sand Seal Coat       Aug. 1, 1969       Jan. 1, 2007         LR 406       Filling HMA Core Holes with Non-shrink Grout       Jan. 1, 2008         LR 420       PCC Pavement (Special)       May 12, 1964       Jan. 2, 2007         LR 442       Bituminous Patching Mixtures for Maintenance Use       Jan. 1, 2004       Jun. 1, 2007         LR 451       Crack Filling Bituminous Pavement with Fiber-Asphalt       Oct. 1, 1991       Jan. 1, 2007         LR 503-1       Furnishing Class SI Concrete       Oct. 1, 1973       Jan. 1, 2002         LR 503-2       Furnishing Class SI Concrete (Short Load)       Jan. 1, 1989       Jan. 1, 2002
LR 403-2       Bituminous Hot Mix Sand Seal Coat       Aug. 1, 1969       Jan. 1, 2007         LR 406       Filling HMA Core Holes with Non-shrink Grout       Jan. 1, 2008         LR 420       PCC Pavement (Special)       May 12, 1964       Jan. 2, 2007         LR 442       Bituminous Patching Mixtures for Maintenance Use       Jan. 1, 2004       Jun. 1, 2007         LR 451       Crack Filling Bituminous Pavement with Fiber-Asphalt       Oct. 1, 1991       Jan. 1, 2007         LR 503-1       Furnishing Class SI Concrete       Oct. 1, 1973       Jan. 1, 2002         LR 503-2       Furnishing Class SI Concrete (Short Load)       Jan. 1, 1989       Jan. 1, 2002
LR 406       Filling HMA Core Holes with Non-shrink Grout       Jan. 1, 2008         LR 420       PCC Pavement (Special)       May 12, 1964       Jan. 2, 2007         LR 442       Bituminous Patching Mixtures for Maintenance Use       Jan. 1, 2004       Jun. 1, 2007         LR 451       Crack Filling Bituminous Pavement with Fiber-Asphalt       Oct. 1, 1991       Jan. 1, 2007         LR 503-1       Furnishing Class SI Concrete       Oct. 1, 1973       Jan. 1, 2002         LR 503-2       Furnishing Class SI Concrete (Short Load)       Jan. 1, 1989       Jan. 1, 2002
LR 420       PCC Pavement (Special)       May 12, 1964       Jan. 2, 2007         LR 442       Bituminous Patching Mixtures for Maintenance Use       Jan. 1, 2004       Jun. 1, 2007         LR 451       Crack Filling Bituminous Pavement with Fiber-Asphalt       Oct. 1, 1991       Jan. 1, 2007         LR 503-1       Furnishing Class SI Concrete       Oct. 1, 1973       Jan. 1, 2002         LR 503-2       Furnishing Class SI Concrete (Short Load)       Jan. 1, 1989       Jan. 1, 2002
LR 442 Bituminous Patching Mixtures for Maintenance Use Jan. 1, 2004 Jun. 1, 2007 LR 451 Crack Filling Bituminous Pavement with Fiber-Asphalt Oct. 1, 1991 Jan. 1, 2007 LR 503-1 Furnishing Class SI Concrete LR 503-2 Furnishing Class SI Concrete (Short Load) Jan. 1, 1989 Jan. 1, 2002
LR 451 Crack Filling Bituminous Pavement with Fiber-Asphalt Oct. 1, 1991 Jan. 1, 2007 LR 503-1 Furnishing Class SI Concrete LR 503-2 Furnishing Class SI Concrete (Short Load) Jan. 1, 1989 Jan. 1, 2002
LR 503-1       Furnishing Class SI Concrete       Oct. 1, 1973       Jan. 1, 2002         LR 503-2       Furnishing Class SI Concrete (Short Load)       Jan. 1, 1989       Jan. 1, 2002
LR 503-2 Furnishing Class SI Concrete (Short Load) Jan. 1, 1989 Jan. 1, 2002
LR 542 Pipe Culverts, Type (Furnished) Sep. 1, 1964 Jan. 1, 2007
LR 663 Jun. 1, 1958 Jan. 1, 2007
LR 702 Construction and Maintenance Signs Jan. 1, 2004 Jun. 1, 2007
LR 1004 Coarse Aggregate for Bituminous Surface Treatment Jan. 1, 2002 Jan. 1, 2007
LR 1013 Rock Salt (Sodium Chloride) Aug. 1, 1969 Jan. 1, 2002
LR 1032-1 Penetrating Emulsions Jan. 1, 2007 Feb. 1, 2007
LR 1032-2 Multigrade Cold Mix Asphal Jan. 1, 2007 Feb. 1, 2007
LR 1102 Road Mix or Traveling Plan Mix Equipment Jan. 1, 2007

## BDE SPECIAL PROVISIONS For the April 25 and June 13, 2008 Lettings

The following special provisions indicated by an "x" are applicable to this contract. An  $\star$  indicates a new or revised special provision for the letting.

File Name
Asbestos Bearing Pad Removal   Asbestos Hot-Mix Asphalt   June 1, 1989   Jan. 2, 2007
Asbestos Waterproofing Membrane and Asbestos Hot-Mix Asphalt   June 1, 1989   Jan. 2, 2007   Surface Removal   Automated Flagger Assistance Device   Jan. 1, 2008   Bituminous Materials Cost Adjustments   Nov. 2, 2006   Jan. 2, 2007   Soz61   Building Removal-Case II (Non-Friable and Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So481   Building Removal-Case II (Non-Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So491   Building Removal-Case II (Non-Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Building Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Building Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Soliding Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Soliding Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Soliding Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Soliding Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So198   Completion Date (via calendar days)   Sept. 1, 1990   Jan. 1, 2007   Jan. 1, 2007   So198   Completion Date (via calendar days)   Sept. 1, 1990   Jan. 1, 2007   So198   Completion Date (via calendar days)   Sept. 1, 1990   Jan. 1, 2007   So198   Concrete Barrier   Jan. 1, 2007   Solidar Terrim Modeling for Earthwork Calculations   April 2, 2007   Jan. 1, 2007   Solidar Terrim Modeling for Earthwork Calculations   April 2, 2007   Jan. 1, 2007   Solidar Terrim Modeling For Earthwork Calculations   Sept. 1, 2000   Jan. 1, 2007   Solidar Terrim Modeling For Earthwork Calculations   April 2, 2007   Jan. 1, 2007   Solidar Terrim Modeling For Earthwork Calculations   April 2, 2007   Jan. 1, 2007   Solidar S
Asbestos Waterproofing Membrane and Asbestos Hot-Mix Asphalt   June 1, 1989   Jan. 2, 2007   Surface Removal   Automated Flagger Assistance Device   Jan. 1, 2008   Bituminous Materials Cost Adjustments   Nov. 2, 2006   Jan. 2, 2007   Soz61   Building Removal-Case II (Non-Friable and Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So481   Building Removal-Case II (Non-Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So491   Building Removal-Case II (Non-Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Building Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Building Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Soliding Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Soliding Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Soliding Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So531   Soliding Removal-Case II (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007   So198   Completion Date (via calendar days)   Sept. 1, 1990   Jan. 1, 2007   Jan. 1, 2007   So198   Completion Date (via calendar days)   Sept. 1, 1990   Jan. 1, 2007   So198   Completion Date (via calendar days)   Sept. 1, 1990   Jan. 1, 2007   So198   Concrete Barrier   Jan. 1, 2007   Solidar Terrim Modeling for Earthwork Calculations   April 2, 2007   Jan. 1, 2007   Solidar Terrim Modeling for Earthwork Calculations   April 2, 2007   Jan. 1, 2007   Solidar Terrim Modeling For Earthwork Calculations   Sept. 1, 2000   Jan. 1, 2007   Solidar Terrim Modeling For Earthwork Calculations   April 2, 2007   Jan. 1, 2007   Solidar Terrim Modeling For Earthwork Calculations   April 2, 2007   Jan. 1, 2007   Solidar S
Surface Removal
Bituminous Materials Cost Adjustments   Nov. 2, 2006   Jan. 2, 2007
Bituminous Materials Cost Adjustments   Nov. 2, 2006   Jan. 2, 2007
Building Removal-Case II (Non-Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007
Building Removal-Case III (Friable Asbestos)   Sept. 1, 1990   Jan. 1, 2007
Sob53    Building Removal-Case IV (No Asbestos)   Sept. 1, 1990   Jan. 1, 2007   Nov. 1, 2008   Nov. 1, 2007   Nov. 1, 2008   Nov. 1, 2007   Nov. 1, 2008   Nov. 1, 2009   Nov. 1, 2009
Sol   Sol   Cement
Sol198
Concrete Barrier   Jan. 1, 2008   April 1, 2007
Concrete Barrier   Jan. 1, 2008   April 1, 2007
B0177   B0029   34   X   Digital Terrain Modeling for Earthwork Calculations   April 1, 2007   Sept. 1, 2000   Jan. 1, 2007   B0178   Dowel Bars   Electrical Service Installation – Traffic Signals   Jan. 1, 2007   Jan. 1, 2007   B0190   Engineer's Field Office (Long Distance Bill)   Nov. 1, 2007   April 1, 2007   B0179   Engineer's Field Office Type A   April 1, 2007   Jan. 1, 2007   B0175   Epoxy Pavement Markings   Jan. 1, 2007   Jan. 2, 2008   B0180   Erosion and Sediment Control Deficiency Deduction   April 1, 2007   Jan. 2, 2008   B0180   High Tension Cable Median Barrier   Jan. 1, 2007   Jan. 1, 2007   Jan. 2, 2008   Hot-Mix Asphalt — Field Voids in the Mineral Aggregate   April 1, 2007   April 1, 2008   Hot-Mix Asphalt — Field Voids in the Mineral Aggregate   April 1, 2008   Jan. 1, 2008   Hot-Mix Asphalt Mixture IL-4.75   Nov. 1, 2008   Jan. 1, 2007   Jan. 1, 2008   Jan. 1, 2007   Jan. 1, 2008   Jan. 1, 2007   Jan. 1, 2007   Jan. 1, 2007   Jan. 1, 2008   Jan. 1, 2008   Jan. 1, 2007   Jan. 1, 2008   Jan. 1, 2007   Ja
80029 34 X Disadvantaged Business Enterprise Participation         Sept. 1, 2000 Jan. 1, 2007 April 1, 2007 Jan. 1, 2008           80167 Electrical Service Installation – Traffic Signals         Jan. 1, 2007 Jan. 1, 2008           80190 Engineer's Field Office (Long Distance Bill)         Nov. 1, 2007 April 1, 2007           80179 Engineer's Field Office Type A Engineer's Field Office Type A April 1, 2007         April 1, 2007 Jan. 1, 2007           80180 Erosion and Sediment Control Deficiency Deduction April 1, 2007 High Tension Cable Median Barrier Jan. 1, 2007 High Tension Cable Median Barrier Jan. 1, 2007 High Tension Cable Median Barrier Jan. 1, 2008 Hot-Mix Asphalt – Field Voids in the Mineral Aggregate April 1, 2007 April 1, 2008 Hot Mix Asphalt – Flant Test Frequency April 1, 2008 Hot Mix Asphalt – Flant Test Frequency April 1, 2008 Hot-Mix Asphalt Mixture IL-4.75 Nov. 1, 2004 Jan. 1, 2008 Hot-Mix Asphalt Mixture IL-4.75 Nov. 1, 2004 Jan. 1, 2008 Hot-Mix Asphalt Mixture IL-9.5L Jan. 1, 2008 Hot-Mix Asphalt Mixture IL-9.5L Jan. 1, 2008 Hot-Mix Asphalt Mixture IL-9.5L Jan. 1, 2008 Hot-Mix Asphalt Transportation Nov. 1, 2003 Jan. 1, 2007 Mast Arm Assembly and Pole Jan. 1, 2008 Material Transfer Device June 15, 1999 Jan. 1, 2007 Moisture Cured Urethane Paint System Nov. 1, 2006 Jan. 1, 2007 Moisture Cured Urethane Paint System Nov. 1, 2002 Jan. 1, 2007 Notched Wedge Longitudinal Joint July 1, 2004 Jan. 1, 2007 Notched Wedge Longitudinal Joint Nov. 1, 2001 Jan. 1, 2007 April 1, 2007 Notched Wedge Longitudinal Joint Nov. 1, 2001 Jan. 1, 2007 Notched Wedge Longitudinal Joint Nov. 1, 2001 Jan. 1, 2007 Not. 1, 2001 Jan. 1, 2008 Nov. 1, 2001 Jan. 1, 2007 Nov. 1, 2001 Jan. 1
80178         Dowel Bars         April 1, 2007         Jan. 1, 2008           80167         Electrical Service Installation – Traffic Signals         Jan. 1, 2007           80190         Engineer's Field Office (Long Distance Bill)         Nov. 1, 2007           80179         Engineer's Field Office Type A         April 1, 2007           80175         Epoxy Pavement Markings         Jan. 1, 2007           80189         42         X Equipment Rental Rates         Aug. 2, 2007         Jan. 2, 2008           80180         Erosion and Sediment Control Deficiency Deduction         April 1, 2007         Jan. 1, 2007           80169         High Tension Cable Median Barrier         Jan. 1, 2008         Jan. 1, 2008           80181         Hot-Mix Asphalt — Field Voids in the Mineral Aggregate         April 1, 2007         April 1, 2008           80201         Hot Mix Asphalt — Field Voids in the Mineral Aggregate         April 1, 2008         April 1, 2008           80136         Hot-Mix Asphalt Mixture IL-4.75         Nov. 1, 2004         Jan. 1, 2008           80195         Hot-Mix Asphalt Mixture IL-9.5L         Jan. 1, 2008           80109         Impact Attenuators         Nov. 1, 2003         Jan. 1, 2007           80110         Impact Attenuators, Temporary         Nov. 1, 2003         Jan. 1, 2007
Bol167
Engineer's Field Office (Long Distance Bill)   Nov. 1, 2007
Engineer's Field Office Type A
Epoxy Pavement Markings   Jan. 1, 2007
80189       42       X       Equipment Rental Rates       Aug. 2, 2007       Jan. 2, 2008         80180       Erosion and Sediment Control Deficiency Deduction       April 1, 2007       Jan. 1, 2007         80169       High Tension Cable Median Barrier       Jan. 1, 2007       Jan. 1, 2007         80194       HMA – Hauling on Partially Completed Full-Depth Pavement       Jan. 1, 2008         * 80181       Hot-Mix Asphalt – Field Voids in the Mineral Aggregate       April 1, 2007       April 1, 2008         * 80201       Hot Mix Asphalt – Plant Test Frequency       April 1, 2008         * 80202       Hot Mix Asphalt Test Frequency       April 1, 2008         * 80136       Hot-Mix Asphalt Mixture IL-4.75       Nov. 1, 2004       Jan. 1, 2008         * 80195       Hot-Mix Asphalt Mixture IL-9.5L       Jan. 1, 2008         * 80109       Impact Attenuators       Nov. 1, 2003       Jan. 1, 2007         * 80110       Impact Attenuators, Temporary       Nov. 1, 2003       Jan. 1, 2007         * 80165       Material Transfer Device       Jue 15, 1999       Jan. 1, 2007         * 80082       Mother Cured Urethane Paint System       Nov. 1, 2006       Jan. 1, 2007         * 80182       Notched Wedge Longitudinal Joint       July 1, 2004       Jan. 1, 2007         * 80069
80180         Erosion and Sediment Control Deficiency Deduction         April 1, 2007           80169         High Tension Cable Median Barrier         Jan. 1, 2007           80194         HMA – Hauling on Partially Completed Full-Depth Pavement         Jan. 1, 2008           * 80181         Hot-Mix Asphalt – Field Voids in the Mineral Aggregate         April 1, 2007         April 1, 2008           * 80201         Hot Mix Asphalt – Plant Test Frequency         April 1, 2008         April 1, 2008           * 80202         Hot Mix Asphalt Mixture IL-4.75         Nov. 1, 2004         Jan. 1, 2008           80136         Hot-Mix Asphalt Mixture IL-9.5L         Jan. 1, 2008           80195         Hot-Mix Asphalt Mixture IL-9.5L         Jan. 1, 2008           80109         Impact Attenuators         Nov. 1, 2003         Jan. 1, 2007           80110         Impact Attenuators, Temporary         Nov. 1, 2003         Jan. 1, 2007           80196         Mast Arm Assembly and Pole         Jan. 1, 2008           80045         Material Transfer Device         June 15, 1999         Jan. 1, 2007           80082         Moisture Cured Urethane Paint System         Nov. 1, 2002         Jan. 1, 2007           80182         Notched Wedge Longitudinal Joint         July 1, 2004         Jan. 1, 2007           8069         O
High Tension Cable Median Barrier   Jan. 1, 2007
HMA - Hauling on Partially Completed Full-Depth Pavement   Jan. 1, 2008     * 80181
** 80181       Hot-Mix Asphalt – Field Voids in the Mineral Aggregate       April 1, 2007       April 1, 2008         ** 80201       Hot Mix Asphalt – Plant Test Frequency       April 1, 2008         ** 80202       Hot Mix Asphalt – Transportation       April 1, 2008         80136       Hot-Mix Asphalt Mixture IL-4.75       Nov. 1, 2004       Jan. 1, 2008         80195       Hot-Mix Asphalt Mixture IL-9.5L       Jan. 1, 2008         80109       Impact Attenuators       Nov. 1, 2003       Jan. 1, 2007         80110       Impact Attenuators, Temporary       Nov. 1, 2003       Jan. 1, 2007         80196       Mast Arm Assembly and Pole       Jan. 1, 2008         80045       Material Transfer Device       June 15, 1999       Jan. 1, 2007         80165       Moisture Cured Urethane Paint System       Nov. 1, 2006       Jan. 1, 2007         80082       Multilane Pavement Patching       Nov. 1, 2002       Jan. 1, 2007         80182       Notched Wedge Longitudinal Joint       July 1, 2004       Jan. 1, 2007         80182       Notification of Reduced Width       April 1, 2007         80069       Organic Zinc-Rich Paint System       Nov. 1, 2001       Jan. 1, 2008
* 80201       Hot Mix Asphalt – Plant Test Frequency       April 1, 2008         * 80202       Hot Mix Asphalt – Transportation       April 1, 2008         80136       Hot-Mix Asphalt Mixture IL-4.75       Nov. 1, 2004       Jan. 1, 2008         80195       Hot-Mix Asphalt Mixture IL-9.5L       Jan. 1, 2008         80109       Impact Attenuators       Nov. 1, 2003       Jan. 1, 2007         80110       Impact Attenuators, Temporary       Nov. 1, 2003       Jan. 1, 2007         80196       Mast Arm Assembly and Pole       Jan. 1, 2008         80045       Material Transfer Device       June 15, 1999       Jan. 1, 2007         80165       Moisture Cured Urethane Paint System       Nov. 1, 2006       Jan. 1, 2007         80082       Multilane Pavement Patching       Nov. 1, 2002         80129       Notched Wedge Longitudinal Joint       July 1, 2004       Jan. 1, 2007         80182       Notification of Reduced Width       April 1, 2007         80069       Organic Zinc-Rich Paint System       Nov. 1, 2001       Jan. 1, 2008
Hot Mix Asphalt - Transportation
80136       Hot-Mix Asphalt Mixture IL-4.75       Nov. 1, 2004       Jan. 1, 2008         80195       Hot-Mix Asphalt Mixture IL-9.5L       Jan. 1, 2008         80109       Impact Attenuators       Nov. 1, 2003       Jan. 1, 2007         80110       Impact Attenuators, Temporary       Nov. 1, 2003       Jan. 1, 2007         80196       Mast Arm Assembly and Pole       Jan. 1, 2008         80045       Material Transfer Device       June 15, 1999       Jan. 1, 2007         80165       Moisture Cured Urethane Paint System       Nov. 1, 2006       Jan. 1, 2007         80082       Multilane Pavement Patching       Nov. 1, 2002         80129       Notched Wedge Longitudinal Joint       July 1, 2004       Jan. 1, 2007         80182       Notification of Reduced Width       April 1, 2007         80069       Organic Zinc-Rich Paint System       Nov. 1, 2001       Jan. 1, 2008
80195       Hot-Mix Asphalt Mixture IL-9.5L       Jan. 1, 2008         80109       Impact Attenuators       Nov. 1, 2003       Jan. 1, 2007         80110       Impact Attenuators, Temporary       Nov. 1, 2003       Jan. 1, 2007         80196       Mast Arm Assembly and Pole       Jan. 1, 2008         80045       Material Transfer Device       June 15, 1999       Jan. 1, 2007         80165       Moisture Cured Urethane Paint System       Nov. 1, 2006       Jan. 1, 2007         80082       Multilane Pavement Patching       Nov. 1, 2002         80129       Notched Wedge Longitudinal Joint       July 1, 2004       Jan. 1, 2007         80182       Notification of Reduced Width       April 1, 2007         80069       Organic Zinc-Rich Paint System       Nov. 1, 2001       Jan. 1, 2008
80109       Impact Attenuators       Nov. 1, 2003       Jan. 1, 2007         80110       Impact Attenuators, Temporary       Nov. 1, 2003       Jan. 1, 2007         80196       Mast Arm Assembly and Pole       Jan. 1, 2008         80045       Material Transfer Device       June 15, 1999       Jan. 1, 2007         80165       Moisture Cured Urethane Paint System       Nov. 1, 2006       Jan. 1, 2007         80082       Multilane Pavement Patching       Nov. 1, 2002         80129       Notched Wedge Longitudinal Joint       July 1, 2004       Jan. 1, 2007         80182       Notification of Reduced Width       April 1, 2007         80069       Organic Zinc-Rich Paint System       Nov. 1, 2001       Jan. 1, 2008
80110       Impact Attenuators, Temporary       Nov. 1, 2003       Jan. 1, 2007         80196       Mast Arm Assembly and Pole       Jan. 1, 2008         80045       Material Transfer Device       June 15, 1999       Jan. 1, 2007         80165       Moisture Cured Urethane Paint System       Nov. 1, 2006       Jan. 1, 2007         80082       Multilane Pavement Patching       Nov. 1, 2002         80129       Notched Wedge Longitudinal Joint       July 1, 2004       Jan. 1, 2007         80182       Notification of Reduced Width       April 1, 2007         80069       Organic Zinc-Rich Paint System       Nov. 1, 2001       Jan. 1, 2008
80196       Mast Arm Assembly and Pole       Jan. 1, 2008         80045       Material Transfer Device       June 15, 1999       Jan. 1, 2007         80165       Moisture Cured Urethane Paint System       Nov. 1, 2006       Jan. 1, 2007         80082       Multilane Pavement Patching       Nov. 1, 2002         80129       Notched Wedge Longitudinal Joint       July 1, 2004       Jan. 1, 2007         80182       Notification of Reduced Width       April 1, 2007         80069       Organic Zinc-Rich Paint System       Nov. 1, 2001       Jan. 1, 2008
80045       Material Transfer Device       June 15, 1999       Jan. 1, 2007         80165       Moisture Cured Urethane Paint System       Nov. 1, 2006       Jan. 1, 2007         80082       Multilane Pavement Patching       Nov. 1, 2002         80129       Notched Wedge Longitudinal Joint       July 1, 2004       Jan. 1, 2007         80182       Notification of Reduced Width       April 1, 2007         80069       Organic Zinc-Rich Paint System       Nov. 1, 2001       Jan. 1, 2008
80165Moisture Cured Urethane Paint SystemNov. 1, 2006Jan. 1, 200780082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004Jan. 1, 200780182Notification of Reduced WidthApril 1, 200780069Organic Zinc-Rich Paint SystemNov. 1, 2001Jan. 1, 2008
80082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004Jan. 1, 200780182Notification of Reduced WidthApril 1, 200780069Organic Zinc-Rich Paint SystemNov. 1, 2001Jan. 1, 2008
80129Notched Wedge Longitudinal JointJuly 1, 2004Jan. 1, 200780182Notification of Reduced WidthApril 1, 200780069Organic Zinc-Rich Paint SystemNov. 1, 2001Jan. 1, 2008
80182 Notification of Reduced Width April 1, 2007 80069 Organic Zinc-Rich Paint System Nov. 1, 2001 Jan. 1, 2008
80069 Organic Zinc-Rich Paint System Nov. 1, 2001 Jan. 1, 2008
80022 44 X Payments to Subcontractors June 1, 2000 Jan. 1, 2006
80134 Plastic Blockouts for Guardrail Nov. 1, 2004 Jan. 1, 2007
80119 Polyurea Pavement Marking April 1, 2004 Jan. 1, 2007
80170 Portland Cement Concrete Plants Jan. 1, 2007
80171 Precast Handling Holes Jan. 1, 2007

<u>File Name</u>	<u>Pg#</u>		Special Provision Title	<u>Effective</u>	<u>Revised</u>
80015	_		Public Convenience and Safety	Jan. 1, 2000	
3426I			Railroad Protective Liability Insurance	Dec. 1, 1986	Jan. 1, 2006
80157	46	Χ	Railroad Protective Liability Insurance (5 and 10)	Jan. 1, 2006	
80172			Reclaimed Asphalt Pavement (RAP)	Jan. 1, 2007	Aug. 1, 2007
80183	48	X	Reflective Sheeting on Channelizing Devices	April 1, 2007	
80151			Reinforcement Bars	Nov. 1, 2005	Jan. 2, 2008
80164			Removal and Disposal of Regulated Substances	Aug. 1, 2006	Jan. 1, 2007
80184			Retroreflective Sheeting, Nonreflective Sheeting, and Translucent	April 1, 2007	
			Overlay Film for Highway Signs		
80131			Seeding	July 1, 2004	Aug. 1, 2007
80152			Self-Consolidating Concrete for Cast-In-Place Construction	Nov. 1, 2005	Jan. 1, 2007
80132			Self-Consolidating Concrete for Precast Products	July 1, 2004	Jan. 1, 2007
80197			Silt Filter Fence	Jan. 1, 2008	
80127	49	X_	Steel Cost Adjustment	April 2, 2004	April 1, 2007
* 80203			Steel Inserts and Brackets Cast into Concrete	April 1, 2008	
80153			Steel Plate Beam Guardrail	Nov. 1, 2005	Aug. 1, 2007
80191			Stone Gradation Testing	Nov. 1, 2007	
80143	50	Χ	Subcontractor Mobilization Payments	April 2, 2005	
80075			Surface Testing of Pavements	April 1, 2002	Jan. 1, 2007
80087			Temporary Erosion Control	Nov. 1, 2002	Jan. 1, 2008
80176			Thermoplastic Pavement Markings	Jan. 1, 2007	
80161			Traffic Signal Grounding	April 1, 2006	Jan. 1, 2007
20338			Training Special Provisions	Oct. 15, 1975	
80185			Type ZZ Retroreflective Sheeting, Nonreflective Sheeting, and	April 1, 2007	,
			Translucent Overlay Film for Highway Signs		
80162			Uninterruptable Power Supply (UPS)	April 1, 2006	Jan. 1, 2007
80149			Variable Spaced Tining	Aug. 1, 2005	Jan. 1, 2007
80163	•		Water Blaster with Vacuum Recovery	April 1, 2006	Jan. 1, 2007
80071	51	Χ	Working Days	Jan. 1, 2002	
* 80204			Woven Wire Fence	April 1, 2008	

The following special provisions have been **deleted** from use:

#### 80187 Legal Requirements to be Observed

The following special provisions are in the 2008 Supplemental Specifications and Recurring Special Provisions:

File Name	Special Provision Title	New Location	<u>Effective</u>	<u>Revised</u>
80168	Errata for the 2007 Standard Specifications	Supplemental	Jan. 1, 2007	Aug.1, 2007
80142	Hot-Mix Asphalt Equipment, Spreading and Finishing	Article 1102.3	Jan. 1, 2005	Jan. 1, 2007
	Machine			
80148	Planting Woody Plants	Section 253	Jan. 1, 2006	•
80160	Reflective Crack Control Treatment	Section 443, Article 1062.04	April 1, 2006	Jan. 1, 2007
80154	Turf Reinforcement Mat	Section 251	Nov. 1, 2005	Jan. 1, 2007

# **SPECIAL PROVISIONS**

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction", adopted January 1, 2007, herein referred to as the Standard Specifications, the latest edition of the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", and the Manual of Test Procedures for Materials in effect on the date of invitation for bids, herein referred to as the Specifications, and the "Supplemental Specifications and Recurring Special Provisions" indicated on the Check Sheet included herein which apply to and govern and in case of conflict with any part or parts of said Specifications, the said Special Provisions shall take precedence and shall govern the construction of:

REPLACEMENT OF PEDESTRIAN BRIDGE OVER SALT CREEK PROJECT CMM-8003(673) VILLAGE SECTION 06-00120-00-BR VILLAGE OF BROOKFIELD COOK COUNTY

# **LOCATION OF PROJECT**

The location of the project shall be just south of Brookfield Avenue across from the Village Hall located at 8820 Brookfield Avenue in Brookfield, Illinois beginning at the West bank of Salt Creek (Sta. 1+00) and ending at the East bank of Salt Creek (Sta. 2+30) for a total length of 130 feet (0.025 miles) within the Village of Brookfield, in Cook County.

# **DESCRIPTION OF PROJECT**

The work shall include the removal and disposal of the existing pedestrian bridge that crosses Salt Creek and subsequent installation of a pre-engineered steel truss pedestrian bridge. The Contractor shall take care not to damage any of the existing surfaces, utilities, underground structures, abutments or curb and gutter. Any damage caused by the construction operations shall be restored by the Contractor at his own expense.

The new pedestrian bridge will be equipped with light fixtures and festoons, so in addition to the installation of the bridge will be the installation of a service feed for the bridge electrical from a nearby street light circuit. This work shall be paid for respective to the contract pay items. Any other work that is necessary to complete the improvements will also be included under this contract.

# STATUS OF UTILITIES TO BE ADJUSTED

Effective: January 30, 1987 Revised: July 1, 1994

Utility companies involved in this project have provided the following estimated dates:

Туре	Name of Utility	Location	Estimated Dates for Start and Completion of Relocations or Adjustments
Electric:	ComEd 1505 South 1 <sup>st</sup> Avenue Maywood, IL 60153 Attn: Mr. George Welters Phone: 708-410-5886		Start: 10/2008 End: 10/2008
Gas:	Nicor Utility Coordinator 1844 Ferry Road Floor 3W Naperville, IL 60563 Attn: Ms. Constance Lane Phone: 630-983-8676 ext. 2362		No Conflicts
Telephone:	SBC (Ameritech) 162 S. York Rd. Elmhurst, IL 60126 Attn: Mr. Mike Carney Phone: 630-941-4270		No Conflicts
Water/Sewer:	Village of Brookfield 4545 Eberly Avenue Brookfield, IL 60513 Attn: Mr. Bill Heider 708-485-2540		No Conflicts

# **NOTIFICATION OF CONSTRUCTION**

The Contractor shall notify the Department, Engineer, Village of Brookfield, and affected Governmental Agencies in writing at least 48 hours prior to the commencement of construction.

<u>Public Utilities</u> - The Contractor shall notify all public utility companies having utilities within the limits of work of the Contract 48 hours prior to commencing work. The Contractor shall be responsible for the preservation of existing utility installations, damage done by him to utilities found within the limits of the improvements, and the costs of providing precautionary supports, braces, etc. to insure against damage to said utility installations. The Contractor shall also be responsible for coordinating with the utilities for the relocation of their facilities.

#### **COMPLIANCE WITH CODES**

The Contractor shall be responsible at his own expense to comply with the applicable provisions of OSHA and Federal, State, County, Township, or Municipal codes as they affect this project.

# MAINTENANCE OF ROADWAYS

Effective: September 30, 1985

Revised: November 1, 1996

Beginning on the date that work begins on the project, the Contractor shall assume responsibility for normal maintenance of all existing roadways within the limits of the improvement. This normal maintenance shall include all repair work deemed necessary by the Engineer, but shall not include snow removal operations. The Contractor, as required by the Engineer, will provide traffic control and protection for maintenance of roadways

If items of work have not been provided in the contract, or otherwise specified for payment, such items, including the accompanying traffic control and protection required by the Engineer, will be paid for in accordance with Article 109.04 of the Standard Specifications.

# SPECIAL SPECIFICATIONS FOR PREFABRICATED BRIDGE

The design of the bridge superstructure and substructure elements must comply with the requirements of the American Association of State Highway Transportation Officials (AASHTO) 1996 Standard Specifications for Highway Bridges and Interims, as well as the 1997 AASHTO Guide Specifications for Design of Pedestrian Bridges.

The following ten (10) pages fully describe the specifications that are applicable to the design, construction, and manner of delivery of the proposed prefabricated bridge to be furnished and installed at the site of this project. These specifications are based upon products designed and manufactured by Continental Bridge, or an approved equal manufacturer of the same products.

#### 1.0 GENERAL

#### 1.1 Scope

These specifications are for a fully engineered clear span bridge of steel construction and shall be regarded as minimum standards for design and construction. These specifications are based on products designed and manufactured by Continental Bridge, 8301 State Highway 29 North, Alexandria, MN 56308.

Phone: 1-800-328-2047 or (320) 852-7500 Fax: 320-852-7067

E-mail: conbridg@continentalbridge.com

#### 1.2 Qualified Suppliers

Each bidder is required to identify their intended bridge supplier as part of the bid submittal. Qualified suppliers must have at least 5 years experience fabricating these type structures.

Potential bridge suppliers include but are not limited to:

CONTECH Bridge Solutions 8301 State Highway 29 North Alexandria, Minnesota 56308 800-328-2047, FAX 320-852-7067 Steadfast Bridges 4021 Gault Avenue South Fort Payne, Alabama 35967 800-749-7515, FAX 256-845-9750

Excel Bridge Manufacturing Company 12001 Shoemaker Avenue Santa Fe Springs, California 90670 800-548-0054, FAX 562-944-4025

Wheeler Consolidated 9330 James Avenue South Bloomington, Minnesota 55431 800-328-3986, FAX 952-929-2909

Decker, Incorporated P.O. Box 4075 Elmira, New York 14904 607-733-1559, FAX 607-733-0296

Anderson Bridges 111 Willow Street Colfax, Wisconsin 54730 715-962-2800, FAX 715-962-2801

Suppliers other than those listed above may be used provided the engineer or owner's agent evaluates the proposed supplier and approves the supplier 5 days prior to bid.

The contractor must provide the following documentation, for any proposed supplier who is not preapproved, at least 10 days prior to bid:

- Product Literature
- \* All documentation to insure the proposed substitution will be in compliance with these specifications. This shall include:
  - Representative design calculations
  - Representative drawings
  - Splicing and erection procedures
  - Warranty information
  - Inspection and Maintenance procedures
  - AISC Shop Certification
  - Welder Qualifications
- \* Proposed suppliers must have at least five (5) years experience designing and fabricating these type structures and a minimum of five (5) successful bridge projects, of similar construction, each of which has been in service at least three (3) years. List the location, bridge size, owner, and a contact for reference for each project.

The engineer will evaluate and verify the accuracy of the submittal prior to bid. If the engineer determines that the qualifying criteria have not been met, the contractor's proposed supplier shall be rejected. The engineer's ruling shall be final.

#### 2.0 FEATURES OF DESIGN

#### 2.1 Span

Bridge span shall be 130'-0" (straight line dimension) and shall be as measured from each end of the bridge structure.

# 2.2 Width

Bridge width shall be 6'-0" and shall be as measured from the inside face of structural elements at deck level.

#### 2.3 Model Type

Bridge(s) shall be a Half-Through Pony System with two (2) diagonals per panel and Sloped end vertical members. Interior vertical members shall be perpendicular to the chord faces. The top of the top chord shall not be less than 54 inches above the deck (measured from the high point of the deck).

# 2.4 Member Components

All members of the vertical trusses (top and bottom chords, verticals, and diagonals) shall be fabricated from square and/or rectangular structural steel tubing. Other structural members and bracing shall be fabricated from structural steel shapes or square and rectangular structural steel.

#### 2.5 Safety Rails

Horizontal safety rails shall be placed on the full height of the side trusses, and shall be placed so as to prevent a 4" sphere from passing through the truss. The safety rail system shall be designed for an infill loading of 200 pounds, applied horizontally at right angles, to a one square foot area at any point in the system.

#### 2.6 Toe Plate

The bridge shall be supplied with a steel toe plate mounted to the inside face of both trusses. The toe plate shall be a minimum of 4 inches high. Toe plating will be welded to the truss members at a height adequate to provide a 2" gap between the bottom of the plate and the top of the deck or the top of the bottom chord, whichever is higher. The span of unstiffened flat toe plating (from center to center of supports) shall not exceed 5'-8".

#### 2.7 Camber

The bridge shall have a vertical camber dimension at midspan equal to 100% of the full dead load deflection plus 1% of the full length of the bridge.

#### 2.8 Elevation Difference

The bridge abutments shall be constructed at the same elevation on both ends of the bridge.

# 2.9 Electrical

Install 120V – 26 Watt light and 15A/120V GFCI UL Listed festoons with C/W watertight while inuse metallic cover plate black, cover to conform to NEC 406.8B.2a in vertical members at locations shown on the plans. Bridge is to be delivered with all light and festoons installed and pre-wired per NEC requirements. In field, the cables shall be spliced together within a junction box at the location where the two halves of the bridge will be attached. At the southeast corner of the bridge, the conduit and wires from each side of the bridge shall be brought together inside a junction box. This will be the limit of the electrical work within the bridge.

#### 3.0 ENGINEERING

Structural design of the bridge structure(s) shall be performed by or under the direct supervision of a licensed professional engineer and done in accordance with recognized engineering practices and principles. Said design shall be signed and sealed by Illinois licensed structural engineer.

# 3.1 Design Loads

In considering design and fabrication issues, this structure shall be assumed to be statically loaded. No dynamic analysis shall be required nor shall fabrication issues typically considered for dynamically loaded structures be considered for this bridge.

#### 3.1.1 Uniform Live Load

Main supporting members (girders, trusses and arches) shall be designed for a pedestrian live load of 85 pounds per square foot of bridge walkway area. If the bridge walkway area to which the pedestrian live load is applied (deck influence area) exceeds 400 square feet, the pedestrian live load may be reduced by the following equation:

$$w = 85 \left[ 0.25 + \frac{15}{\sqrt{A_I}} \right)$$

Where w is the design pedestrian load (psf) and  $A_{\rm I}$  is the deck influence area in square feet. The reduced design live load shall not be less than 65 pounds per square foot of bridge walkway area.

Secondary Members: Bridge decks and supporting floor systems, including secondary stringers, floor beams and their connections to main supporting members shall be designed for a live load of 85 pounds per square foot, with no reduction allowed.

#### 3.1.2 Vehicle Loads

The bridge superstructure, floor system and decking shall be designed for each of the following point load conditions:

- 3.1.2.1 A concentrated load of 1000 pounds placed on any area 2.5 ft x 2.5 ft square.
- 3.1.2.2 A 1200 pound two wheel vehicle with a 60" wheelbase and a 4"x1.5" tire print area.
- 3.1.2.2 For bridges with a deck width of 48" or greater, a four-wheeled vehicle (no impact allowance is required) with the axle loadings, wheelbase, and tire track as indicated below:

48" to 65" Wide: 4000-pound vehicle, 50% to each axle, 48" wheelbase, 32" tire track 66" to 83" Wide: 6000-pound vehicle, 50% to each axle, 66" wheelbase, 48" tire track 84" to 107" Wide: 8000-pound vehicle, 60% to rear axle, 102" wheelbase, 60" tire track 108" to 144" Wide: 10,000-pound vehicle, 60% to rear axle, 120" wheelbase, 72" tire track

# 3.1.3 Wind Load

The bridge(s) shall be designed for a wind load of 35 pounds per square foot on the full vertical projected area of the bridge as if enclosed. The wind load shall be applied horizontally at right angles to the longitudinal axis of the structure.

The effect of forces tending to overturn structures shall be calculated assuming that the wind direction is at right angles to the longitudinal axis of the structure. In addition, an upward force shall be applied at the windward quarter point of the transverse superstructure width. This force shall be 20 pounds per square foot of deck.

#### 3.1.4 Top Chord Railing Loads

The top chord, truss verticals, and floor beams shall be designed for lateral wind loads (per section 3.1.3) and for any loads required to provide top chord stability as outlined in Section 3.3.6; however, in no case shall the load be less than 50 pounds per lineal foot or a 200 pound point load, whichever produces greater stresses, applied in any direction at any point along the top chord.

#### 3.1.5 Load Combinations

The loads listed herein shall be considered to act in the following combinations, whichever produce the most unfavorable effects on the bridge superstructure or structural member concerned.

[DL=Dead Load; LL = Live Load; WL = Wind Load; VEH = Vehicle Load]

DL + LL

DL + VEH

DL+WL

DL+LL+.3WL

DL+VEH+.3WL

NOTE: For service load design, the percentage of the basic unit stress used for each combination shall be in accordance with table 3.22.1A of the AASHTO "Standard Specifications for Highway Bridges".

It shall be the responsibility of the foundation engineer to determine any additional loads (i.e. earth pressure, stream force on abutments, wind loads other than those applied perpendicular to the long axis of the bridge, etc.) and load combinations required for design of the abutments.

# 3.2 Design Limitations

#### 3.2.1 Deflection

The vertical deflection of the main trusses due to service pedestrian live load shall not exceed 1/500 of the span. The deflection of the floor system members (floor beams and stringers) due to service pedestrian live load shall not exceed 1/360 of their respective spans. Deflection limits due to occasional vehicular traffic shall not be considered. The horizontal deflection of the structure due to lateral wind loads shall not exceed 1/500 of the span under a 35 PSF wind load.

#### 3.2.2 Minimum Thickness of Metal

The minimum thickness of all structural steel members shall be 1/4" nominal and be in accordance with the AISC Manual of Steel Constructions' "Standard Mill Practice Guidelines". For ASTM A500 and ASTM A847 tubing, the section properties used for design shall be per the Steel Tube Institute of North America's Hollow Structural Sections "Dimensions and Section Properties".

# 3.3 Governing Design Codes / References

#### 3.3.1 Structural Steel Allowable Stresses

American Association of State Highway and Transportation Officials (AASHTO). Allowable Design Stresses shall be in accordance with the "Standard Specifications for Highway Bridges" latest edition (AASHTO).

#### 3.3.2 Welded Tubular Connections

All welded tubular connections shall be checked, when within applicable limits, for the limiting failure modes outlined in the ANSI/AWS D1.1 Structural Welding Code or in accordance with the "Design Guide for Hollow Structural Section Connections" as published by the Canadian Institute of Steel Construction (CISC). When outside the "validity range" defined in these design guidelines, all applicable limit states or failure modes must be checked.

#### 3.3.3 Wood

Sawn lumber shall be designed in accordance with the ANSI/AF&PA NDS, "National Design Standard for Wood Construction", as published by the American Forest & Paper Association or the "Timber Construction Manual" as published by the American Institute of Timber Construction (AITC). Design properties for naturally durable hardwoods shall be in accordance with "Tropical Timbers of the World", as published by the U.S. Forest Products Laboratory.

# 3.3.4 Top Chord Stability

The top chord of a half-through truss shall be considered as a column with elastic lateral supports at the panel points. The critical buckling force of the column, so determined, shall exceed the maximum force from dead load and live load (uniform or vehicular) in any panel of the top chord by not less than 50 percent for parallel chord truss bridges or 100 percent for tied arch bridges. The design approach to prevent top chord buckling shall be as outlined by E.C. Holt's research work in conjunction with the Column Research Council on the stability of the top chord of a half-through truss.

In addition, for the dead load plus vehicle load combination, the spring constant "C" furnished by the transverse "U-Frames" shall not be less than "C" required as defined by:

$$C required = \frac{1.46 P_c}{L}$$

where  $P_c$  is the maximum top chord compression due to dead load plus the vehicle load times the appropriate safety factor (1.5 for parallel chord truss bridges or 2.0 for tied arch truss bridges) and L is the length in inches of one truss panel or bay.

For uniformly loaded bridges, the vertical truss members, the floor beams and their connections (transverse frames) in half-through truss spans shall be proportioned to resist a lateral force of not less than 1/100k times the top chord compressive load, but not less than .004 times that top chord load, applied at the top chord panel points of each truss.

For bridges with vehicle loads, the lateral force applied at the top chord elevation for design of the transverse frames shall not be less than 1% of the top chord compression due to dead load plus any vehicle loading.

The bending forces in the transverse frames, as determined above, act in conjunction with all forces produced by the actual bridge loads as determined by an appropriate analysis which assumes that the floor beams are "fixed" to the trusses at each end.

NOTE: The effects of three-dimensional loading (including "U-frame" requirements) shall be considered in the design of the structure. The "U-frame" forces in half-through spans shall be added to the forces derived from a three dimensional analysis of the bridge.

#### 4.0 MATERIALS

#### 4.1 Steel

#### 4.1.1 Painted Steel

Bridges which are to be painted shall be fabricated using ASTM A500 grade C cold-formed welded square and rectangular tubing (Fy = 50,000 psi) and/or high strength, low allow, atmospheric corrosion resistant ASTM A847 cold-formed welded square and rectangular tubing (Fy = 50,000 psi) and/or ASTM A588, ASTM A242, ASTM A572, ASTM A 606 (Fy = 50,000 psi) and/or ASTM A36 (Fy = 36,000 psi) plate and structural steel shapes. Splice plates, if required, shall be ASTM A588.

#### 4.2 Decking

#### 4.2.1 Wood Decking

Shall be naturally durable hardwood Ipe (Tabebuia Spp) Lapacho Group, as supplied by Timber Holdings Ltd, Milwaukee, WI, or approved equal. All planks shall be partially air dried to moisture content of 15% to 20%, and shall be supplied S4S (surfaced four sides) and E4E (eased four edges). All planks shall be supplied with the end sealed with "Anchorseal" Mobil CER-M or an equal aquious wax log sealer.

#### 5.0 WELDING

Welding and weld procedure qualification tests shall conform to the provisions of ANSI/AWS D1.1 "Structural Welding Code". Filler metal shall be in accordance with the applicable AWS Filler Metal Specification (i.e. AWS A 5.28 for the GMAW Process). For exposed, bare, unpainted applications of corrosion resistant steels (i.e. ASTM A588 and A847), the filler metal shall be in accordance with AWS D1.1, Section 3.7.3. Welders shall be properly accredited operators, each of whom shall submit certification of satisfactorily passing AWS standard qualification tests for all positions with unlimited thickness of base metal, have a minimum of 6 months experience in welding tubular structures and have demonstrated the ability to make uniform sound welds of the type required.

#### 6.0 SUBMITTALS

Schematic drawings, diagrams and calculations shall be submitted to the customer for their review after receipt of order. All relative design information such as member sizes, bridge reactions, and general notes shall be clearly specified on the drawings. All drawings shall be signed and sealed by a Professional Engineer who is licensed in accordance with Section 3.0.

## 7.0 FABRICATION

Bridge(s) shall be fabricated by a fabricator who is currently certified by the American Institute of Steel Construction to have the personnel, organization, experience, capability, and commitment to produce fabricated structural steel for the category "Major Steel Bridges" as set forth in the AISC Certification Program with Fracture Critical Endorsement. Quality control shall be in accordance with procedures outlined for AISC certification. For painted structures, the fabricator must hold a "Sophisticated Paint Endorsement" as set forth in the AISC certification program. Furthermore, the bridge(s) shall be fabricated

in a facility owned and/or leased by the corporate owner of the manufacturer, and fully dedicated to bridge manufacturing.

#### 8.0 FINISHING

8.1 Finishing for Unpainted Weathering Steel:

To aid in providing a uniformly "weathered" appearance, all exposed surfaces of steel shall be blast cleaned in accordance with Steel Structures Painting Council Surface Preparation Specifications No. 7 Brush-Off Blast Cleaning, SSPC-SP7 latest edition. Exposed surfaces of steel shall be defined as those surfaces seen from the deck and from outside of the structure. Stringers, floor beams, lower brace diagonals and the inside face of the truss below deck and bottom face of the bottom chord shall not be blasted.

8.2 Finishing for Painted Steel

All exposed surfaces of steel to be painted shall be blast cleaned in accordance with the appropriate section of the Steel Structures Painting Council Surface Preparation Specifications as recommended by the paint manufacturer.

All exposed steel surfaces shall receive one coat of a shop-applied primer and one finish coat, to a minimum dry film thickness listed in the paint manufacturer's recommendations. The paint system shall consist of one of the following, or an approved equal:

\* Primer: Devoe (Devran DC 236K) Epoxy Primer

Top Coat: Devoe (Devathane DC 378K or 379K) aliphatic urethane

As manufactured by ICI Paints 1-800-984-5444 or <a href="www.icipaintstores.com">www.icipaintstores.com</a>
(www.devoecoatings.com)

The topcoat paint color shall be black.

A nominal quantity of touch-up paint will be provided to repair marred surfaces. Touch-up painting includes any and all painting required after the structure reaches the site, and is the responsibility of others. This painting shall include, but not be limited to, the following areas:

- 1. Any areas damaged due to shipping, handling, and erection of the bridge and components.
- 2. Bolt heads and exposed area of bolts and nuts as applicable.
- 3. Non-galvanized attachments or anchor bolts if not made of corrosion resistant steel.
- 4. If applicable, small areas (0" to 2" each side) around bolted field splices, designed as "slip critical", where one or all paint coats may be required to be left off the faying surfaces.

#### 9.0 DELIVERY AND ERECTION

Delivery is made to a location nearest the site, which is easily accessible to normal over-the-road tractor/trailer equipment. All trucks delivering bridge materials will need to be unloaded at the time of arrival. The manufacturer will provide detailed, written instruction in the proper lifting procedures and splicing procedures (if required). The method and sequence of erection shall be the responsibility of others. The bridge manufacturer shall provide written inspection and maintenance procedures to be followed by the bridge owner.

#### 10.0 BEARING DEVICES

Bridge bearings shall consist of a steel setting or slide plate placed on the abutment or grout pad. The bridge bearing plate, which is welded to the bridge structure, shall bear on this setting plate.

The bridge bearings shall sit in a recessed pocket on the concrete abutment. The bearing seat shall be a minimum of 16" wide. The step height (from bottom of bearing to top-of-deck) shall be determined by the bridge manufacturer.

Bridges in excess of 100 feet in length or bridges with dead load reactions of 15,000 pounds or more (at each bearing location) shall have teflon on teflon or stainless steel on teflon slide bearings placed between the bridge bearing plate and the setting plate. The top slide plate shall be large enough to cover the lower Teflon slide surface at both temperature extremes.

# 11.0 WARRANTY

The bridge manufacturer shall warrant that it can convey good title to the goods, that they are free of liens and encumbrances and that their steel structure(s) are free of design, material and workmanship defects for a period of ten years from the date of delivery. Durable hardwood decking and hardwood attachments shall carry a ten-year warranty against rot, termite damage or fungal decay. Other types of wood and decking material such as Southern Yellow Pine, Douglas Fir and composites carry no warranty. There are no warranties, expressed or implied with respect to structures sold hereunder which are used, supplied for use or made available for use in any nuclear application of which bridge manufacturer has not been notified in writing at the time of order of the structure(s).

This warranty shall not cover defects in the bridge caused by abuse, misuse, overloading, accident, improper installation, maintenance, alteration or any other cause not expressly warranted. This warranty does not cover damage resulting from or relating to the use of any kind of de-icing material. This warranty shall be void unless owner's records are supplied which show compliance with the minimum guidelines specified in the "Recommendations for the Inspection and Maintenance of Steadfast Vehicular Steel Bridges and Continental Pedestrian Steel Bridges," attached hereto and incorporated herein by this reference.

Repair, replacement or adjustment, at the sole discretion of the bridge manufacturer, shall be the exclusive remedy for defects under this warranty. Under no circumstances shall the bridge manufacturer be liable for any consequential or incidental damages.

Any claim under this warranty shall be made promptly and directly to bridge manufacturer who shall have the option, at its sole discretion, to repair, replace or adjust any covered defect without charge to the original purchaser.

# 12.0 APPROVAL CHECKLIST

The following checklist will be used in the evaluation of all submittals to assure compliance with the Special Specifications for Prefabricated Bridge. This checklist is considered the minimum acceptable requirements for compliance with these specifications. Any deviations from this checklist shall be considered grounds for rejection of the submittal. Any costs associated with delays caused by the rejection of the submittal, due to non-compliance with this checklist, shall be fully borne by the contractor and bridge supplier.

#### SUBMITTAL DRAWINGS

Data Required to be Shown:

- ρ Bridge Elevation
- Bridge Cross Section
- All Member Sizes
  - ρ All Vertical Truss Members are Square or Rectangular Tubing
- o Bridge Reactions
- General Notes Indicating
  - ρ AASHTO Stress Conformance
  - ρ Material Specifications to be Followed
  - ρ Design Live Load
  - ρ Design Vehicle Load (If Applicable)
  - ρ Design Wind Load
  - ρ Other Specified Design Loads
  - ρ Welding Process
  - ρ Blast Cleaning
  - ρ Paint System to be Used (If Applicable)
- ρ Paint Color Chart (If Applicable)
- p Detailed Bolted Splices (If Applicable)
- p Bolted Splice Location (If applicable)
- ρ Signature and Seal of Professional Engineer, licensed in Accordance with Section 3.0

# **DESIGN CALCULATIONS**

Data Required to be Shown:

- Data Input for 3-D Analysis of Bridge
  - p Joint Coordinates & Member Incidences
  - ρ Joint and Member Loads
  - ρ Member Properties
  - ρ Load Combinations
- p AASHTO Member Stress Checks for Each Member Type
- o Critical Connection Failure Mode Checks For Each
  - Member Type
  - ρ Chord Face Plastification Checks
  - ρ Punching Shear Checks
  - ρ Material Failure Checks (Truss Webs)
  - p Weld Failure Checks (Effective Length)

- Weld Failure Checks (Ultimate)
- Local Buckling of the Main Member Face Checks
- ρ Main Member Yielding Failure Checks
- ρ Main Member Crippling Failure Checks
- Main Member Buckling Failure Checks
- Main Member Shear Failure Checks
- All Bolted Splice Checks (if applicable)
- ρ Main Truss Deflection Checks
- Decking Material Checks
- "U-Frame" Stiffness Checks (if applicable)
- Interior and End Portal Design Checks (if applicable)
  - p Determination of Top Chord K Factor Based on
    - "U-Frame"Stiffness (if applicable)
- Consideration of Individual Member Moments Due to Truss Deflection. Joint Fixity and Joint Eccentricity

#### FABRICATION SUBMITTALS

Data Required to be Shown:

- Written Installation Instructions
- ρ\*\* Written Splicing Instructions
- ρ\*\* Written Maintenance & Inspection Instructions
- ρ\*\* Welder Certifications
- Welding Procedures
- ρ Material Certifications (if applicable)
  - Structural Steel (if applicable)
  - ρ Decking (if applicable)
  - p Structural Bolts (if applicable)
- Quality Control Section of AISC
  - Certification Manual (if applicable)
  - Painter Certifications (if applicable)
  - Weld Testing Reports (if applicable)
- \*\* NOTE: These items are required to be submitted along with Submittal Drawings and Design Calculations. Those Fabrication Submittal Items not marked are to be submitted prior to shipment of the bridge.

# Appendix A

	<u>1/K</u>	FOR VAI	RIOUS VA		F CL/P <sub>c</sub> a	nd n		
			<del></del>	n ————				
1/K	. 4	6	8	10	12	14	16	
1.000	3.686	3.616	3.660	3.714	3.754	3.785	3.809	
0.980		3.284	2.944	2.806	2.787	2.771	2.774	
0.960		3.000	2.665	2.542	2.456	2.454	2.479	
0.950			2.595					
0.940		2.754		2.303	2.252	2.254	2.282	
0.920		2.643		2.146	2.094	2.101	2.121	
0.900	3.352	2.593	2.263	2.045	1.951	1.968	1.981	
0.850		2.460	2.013	1.794	1.709	1.681	1.694	
0.800	2.961	2.313	1.889	1.629	1.480	1.456	1.465	
0.750		2.147	1.750	1.501	1.344	1.273	1.262	
0.700	2.448	1.955	1.595	1.359	1.200	1.111	1.088	
0.650		1.739	1.442	1.236	1.087	0.988	0.940	
0.600	2.035	1.639	1.338	1.133	0.985	0.878	0.808	
0.550		1.517	1.211	1.007	0.860	0.768	0.708	
0.500	1.750	1.362	1.047	0.847	0.750	0.668	0.600	
0.450		1.158	0.829	0.714	0.624	0.537	0.500	
0.400	1.232	0.886	0.627	0.555	0.454	0.428	0.383	

Where: 
$$C = \frac{E}{h^2 \left[h/3I_v + b/2I_b\right]}$$

L = Length in inches of one truss panel

 $P_c$  = Buckling Load (= Top Chord Compression x F.S.)

n = Number of Panels

Reference: Galambos, T.V. (1988) "Guide to Stability Design Criteria for Metal Structures", 4<sup>th</sup> Ed., PP 515-529.

Copyright © 1988. Reprinted by permission of John Wiley and Sons, Inc.

#### SPECIAL SPECIFICATIONS FOR GROUT

The following seven (7) pages fully describe the specifications that are applicable to the supply and installation of various types of grout to be used on this project.

#### PART 1 SCOPE

#### 1.01 GENERAL

- A. This section establishes the standards for various types of grout.
- B. Definitions
  - 1. Non-shrink Grout: A commercially manufactured product that does not shrink in either the plastic or hardened state, is dimensionally stable in the hardened state and bonds to a clean base plate.

#### 1.02 WORK TO BE PROVIDED BY CONTRACTOR

- A. Furnish all labor, materials, equipment and incidentals required and install grout complete as shown on the Drawings and as specified herein.
- B. Perform all sampling and furnish all testing of materials and products by an independent testing laboratory acceptable to the Engineer but engaged by, and at the expense of the Contractor

# PART 2 CODES, STANDARDS & REGULATIONS

#### 2.01 REFERENCES

- A. ASTM C 33 -Standard Specification for Concrete Aggregates.
- B. ASTM C 150- Standard Specification for Portland Cement.
- C. ASTM C 531 -Test Method for Liner Shrinkage and Coefficient of Thermal Expansion of Chemical Resistant Mortars and Monolithic Surfacings.
- D. ASTM C 579 -Test Method for Compressive Strength of Chemical Resistant Mortars and Monolithic Surfacings.
- E. ASTM C 827 -Standard Test Method for Change in Height in Early Ages ~ of Cylindrical Specimens from Cementitious Mixes.
- F. ASTM C 942 Compressive Strength of Grouts for Pre-placed Aggregate Concrete in the Laboratory.
- G. ASTM C 1107 -Standard Specification for Packaged Dry, Hydraulic Cement Grout (Non-shrink).
- H. ASTM C 1090 -Test Method for Measuring Change in Height of Cylindrical Specimens from Hydraulic Cement Grout.

# PART 3 TECHNICAL REQUIREMENTS

#### 3.01 PERFORMANCE REQUIREMENTS & GUARANTEES

- A. Strength: 5,600 psi at 28 days.
- B. Shrinkage: ASTM C 1090, none at age of 28 days without gas expansion or metallic corrosion expansion.

# C. Expansion:

- 1. ASTM C 1090' 0.1% maximum at an age of 28 days.
- 2. 3 or 14 days expansion limit same as for 28 days.
- 3. ASTM C 827 4% maximum moist cure specimen.

#### 3.02 MATERIALS & WELDING

#### A. General

- 1. The use of a Vendor's name and product or catalog number is for the purpose of establishing the standard of quality desired.
- 2. Grout manufacturer shall be present for pre-placement meetings and during the initial mixing and placement. Grout manufacturer t Owner and Engineer shall be given 72 hours notice.

#### B. Non-shrink Cementitious Grout

- 1. Non-shrink Cementitious Grout shall be used unless called out otherwise on the drawings.

  Precision Non-shrink cementitious grout shall be used where a flowable consistency is required.
- 2. Non-shrink cementitious grout shall meet or exceed the .requirements of ASTM C1107 Grades B or C and CRD-C621. .Grouts shall be Portland cement based, contain a pre-proportioned blend of selected aggregates and shrinkage compensating agents, and shall require only the addition of water.
- 3. General purpose Non-shrink cementitious grout shall conform to the standards stated above, shall comply with ASTM C 1107 Grade B requirements, and shall be SikaGrout 212 by Sika Corp., Set Grout by Chem Rex, Inc., Euco NS by The Euclid Chemical Co., Five Star Construction Grout by Five Star Products or equal.
- 4. Flowable (Precision) Non-shrink cementitious grout shall conform to the Standards stated above, shall comply with ASTM C 1107 requirements, and shall be Masterflow 928 by Chem Rex, Inc., F- 100 Level Fill Grout by Saureisen Cements, Five Star Grout by Five Star Products, Five Star Fluid Grout 100 by Five Star Products, or approved equal.
- C. Non-shrink Epoxy Grout -Use where called out on drawings.
  - 1. Non-shrink epoxy-based grout shall be a pre-proportioned, three component, 100 percent solids system consisting of epoxy resin, hardener, and blended aggregate. It shall have a compressive strength of 14,000 psi in 7 days when tested in conformity with ASTM 0695 and have a maximum thermal expansion of 30 x 10<sup>-6</sup> when tested in conformity with ASTM C531. The grout shall be Master Flow 648 by Chem Rex, Inc., Inc., Five Star Epoxy OP or HP Grout by Five Star Products, Escoweld 750 SE/7530, or approved equal.

#### D. Cement Grout

1. Cement grouts shall be a mixture of between one part Portland cement conforming to ASTM C150 types 1, II or III and one to two parts sand conforming to ASTM C33 with sufficient water to place the grout. The water content shall be sufficient to impart workability to the grout but not to the degree that it will allow the grout to flow.

#### E. Water

1. Potable water, free from injurious amounts of oil, acid, alkali, organic matter, or other deleterious substances.

# 3.03 PACKAGING & SHIPPING

A. Deliver materials to the jobsite in original, unopened packages, clearly labeled with the Vendor's name, product identification, batch numbers, and printed instructions.

- B. Store materials in full compliance with the Vendor's recommendations. Total storage time from date of manufacture to date of installation shall be limited to 6 months or the Vendor's recommended storage time, whichever is less.
- C. Material which becomes damp or otherwise unacceptable shall be immediately removed from the site and replaced with acceptable material at no additional expense to the owner.
- D. Non-shrink cement-based grouts shall be delivered as preblended, prepackaging mixes requiring only the addition of water.
- E. Non-shrink epoxy grouts shall be delivered as premeasured, prepackaged, three component systems requiring only blending as directed by the Vendor.

# 3.04 QUALITY ASSURANCE

# A. Qualifications

- 1. Grout Vendor shall have a minimum of ten years experience in the production and use of the type of grout proposed for the Work.
- 2. The independent testing laboratory shall be reputable laboratory, acceptable to the Engineer having experience with testing procedures and associated equipment as required by this Specification. Laboratories affiliated with the Contractor or in which the Contractor or its officers have a beneficial interest are not acceptable.

# **PART 4 TESTING**

#### 4.01 MATERIAL TESTING & INSPECTION

- A. Mixing of all grout batches are to be witnessed and documented by site QA/QC for compliance with manufacturers' instructions and specification requirements.
- B. In Process Tests:
  - 1 .Mixed grout shall be sampled and tested during work.
  - 2. Grout for major equipment bases (compressor, recirculation pump, vapor wash, etc.) and building columns is to be sampled and tested. Grout for minor components such as field run pipe supports. Platform posts and non-vibrating equipment and electrical cabinets need not be sampled.
  - 3. Sampling and Sample Preparation:
    - a. The following minimum sample rates shall be observed:
      - i. Sample at least once in each 10 cubic feet.
      - ii. At least once for each piece of major equipment
    - b. For each sample obtain three specimens for strength tests. One for test at 7 days, one for test at 28 days and one for spare.
    - c. Provide additional grout samples as required by Owner for independent testing purposes.
    - d. Strength testing shall be done in accordance with ASTM C109 for Hydraulic Cement Non-Shrink Grout and with ASTM C579 for Non-Shrink Epoxy Grout except that the grout shall be mixed in accordance with the manufacturer's instructions.
    - e. Grout must attain strength of the base concrete prior to placement of equipment or columns. If placement of equipment or columns is required prior to seven day test, then obtain additional sample for test at two or three days.

#### **PART 5 INSTALLATION**

#### 5.01 PREPARATION

- A. Grout shall be placed over cured concrete which has attained its full .design strength unless otherwise approved by the Engineer.
- B. Concrete surfaces to receive grout shall be clean and sound; free of ice, frost, dirt, grease, oil, curing compounds, laitance and paints, and free of all loose material or foreign matter which may effect the bond or performance of the grout.
- C. Roughen concrete surfaces by chipping, sandblasting, or other mechanical means to ensure bond of the grout to the concrete. Remove loose or broken concrete. Irregular voids or projecting coarse aggregate need not be removed if they are sound, free of laitance and firmly embedded into the parent concrete. Roughened surfaces shall have exposed aggregate and a uniform profile of 1!4 inch projections.
  - 1. Air compressors used to clean surfacing in contact with grout shall be the oil less type or equipped with an oil trap in the air line to prevent oil from being blown onto the surface-
- D. Remove all loose rust, oil or other deleterious substances from metal embedments or bottom of base plates prior to the installation of the grout.
- E. Concrete surfaces shall be washed clean and then pre-soaked for at least 24 hours prior to the placement of cementitious or cement grout. Saturation may be achieved by covering the concrete with saturated .burlap bags, use of a soaker hose, flooding the surface, or other method acceptable to the Engineer. Upon completion of the 24 hour period, visible water shall be removed from the surface prior to grouting.
- F. Epoxy-based grouts do not require the saturation of the concrete substrate. Surfaces in contact with epoxy grout shall be completely dry before grouting.
- G. Construct grout forms or other leak proof containment as required. Forms shall be lined or coated with release agents recommended by the grout Vendor. Forms shall be of adequate strength, securely anchored in place, and shored to resist the forces imposed by the grout and its placement. The clearance between the formwork and base plate shall be 3 to 5 inches to allow for a headbox, and formwork shall extend a minimum of one inch above the bottom of the base plate.
  - 1. Forms for epoxy grout and flowable grout shall be designed to allow the formation of a hydraulic head and shall have chamfer strips built into forms. Dimensions of the form shall be such that grout can be poured from any side and physically worked underneath all areas of the base.
- H. Level and align the structural or equipment bearing plates in accordance with the structural requirements and the recommendations of the equipment Vendor.
- I. Equipment shall be supported during alignment and installation of grout by shims wedges, blocks or other approved means. The shims, wedges and blocking devices shall be prevented from bonding to the grout by appropriate bond breaking coatings, shall be positioned beyond the outer edge of the base plate to facilitate removal, and shall be removed after grouting unless otherwise approved by the Engineer. The temporary supports shall be adequate to support the equipment without crushing or settling. If supports are to remain in place after grout placement, with the Engineer's approval, they shall be positioned 2 inches inside the outer edge of the base plate.

#### 5.02 INSTALLATION -GENERAL

- A. Mix, apply and cure products in strict compliance with the Vendor's recommendations and these specifications. Do not retemper grout by adding additional water.
- B. Have sufficient manpower and equipment available for rapid and continuous mixing and placing. Keep all necessary tools and materials ready and close at hand.
- C. Maintain temperatures of the foundation plate, supporting concrete, and grout between 40 degrees F and 90 degrees F, or as recommended by the grout manufacturer, during grouting and for at least 24 hours

- thereafter or as recommended by the grout Vendor, whichever is longer. Take precautions to minimize differential heating or cooling of baseplates and grout during the curing period.
- D. Take special precautions for hot weather or cold weather grouting as J recommended by the Vendor when ambient temperatures and/or the temperature of the materials in contact with the grout are outside of the 40 degrees F and 90 degrees F range or the temperature range recommended by the manufacturer.
- E. Install grout in a manner which will preserve the isolation between the elements on either side of the joint where grout is placed in the vicinity of an expansion or control joint.
- F. Reflect all existing underlying expansion, control and construction joints through the grout.
- G. Insure that grout completely fills anchor bolt sleeves.

# 5.03 INSTALLATION -CEMENT GROUTS AND NON-SHRINK CEMENTITIOUS .GROUTS

- A. Mix in accordance with Vendor's recommendations. Do not add cement, sand, pea gravel or admixtures without prior approval by the Engineer.
- B. Avoid mixing by hand. Mixing in a mortar mixer (with moving blades) is recommended. Pre-wet the mixer and empty excess water. Add premeasured amount of water for mixing, followed by the grout. Begin with the minimum amount of water required to obtain workability. Do not exceed the Vendor's maximum recommended water content.
- C. Placements greater than 3-in. depth shall include the addition of clean, washed pea gravel to the grout mix when approved by the Vendor. Comply with the Vendor's recommendations for the size and amount of aggregate to be added-
- D. Place grout into the designated areas in a manner which will avoid segregation or entrapment of air. Do not vibrate grout to release air or to consolidate the material. Placement should proceed in a manner which will ensure the filling of all spaces and provide full contact between the grout and adjoining surfaces. Provide grout holes if specifically allowed by the Engineer.
- E. Place grout rapidly and continuously to avoid cold joints. Do not place cement grouts in layers. Do not add additional water to mix (retemper) after initial stiffening.
- F. Just before the grout reaches its final set, cut back the grout to the substrate at a 45 degree angle from the lower edge of bearing plate unless otherwise approved by the Engineer. Finish this surface with a brush finish.
- G. Begin curing immediately after form removal, cutback, and finishing. Keep . grout moist and within its recommended placement temperature range for at least 48 hours after placement or longer if recommended by the Vendor. Saturate the grout surface by use of wet burlap, soaker hoses, ponding or other approved means. Provide sunshades as necessary. If .drying winds inhibit the ability of a given curing method to keep grout moist, erect winds breaks until wind is no longer a problem or curing is finished. Curing compounds may be applied following a minimum of 48 hours of moist curing.

# 5.04 INSTALLATION- NON-SHRINK EPOXY GROUTS

- A. Mix in accordance with the procedures recommended by the Vendor. Do not vary the ration of components or add solvent to change the consistency of the grout mix. Do not over mix. Mix full batches only to maintain proper proportions of resin, hardener and aggregate.
- B. Monitor ambient weather conditions and contact the grout Vendor for special placement procedures to be used for temperatures below 60 degrees F or above 90 degrees F or the manufacturer's recommended temperature range.
- C. Place grout into the designated areas in a manner which will avoid trapping air. Placement methods shall ensure the filling of all spaces and provide full contact between the grout and adjoining surfaces. Provide grout holes if approved by the Engineer.

- D. Minimize "shoulder" length (extension of grout horizontally beyond base plate.) In no case shall the shoulder length of the grout be greater then the grout thickness.
- E. Finish grout by puddling to cover all aggregate and provide a smooth finish. Break bubbles and smooth the top surface of the grout in conformity with the Vendor's recommendations.
- F. Epoxy grouts are self curing and do not require the application of water. Maintain the formed grout within its recommended placement temperature range for at least 24 hours after placing, or longer if recommended by the Vendor.

#### 5.05 SCHEDULE

- A. The following list indicates where the particular types of grout are generally to be used:
  - 1. General purpose Non-shrink cementitious grout: Use at all locations where non shrink grout is called for on the plans except for baseplates greater in area than three feet long, base plates with shear keys and except for the setting of anchor rods, anchor bolts, sleeved anchor bolts or reinforcing steel in concrete.
  - 2. Flowable Non-shrink cementitious grout: Use under all base plates greater in area than three feet by three feet. Use at all locations indicated to receive flowable Non-shrink grout by the Drawings. The Contractor, at his option and convenience, may also substitute flowable Non-shrink grout for general purpose Non-shrink cementitious grout.
  - 3. Non-shrink epoxy grout: Use for the setting of anchor rods, anchor bolts and reinforcing steel in concrete and for all locations specifically indicated to receive epoxy grout.
  - 4. Cement grout: Cement grout may be used for grouting of incidental base plates for structural and miscellaneous steel such as post base plates for platforms, beam seats, etc. It shall not be used when Non-shrink grout is specifically called for on the plans of for *grouting* of primary structural steel members or large equipment. It also shall not be used to fill anchor bolt sleeves
  - 5. Conform to vendors installation instructions for grouting specific equipment bases.

# PART 6 CONTRACTOR'S DATA SUBMISSION

#### 6.01 GENERAL

#### A. Submittals

- 1. Shop drawings and product data in accordance with Section 01300 showing materials of construction and details of installation for:
  - a. Commercially manufactured Non-shrink cementitious grout. The submittal shall include catalog cuts, technical data, storage requirements, product life, working time after mixing, temperature considerations, conformity to required ASTM standards and Material Safety Data Sheet.
  - b. Commercially manufactured Non-shrink epoxy grout. The submittal shall include catalog cut sheets, technical data, storage requirements, product life, working time after mixing, temperature considerations, conformity to required ASTM Standards and Material Safety Data Sheet.
  - c. Cement grout. The submittal shall include the type and brand of the cement, the gradation of the fine aggregate, product data on any proposed admixtures and the proposed mix of grout.
  - d. Concrete grout. The submittal shall include data as required for concrete as delineated in Section 03300 Cast in Place Concrete. This includes the mix design, constituent quantities per cubic yard and the water/cement ratio.

# 2. Samples

- a. Samples of commercially manufactured grout products when requested by the Engineer
- b. Aggregates for use in concrete grout when requested by the Engineer.

# 3. Laboratory Test Reports

a. Submit laboratory test data as required under Section 03300 Cast in Place Concrete for concrete to be used as concrete grout.

# 4. Qualifications

- a. Grout Vendors shall submit documentation that they have at least ten years experience in the production and use of the proposed grouts which they will supply.
- b. Submit the name, address and qualifications of the independent testing laboratory.

#### MISCELLANEOUS SPECIAL PROVISIONS

#### PEDESTRIAN BRIDGE REMOVAL

This item includes the removal and disposal of the existing pedestrian bridge including all structural steel members, setting plates and the wood decking. The bridge shall be removed from the abutments and shall be lifted and placed directly onto awaiting transportation means. The bridge components shall be properly disposed of in an approved landfill or by recycling.

The contactor will also be required to provide all traffic control including setting up a local detour as shown on the plans for the duration that Brookfield Avenue has to be closed while the bridge structure is being removed. This work shall be paid for under the Traffic Control and Protection (Special) pay item.

If the contractor proposes to utilize the existing vehicular bridge immediately north of the pedestrian bridge, he shall provide a letter prepared by an Illinois Licensed Structural Engineer certifying that the bridge is structurally capable of supporting the combined weight of the crane and the lifted pedestrian bridge during all stages of lifting and transporting of the pedestrian bridge.

Basis of Payment: This item shall be paid for at the Contract unit price per EACH for PEDESTRIAN BRIDGE REMOVAL which price shall include all costs for furnishing the labor and equipment necessary to remove and properly dispose the pedestrian bridge in accordance with the Specifications.

#### PRE-ENGINEERED STEEL TRUSS PEDESTRIAN BRIDGE

This item includes the furnishing and installation of a pre-engineered steel truss pedestrian bridge including all structural steel members and the wood decking. This bridge structure shall be designed and constructed in accordance with the specifications fully-described in the Sub-section entitled "Special Specifications for Prefabricated Bridge", contained in these Specifications. Upon delivery of the bridge to the site of the project by the manufacturer, the unloading of the bridge sections shall be in accordance with the manufacturer's instructions. For the erection of the bridge, the lifting into place and the splicing of the bridge sections shall be in accordance with the manufacturer's detailed, written instructions.

The bridge shall be installed on the existing abutments utilizing the existing anchor bolts. The Contractor shall be responsible for field verifying the existing anchor bolt locations and submitting said information to the bridge manufacturer. The bearing plates shall be fabricated with bolt holes designed to match the existing anchor bolts and optional bolt holes to be used in the event that certain bolts are not usable. If any of the existing anchor bolts are determined unusable after the removal of the bridge, new anchor bolts will be installed in the optional holes provided. This work associated with removing the existing anchor bolts and installing new anchor bolts shall be paid for under the REMOVE AND REPLACE ANCHOR BOLTS pay item.

The contactor will also be required to provide all traffic control including setting up a local detour as shown on the plans for the duration that Brookfield Avenue has to be closed while the bridge structure is being installed. This work shall be paid for under the Traffic Control and Protection (Special) pay item.

If the contractor proposes to utilize the existing vehicular bridge immediately north of the pedestrian bridge, he shall provide a letter prepared by an Illinois Licensed Structural Engineer certifying that the bridge is structurally capable of supporting the combined weight of the crane and the lifted pedestrian bridge during all stages of lifting and transporting of the pedestrian bridge.

Basis of Payment: This item shall be paid for at the Contract unit price per Lump Sum for PRE-ENGINEERED STEEL TRUSS PEDESTRIAN BRIDGE, which price shall include all costs for furnishing the labor, equipment and materials necessary to furnish and install the prefabricated bridge into position on the existing bridge abutments in accordance with the details shown on the Plans and as described in these Specifications.

# REMOVE AND REPLACE ANCHOR BOLTS

The existing anchor bolts are to remain in place for securing the new bridge unless they are determined to be unusable. The bolts currently appear to be acceptable for reuse; however, in the process of removing the existing bridge or setting the replacement bridge, the existing bolts could become damaged. Should this occur, new anchor bolts would be installed in the optional anchor bolt locations as shown in the Bearing Plate detail on the plans.

This item will consist of the removal of an existing anchor bolt that is determined to be unusable and the installation of a replacement anchor bolt. The setting and bearing plates on the proposed bridge shall be equipped with optional bolt holes specifically for this purpose. The number, size and location of existing anchor bolts are indicated on the design drawings.

The anchor bolts shall be designed to resist all horizontal and uplift forces to be transferred by the superstructure to the supporting foundations. The contractor shall provide all materials, including replacement anchor bolts and grout, if required. The contractor shall install the replacement anchor bolts in accordance with the manufacturer's anchor bolt spacing dimensions and the construction details on the design drawings. Included in the work to be performed with this item is the removal of the unusable bolt by cutting flush with the abutment surface and drilling or coring and grouting in place the new anchor bolt. The new anchor bolt shall conform to the details shown on the plans.

The grout used for this pay item shall be designed and applied in accordance with the details shown on the plans or an approved equal.

Basis of Payment: This item shall be paid for at the Contract unit price per Each for REMOVE AND REPLACE ANCHOR BOLTS, which price shall include all costs for furnishing the labor, equipment and materials necessary to remove the existing anchor bolt and properly furnish and install the new anchor bolt in accordance with the Specifications.

#### BRIDGE ELECTRICAL CONNECTION

This item shall consist of the necessary work to connect the bridge lighting and festoon outlets from the new pedestrian bridge to the existing lighting system along Brookfield Avenue. The location of where the feed is to be connected to the street lighting system is shown on the plans. At the point of connection, a new handhole Model No. PG1118 BB base and Model No. PG1118CG00 cover as manufactured by Quazite, or approved equal, shall be installed at a location to intercept the existing conduit. The existing cable shall be cut and spliced within the handhole. New 1" unit duct with 2-1/C No. 10 and 1/C No. 12 Ground will be installed from the handhole to the junction box on the pedestrian bridge.

Basis of Payment: This item shall be paid for at the Contract unit price per Lump Sum for ELECTRICAL SERVICE CONNECTION, which price shall include all costs for furnishing the labor, equipment and materials necessary to connect the bridge lighting and festoon outlets to the existing lighting system including restoration of any disturbed areas in accordance with the Specifications.

# TRAFFIC CONTROL AND PROTECTION (SPECIAL)

This item shall consist of the furnishing, installing, maintaining, replacing, relocating, and removing all traffic control devices used for the purpose of regulating, warning or directing traffic during the construction or maintenance of this improvement.

Traffic Control and Protection shall be provided as called for in the Plans, these Special Provisions, applicable Highway Standards, applicable sections of the Standard Specifications or as directed by the Engineer.

The governing factor in the execution and staging of the work for this project is to provide the motoring public with the safest possible travel conditions along the roadway through the construction zone.

The contactor will also be required to provide all traffic control including setting up a local detour as shown on the plans for the duration that Brookfield Avenue has to be closed while the bridge structure is being installed and the existing bridge structure is being removed.

The Contractor shall be responsible for the proper location, installation and arrangement of all traffic control devices. Special attention shall be given to advance warning signs during construction operations in order to keep lane assignments consistent with barricade placement at all times. The Contractor shall immediately remove, cover or turn from the view of motorists all traffic control devices which are inconsistent with the lane assignment patterns and conflicting conditions during the transition from one construction stage to another. When the Contractor elects to cover conflicting or inappropriate signing materials used shall totally block out reflectivity of the sign and shall cover the entire sign, the method of covering the signing shall meet with the approval of the Engineer.

The Contractor shall coordinate all traffic control work on the project with adjoining or overlapping projects, including barricade placement necessary to provide a uniform traffic detour pattern. When directed by the Engineer, the Contractor shall remove all traffic control devices, which were furnished, installed and maintained by him under this contract, and such devices shall remain the property of the Contractor. All traffic control devices shall remain in place until specific authorization for relocation or removal is received from the Engineer.

Basis of Payment: This work shall be paid for at the Contract unit price per Lump Sum for TRAFFIC CONTROL AND PROTECTION (SPECIAL), which price shall include all costs for furnishing the labor, equipment and materials necessary to furnish, install, maintain and remove the traffic control devices in accordance with the Specifications.

#### TRAFFIC CONTROL PLAN

Effective: September 30, 1985 Revised: January 1, 2007

Traffic Control shall be according to the applicable sections of the Standard Specifications, the Supplemental Specifications, the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", any special details and Highway Standards contained in the plans, and the Special Provisions contained herein.

Special attention is called to Article 107.09 of the Standard Specifications and the following Highway Standards, Details, Quality Standard for Work Zone Traffic Control Devices, Recurring Special Provisions and Special Provisions contained herein, relating to traffic control.

The Contractor shall contact the District One Bureau of Traffic at least 72 hours in advance of beginning work.

STANDARDS: 000001-05, 701501-04, 701801-03, and 701901

<u>PLANS</u>: Detour Signing Plan (Sheet 3)

SPECIAL PROVISIONS: Special Provision for Work Zone Traffic Control (LRS 3)

Maintenance of Roadway

Traffic Control and Protection (Special)



# Illinois Department of Natural Resources

Rod R. Blagojevich, Governor

One Natural Resources Way • Springfield, Illinois 62702-1271 http://dnr.state.il.us

Sam Flood, Acting Director

April 10, 2008

SUBJECT: Permit No. NE2008012

Pedestrian Bridge Replacement

Salt Creek Cook County

Application No. 2008037

Riccardo F. Ginex, Village Manager Village of Brookfield 8820 Brookfield Avenue Brookfield, Illinois 60513

Dear Mr. Ginex:

We are enclosing Permit No. NE2008012 authorizing the subject project.

If any changes of the permitted work are found necessary, revised plans should be submitted promptly to this office for review and approval. Also, this permit expires on the date indicated in Condition (13). If unable to complete the work by that date, the permittee may make a written request for a time extension.

When the work is completed, please my office at 847/608-3100 extension 2025. so we may schedule a final inspection.

Sincerely,

Gary W. Jereb, P.E., Chief Juy Cu Northeastern Illinois Regulatory Programs Section

GJ:crw

**Enclosure** 

cc: Chicago District Corps of Engineers (Chic. COE) Stephen B. Clark, Edwin Hancock Engineering Co.



PERMIT NO. NE2008012 DATE: April 10, 2008

# State of Illinois

Department of Natural Resources, Office of Water Resources

Permission is hereby granted to:

Village of Brookfield 8820 Brookfield Avenue Brookfield, Illinois 60513

to construct a 130 ft. long, single-span replacement pedestrian bridge on Salt Creek in the Southeast Quarter of Section 35, Township 39 North, Range 12 East of the Third Principal Meridian in Cook County,

in accordance with an application dated March 4, 2008, and the plans and specifications entitled:

PLANS FOR PROPOSED FEDERAL AID HIGHWAY REPLACEMENT OF PEDESTRIAN BRIDGE OVER SALT CREEK NEAR BROOKFIELD AVENUE AND PRAIRIE AVENUE,

SECTION NO.: 06-00120-00-BR, FEDERAL PROJECT NO.: CMM-8003 (673), VILLAGE OF BROOKFIELD, SHEETS 1, 4, 5, AND 7 OF 8, DATED MARCH 7, 2008, RECEIVED MARCH 17, 2008.

Examined and Recommended:

Gary W. Jereb, Chief

Northeastern Illinois Regulatory

**Programs Section** 

**Approval Recommended:** 

Gary R. Clark, Director

Office of Water Resources

Approved:

Sam Flood, Acting Director

**Department of Natural Resources** 

This PERMIT is subject to the terms and special conditions contained herein.

# **PERMIT NO. NE2008012**

# THIS PERMIT IS SUBJECT TO THE FOLLOWING CONDITIONS:

1) This permit is granted in accordance with the Rivers, Lakes and Streams Act "615 ILCS 5."

salatel e Propertional que talle e les librations de la confine partie de la fille de la fille de la fille de

- This permit does not convey title to the permittee or recognize title of the permittee to any submerged or other lands, and furthermore, does not convey, lease or provide any right or rights of occupancy or use of the public or private property on which the activity or any part thereof will be located, or otherwise grant to the permittee any right or interest in or to the property, whether the property is owned or possessed by the State of Illinois or by any private or public party or parties.
- This permit does not release the permittee from liability for damage to persons or property resulting from the work covered by this permit, and does not authorize any injury to private property or invasion of private rights.
- This permit does not relieve the permittee of the responsibility to obtain other federal, state or local authorizations required for the construction of the permitted activity; and if the permittee is required by law to obtain approvals from any federal or state agency to do the work, this permit is not effective until the federal and state approvals are obtained.
- 5) The permittee shall, at the permittee's own expense, remove all temporary piling, cofferdams, false work, and material incidental to the construction of the project. If the permittee fails to remove such structures or materials, the Department may have removal made at the expense of the permittee.
- In public waters, if future need for public navigation or other public interest by the state or federal government necessitates changes in any part of the structure or structures, such changes shall be made by and at the expense of the permittee or the permittee's successors as required by the Department or other properly constituted agency, within sixty (60) days from receipt of written notice of the necessity from the Department or other agency, unless a longer period of time is specifically authorized.
- 7) The execution and details of the work authorized shall be subject to the review and approval of the Department. Department personnel shall have the right of access to accomplish this purpose.
- 8) Starting work on the activity authorized will be considered full acceptance by the permittee of the terms and conditions of the permit.
- 9) The Department in issuing this permit has relied upon the statements and representations made by the permittee; if any substantive statement or representation made by the permittee is found to be false, this permit will be revoked; and when revoked, all rights of the permittee under the permit are voided.
- 10) In public waters, the permittee and the permittee's successors shall make no claim whatsoever to any interest in any accretions caused by the activity.
- 11) In issuing this permit, the Department does not ensure the adequacy of the design or structural strength of the structure or improvement.
- 12) Noncompliance with the conditions of this permit will be considered grounds for revocation.
- 13) If the construction activity permitted is not completed on or before <u>December 31, 2011</u>, this permit shall cease and be null and void.

2



#### DEPARTMENT OF THE ARMY

CHICAGO DISTRICT, CORPS OF ENGINEERS
111 NORTH CANAL STREET
CHICAGO, ILLINOIS 60606-7206

APR 22 2008

Technical Services Division Regulatory Branch LRC-2008-101

SUBJECT: No objection to the replacement of a pedestrian bridge located over Salt Creek near Brookfield and Prairie Avenue in Brookfield, Cook County, Illinois

Village of Brookfield Attn: Mr. Michael Garvey 8820 Brookfield Avenue Brookfield, IL 60513

Dear Mr. Garvey:

This is in response to your request that the U.S. Army Corps of Engineers issue a "letter of no objection" for the above-referenced activity. The subject project has been assigned number LRC-2008-101. Please reference this number in all future correspondence concerning this project.

Following a review of the information you furnished to this office and assuming your project is conducted only as set forth in the information provided, this office has determined that the subject property does not require a Department of the Army (DA) permit to complete the proposed work. Please be aware that any unpermitted discharge into an area within the jurisdiction of this office may result in civil or criminal enforcement under the Clean Water Act, 33 U.S.C. Sec. 1319.

This determination covers only your project as depicted in the plans entitled "Pedestrian Bridge Replacement" dated March 7, 2008, prepared by Hancock Engineering. Soil erosion and sediment controls measures shall be implemented on site and properly maintained during construction activities to prevent construction materials from escaping the project area. This determination is valid for 5 years from the date of this letter.

It is your responsibility to obtain any required state, county, or local approvals for impacts to wetland areas not under the Department of the Army jurisdiction. This determination is based only on the proposed activity and is not an approved jurisdiction determination for the subject parcel. If you wish to receive an approved jurisdiction determination or

have any questions, please contact Mr. Paul Leffler of my staff by telephone at  $(312)\,846-5529$  or email at

paul.m.leffler@usace.army.mil.

Phycereta

Leesa A. Beal

Chief, East Section Regulatory Branch

Copy Furnished:

Hancock Engineering Attn: Mr. Clark 9933 Roosevelt Road Westchester, IL 60154-2780

# State of Illinois Department of Transportation Bureau of Local Roads and Streets

# SPECIAL PROVISION FOR COOPERATION WITH UTILITIES

Effective: January 1, 1999 Revised: January 1, 2007

All references to Sections or Articles in this specification shall be construed to mean specific Section or Article of the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation.

Replace Article 105.07 of the Standard Specifications with the following:

"105.07 Cooperation with Utilities. The adjustment of utilities consists of the relocation, removal, replacement, rearrangements, reconstruction, improvement, disconnection, connection, shifting, new installation or altering of an existing utility facility in any manner.

When the plans or special provisions include information pertaining to the location of underground utility facilities, such information represents only the opinion of the Department as to the location of such utilities and is only included for the convenience of the bidder. The Department assumes no responsibility in respect to the sufficiency or the accuracy of the information shown on the plans relative to the location of the underground utility facilities.

Utilities which are to be adjusted shall be adjusted by the utility owner or the owner's representative or by the Contractor as a contract item. Generally, arrangements for adjusting existing utilities will be made by the Department prior to project construction; however, utilities will not necessarily be adjusted in advance of project construction and, in some cases, utilities will not be removed from the proposed construction limits. When utility adjustments must be performed in conjunction with construction, the utility adjustment work will be shown on the plans and/or covered by Special Provisions.

When the Contractor discovers a utility has not been adjusted by the owner or the owner's representative as indicated in the contract documents, or the utility is not shown on the plans or described in the Special Provisions as to be adjusted in conjunction with construction, the Contractor shall not interfere with said utility, and shall take proper precautions to prevent damage or interruption of the utility and shall promptly notify the Engineer of the nature and location of said utility.

All necessary adjustments, as determined by the Engineer, of utilities not shown on the plans or not identified by markers, will be made at no cost to the Contractor except traffic structures, light poles, etc., that are normally located within the proposed construction limits as hereinafter defined will not be adjusted unless required by the proposed improvement.



- (a) Limits of Proposed Construction for Utilities Paralleling the Roadway. For the purpose of this Article, limits of proposed construction for utilities extending in the same longitudinal direction as the roadway, shall be defined as follows:
  - (1) The horizontal limits shall be a vertical plane, outside of, parallel to, and 600 mm (2 ft) distant at right angles from the plan or revised slope limits.
  - In cases where the limits of excavation for structures are not shown on the plans, the horizontal limits shall be a vertical plane 1.2 m (4 ft) outside the edges of structure footings or the structure where no footings are required.
  - (2) The upper vertical limits shall be the regulations governing the roadbed clearance for the specific utility involved.
  - (3) The lower vertical limits shall be the top of the utility at the depth below the proposed grade as prescribed by the governing agency or the limits of excavation, whichever is less.
- (b) Limits of Proposed Construction for Utilities Crossing the Roadway. For the purpose of this Article, limits of proposed construction for utilities crossing the roadway in a generally transverse direction shall be defined as follows:
  - (1) Utilities crossing excavations for structures that are normally made by trenching such as sewers, underdrains, etc. and all minor structures such as manholes, inlets, foundations for signs, foundations for traffic signals, etc., the limits shall be the space to be occupied by the proposed permanent construction unless otherwise required by the regulations governing the specific utility involved.
  - (2) For utilities crossing the proposed site of major structures such as bridges, sign trusses, etc., the limits shall be as defined above for utilities extending in the same general direction as the roadway.

The Contractor may make arrangements for adjustment of utilities outside of the limits of proposed construction provided the Contractor furnishes the Department with a signed agreement with the utility owner covering the adjustments to be made. The cost of any adjustments made outside the limits of proposed construction shall be the responsibility of the Contractor unless otherwise provided.

The Contractor shall request all utility owners to field locate their facilities according to Article 107.31. The Engineer may make the request for location from the utility after receipt of notice from the Contractor. On request, the Engineer will make an inspection to verify that the utility company has field located its facilities, but will not assume responsibility for the accuracy of such work. The Contractor shall be responsible for maintaining the excavations or markers provided by the utility owners. This field location procedure may be waived if the utility owner has stated in writing to the Department it is satisfied the construction plans are sufficiently accurate. If the utility owner does not submit such statement to the Department, and they do not field locate their facilities in both horizontal and vertical alignment, the Engineer will authorize the Contractor in writing to proceed to locate the facilities in the most economical and reasonable manner, subject to the approval of the Engineer, and be paid according to Article 109.04.

The Contractor shall coordinate with any planned utility adjustment or new installation and the Contractor shall take all precautions to prevent disturbance or damage to utility facilities. Any failure on the part of the utility owner, or their representative, to proceed with any planned utility adjustment or new installation shall be reported promptly by the Contractor to the Engineer orally and in writing.

The Contractor shall take all necessary precautions for the protection of the utility facilities. The Contractor shall be responsible for any damage or destruction of utility facilities resulting from neglect, misconduct, or omission in the Contractor's manner or method of execution or nonexecution of the work, or caused by defective work or the use of unsatisfactory materials. Whenever any damage or destruction of a utility facility occurs as a result of work performed by the Contractor, the utility company will be immediately notified. The utility company will make arrangements to restore such facility to a condition equal to that existing before any such damage or destruction was done.

It is understood and agreed that the Contractor has considered in the bid all of the permanent and temporary utilities in their present and/or adjusted positions.

No additional compensation will be allowed for any delays, inconvenience, or damage sustained by the Contractor due to any interference from the said utility facilities or the operation of relocating the said utility facilities.

# State of Illinois Department of Transportation Bureau of Local Roads and Streets

# SPECIAL PROVISION FOR INSURANCE

Effective: February 1, 2007 Revised: August 1, 2007

All references to Sections or Articles in this specification shall be construed to mean specific Section or Article of the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation.

The Contractor shall name the following entities as additional insured under the Contractor's general liability insurance policy in accordance with Article 107.27:

Hancock Engineering Co., 99	33 Roosevelt Road,	Westchester, IL	60154
•	•		

held harmless in accordance with Article 107.26.

# DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)

Effective: September 1, 2000 Revised: January 1, 2007

<u>FEDERAL OBLIGATION</u>. The Department of Transportation, as a recipient of federal financial assistance, is required to take all necessary and reasonable steps to ensure nondiscrimination in the award and administration of contracts. Consequently, the federal regulatory provisions of 49 CFR part 26 apply to this contract concerning the utilization of disadvantaged business enterprises. For the purposes of this Special Provision, a disadvantaged business enterprise (DBE) means a business certified by the Department in accordance with the requirements of 49 CFR part 26 and listed in the DBE Directory or most recent addendum.

STATE OBLIGATION. This Special Provision will also be used by the Department to satisfy the requirements of the Business Enterprise for Minorities, Females, and Persons with Disabilities Act, 30 ILCS 575. When this Special Provision is used to satisfy state law requirements on 100 percent state-funded contracts, the federal government has no involvement in such contracts (not a federal-aid contract) and no responsibility to oversee the implementation of this Special Provision by the Department on those contracts. DBE participation on 100 percent state-funded contracts will not be credited toward fulfilling the Department's annual overall DBE goal required by the US Department of Transportation to comply with the federal DBE program requirements.

<u>CONTRACTOR ASSURANCE</u>. The Contractor makes the following assurance and agrees to include the assurance in each subcontract that the Contractor signs with a subcontractor:

The Contractor, subrecipient, or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The Contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of contracts funded in whole or in part with federal or state funds. Failure by the Contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate.

OVERALL GOAL SET FOR THE DEPARTMENT. As a requirement of compliance with 49 CFR part 26, the Department has set an overall goal for DBE participation in its federally assisted contracts. That goal applies to all federal-aid funds the Department will expend in its federally assisted contracts for the subject reporting fiscal year. The Department is required to make a good faith effort to achieve the overall goal. The dollar amount paid to all approved DBE firms performing work called for in this contract is eligible to be credited toward fulfillment of the Department's overall goal.

CONTRACT GOAL TO BE ACHIEVED BY THE CONTRACTOR. This contract includes a specific DBE utilization goal established by the Department. The goal has been included because the Department has determined that the work of this contract has subcontracting opportunities that may be suitable for performance by DBE companies. This determination is based on an assessment of the type of work, the location of the work, and the availability of

DBE companies to do a part of the work. The assessment indicates that, in the absence of unlawful discrimination, and in an arena of fair and open competition, DBE companies can be expected to perform 3 % of the work. This percentage is set as the DBE participation goal for this contract. Consequently, in addition to the other award criteria established for this contract, the Department will award this contract to a bidder who makes a good faith effort to meet this goal of DBE participation in the performance of the work. A bidder makes a good faith effort for award consideration if either of the following is done in accordance with the procedures set forth in this Special Provision:

- (a) The bidder documents that firmly committed DBE participation has been obtained to meet the goal; or
- (b) The bidder documents that a good faith effort has been made to meet the goal, even though the effort did not succeed in obtaining enough DBE participation to meet the goal.

DBE LOCATOR REFERENCES. Bidders may consult the DBE Directory as a reference source for DBE companies certified by the Department. In addition, the Department maintains a letting and item specific DBE locator information system whereby DBE companies can register their interest in providing quotes on particular bid items advertised for letting. Information concerning DBE companies willing to quote work for particular contracts may be obtained by contacting the Department's Bureau of Small Business Enterprises at telephone number (217)785-4611, or by visiting the Department's web site at www.dot.il.gov.

<u>BIDDING PROCEDURES</u>. Compliance with the bidding procedures of this Special Provision is required prior to the award of the contract and the failure of the as-read low bidder to comply will render the bid not responsive.

(a) In order to assure the timely award of the contract, the as-read low bidder shall submit a Disadvantaged Business Utilization Plan on Department form SBE 2026 within seven working days after the date of letting. To meet the seven day requirement, the bidder may send the Plan by certified mail or delivery service within the seven working day period. If a question arises concerning the mailing date of a Plan, the mailing date will be established by the U.S. Postal Service postmark on the original certified mail receipt from the U.S. Postal Service or the receipt issued by a delivery service. It is the responsibility of the bidder to ensure that the postmark or receipt date is affixed within the seven working days if the bidder intends to rely upon mailing or delivery to satisfy the submission day requirement. The Plan is to be submitted to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764 (Telefax: (217)785-1524). It is the responsibility of the bidder to obtain confirmation of telefax delivery. The Department will not accept a Utilization Plan if it does not meet the seven day submittal requirement and the bid will be declared not responsive. In the event the bid is declared not responsive due to a failure to submit a Plan or failure to comply with the bidding procedures set forth herein, the Department may elect to cause the forfeiture of the penal sum of the bidder's proposal guaranty, and may deny authorization to bid the project if re-advertised for bids. The Department reserves the right to invite any other bidder to submit a Utilization Plan at any time for award consideration or to extend the time for award.

- (b) The Utilization Plan shall indicate that the bidder either has obtained sufficient DBE participation commitments to meet the contract goal or has not obtained enough DBE participation commitments in spite of a good faith effort to meet the goal. The Utilization Plan shall further provide the name, telephone number, and telefax number of a responsible official of the bidder designated for purposes of notification of plan approval or disapproval under the procedures of this Special Provision.
- (c) The Utilization Plan shall include a DBE Participation Commitment Statement, Department form SBE 2025, for each DBE proposed for the performance of work to achieve the contract goal. The signatures on these forms must be original signatures. All elements of information indicated on the said form shall be provided, including but not limited to the following:
  - (1) The name and address of each DBE to be used;
  - (2) A description, including pay item numbers, of the commercially useful work to be done by each DBE;
  - (3) The price to be paid to each DBE for the identified work specifically stating the quantity, unit price, and total subcontract price for the work to be completed by the DBE. If partial pay items are to be performed by the DBE, indicate the portion of each item, a unit price where appropriate and the subcontract price amount;
  - (4) A commitment statement signed by the bidder and each DBE evidencing availability and intent to perform commercially useful work on the project; and
  - (5) If the bidder is a joint venture comprised of DBE firms and non-DBE firms, the plan must also include a clear identification of the portion of the work to be performed by the DBE partner(s).
- (d) The contract will not be awarded until the Utilization Plan submitted by the bidder is approved. The Utilization Plan will be approved by the Department if the Plan commits sufficient commercially useful DBE work performance to meet the contract goal. The Utilization Plan will not be approved by the Department if the Plan does not commit sufficient DBE performance to meet the contract goal unless the bidder documents that it made a good faith effort to meet the goal. The good faith procedures of Section VIII of this special provision apply. If the Utilization Plan is not approved because it is deficient in a technical matter, unless waived by the Department, the bidder will be notified and will be allowed no less than a five working day period in order to cure the deficiency.

<u>CALCULATING DBE PARTICIPATION</u>. The Utilization Plan values represent work anticipated to be performed and paid for upon satisfactory completion. The Department is only able to

count toward the achievement of the overall goal and the contract goal the value of payments made for the work actually performed by DBE companies. In addition, a DBE must perform a commercially useful function on the contract to be counted. A commercially useful function is generally performed when the DBE is responsible for the work and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. The Department and Contractor are governed by the provisions of 49 CFR part 26.55(c) on questions of commercially useful functions as it affects the work. Specific counting guidelines are provided in 49 CFR part 26.55, the provisions of which govern over the summary contained herein.

- (a) DBE as the Contractor: 100 percent goal credit for that portion of the work performed by the DBE's own forces, including the cost of materials and supplies. Work that a DBE subcontracts to a non-DBE firm does not count toward the DBE goals.
- (b) DBE as a joint venture Contractor: 100 percent goal credit for that portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work performed by the DBE's own forces.
- (c) DBE as a subcontractor: 100 percent goal credit for the work of the subcontract performed by the DBE's own forces, including the cost of materials and supplies, excluding the purchase of materials and supplies or the lease of equipment by the DBE subcontractor from the prime Contractor or its affiliates. Work that a DBE subcontractor in turn subcontracts to a non-DBE firm does not count toward the DBE goal.
- (d) DBE as a trucker: 100 percent goal credit for trucking participation provided the DBE is responsible for the management and supervision of the entire trucking operation for which it is responsible. At least one truck owned, operated, licensed, and insured by the DBE must be used on the contact. Credit will be given for the full value of all such DBE trucks operated using DBE employed drivers. Goal credit will be limited to the value of the reasonable fee or commission received by the DBE if trucks are leased from a non-DBE company.
- (e) DBE as a material supplier:
  - (1) 60 percent goal credit for the cost of the materials or supplies purchased from a DBE regular dealer.
  - (2) 100 percent goal credit for the cost of materials or supplies obtained from a DBE manufacturer.
  - (3) 100 percent credit for the value of reasonable fees and commissions for the procurement of materials and supplies if not a regular dealer or manufacturer.

GOOD FAITH EFFORT PROCEDURES. If the bidder cannot obtain sufficient DBE commitments to meet the contract goal, the bidder must document in the Utilization Plan the good faith efforts made in the attempt to meet the goal. This means that the bidder must show

that all necessary and reasonable steps were taken to achieve the contract goal. Necessary and reasonable steps are those which could reasonably be expected to obtain sufficient DBE participation. The Department will consider the quality, quantity, and intensity of the kinds of efforts that the bidder has made. Mere *pro forma* efforts are not good faith efforts; rather, the bidder is expected to have taken those efforts that would be reasonably expected of a bidder actively and aggressively trying to obtain DBE participation sufficient to meet the contract goal.

- (a) The following is a list of types of action that the Department will consider as part of the evaluation of the bidder's good faith efforts to obtain participation. These listed factors are not intended to be a mandatory checklist and are not intended to be exhaustive. Other factors or efforts brought to the attention of the Department may be relevant in appropriate cases, and will be considered by the Department.
  - (1) Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBE companies that have the capability to perform the work of the contract. The bidder must solicit this interest within sufficient time to allow the DBE companies to respond to the solicitation. The bidder must determine with certainty if the DBE companies are interested by taking appropriate steps to follow up initial solicitations.
  - (2) Selecting portions of the work to be performed by DBE companies in order to increase the likelihood that the DBE goals will be achieved. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime Contractor might otherwise prefer to perform these work items with its own forces.
  - (3) Providing interested DBE companies with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
  - (4) a. Negotiating in good faith with interested DBE companies. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBE companies that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBE companies to perform the work.
    - b. A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBE companies is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also, the

ability or desire of a bidder to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Bidders are not, however, required to accept higher quotes from DBE companies if the price difference is excessive or unreasonable.

- (5) Not rejecting DBE companies as being unqualified without sound reasons based on a thorough investigation of their capabilities. The bidder's standing within its industry, membership in specific groups, organizations, or associations and political or social affiliations (for example union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the bidder's efforts to meet the project goal.
- (6) Making efforts to assist interested DBE companies in obtaining bonding, lines of credit, or insurance as required by the recipient or Contractor.
- (7) Making efforts to assist interested DBE companies in obtaining necessary equipment, supplies, materials, or related assistance or services.
- (8) Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBE companies.
- (b) If the Department determines that the bidder has made a good faith effort to secure the work commitment of DBE companies to meet the contract goal, the Department will award the contract provided that it is otherwise eligible for award. If the Department determines that a good faith effort has not been made, the Department will notify the bidder of that preliminary determination by contacting the responsible company official designated in the Utilization Plan. The preliminary determination shall include a statement of reasons why good faith efforts have not been found, and may include additional good faith efforts that the bidder could take. The notification will designate a five working day period during which the bidder shall take additional efforts. The bidder is not limited by a statement of additional efforts, but may take other action beyond any stated additional efforts in order to obtain additional DBE commitments. The bidder shall submit an amended Utilization Plan if additional DBE commitments to meet the contract goal are secured. If additional DBE commitments sufficient to meet the contract goal are not secured, the bidder shall report the final good faith efforts made in the time allotted. All additional efforts taken by the bidder will be considered as part of the bidder's good faith efforts. If the bidder is not able to meet the goal after taking additional efforts, the Department will make a pre-final determination of the good faith efforts of the bidder and will notify the designated responsible company official of the reasons for an adverse determination.
- (c) The bidder may request administrative reconsideration of a pre-final determination adverse to the bidder within the five working days after the notification date of the determination by delivering the request to the Department of Transportation, Bureau of



Small Business Enterprises. Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764 (Telefax: (217)785-1524). Deposit of the request in the United States mail on or before the fifth business day shall not be deemed delivery. The pre-final determination shall become final if a request is not made and delivered. A request may provide additional written documentation and/or argument concerning the issue of whether an adequate good faith effort was made to meet the contract goal. In addition, the request shall be considered a consent by the bidder to extend the time for award. The request will be forwarded to the Department's Reconsideration Officer. The Reconsideration Officer will extend an opportunity to the bidder to meet in person in order to consider all issues of whether the bidder made a good faith effort to meet the goal. After the review by the Reconsideration Officer, the bidder will be sent a written decision within ten working days after receipt of the request for reconsideration, explaining the basis for finding that the bidder did or did not meet the goal or make adequate good faith efforts to do so. A final decision by the Reconsideration Officer that a good faith effort was made shall approve the Utilization Plan submitted by the bidder and shall clear the contract for award. A final decision that a good faith effort was not made shall render the bid not responsive.

CONTRACT COMPLIANCE. Compliance with this Special Provision is an essential part of the contract. The Department is prohibited by federal regulations from crediting the participation of a DBE included in the Utilization Plan toward either the contract goal or the Department's overall goal until the amount to be applied toward the goals has been paid to the DBE. The following administrative procedures and remedies govern the compliance by the Contractor with the contractual obligations established by the Utilization Plan. After approval of the Plan and award of the contract, the Utilization Plan and individual DBE Participation Statements become part of the contract. If the Contractor did not succeed in obtaining enough DBE participation to achieve the advertised contract goal, and the Utilization Plan was approved and contract awarded based upon a determination of good faith, the total dollar value of DBE work calculated in the approved Utilization Plan as a percentage of the awarded contract value shall become the amended contract goal.

- (a) No amendment to the Utilization Plan may be made without prior written approval from the Department's Bureau of Small Business Enterprises. All requests for amendment to the Utilization Plan shall be submitted to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764. Telephone number (217) 785-4611. Telefax number (217) 785-1524.
- (b) All work indicated for performance by an approved DBE shall be performed, managed, and supervised by the DBE executing the Participation Statement. The Contractor shall not terminate for convenience a DBE listed in the Utilization Plan and then perform the work of the terminated DBE with its own forces, those of an affiliate or those of another subcontractor, whether DBE or not, without first obtaining the written consent of the Bureau of Small Business Enterprises to amend the Utilization Plan. If a DBE listed in the Utilization Plan is terminated for reasons other than convenience, or fails to complete its work on the contract for any reason, the Contractor shall make good faith efforts to

find another DBE to substitute for the terminated DBE. The good faith efforts shall be directed at finding another DBE to perform at least the same amount of work under the contract as the DBE that was terminated, but only to the extent needed to meet the contract goal or the amended contract goal. The Contractor shall notify the Bureau of Small Business Enterprises of any termination for reasons other than convenience, and shall obtain approval for inclusion of the substitute DBE in the Utilization Plan. If good faith efforts following a termination of a DBE for cause are not successful, the Contractor shall contact the Bureau and provide a full accounting of the efforts undertaken to obtain substitute DBE participation. The Bureau will evaluate the good faith efforts in light of all circumstances surrounding the performance status of the contract, and determine whether the contract goal should be amended.

- (c) The Contractor shall maintain a record of payments for work performed to the DBE participants. The records shall be made available to the Department for inspection upon request. After the performance of the final item of work or delivery of material by a DBE and final payment therefor to the DBE by the Contractor, but not later than thirty calendar days after payment has been made by the Department to the Contractor for such work or material, the Contractor shall submit a DBE Payment Report on Department form SBE 2115 to the Regional Engineer. If full and final payment has not been made to the DBE, the Report shall indicate whether a disagreement as to the payment required exists between the Contractor and the DBE or if the Contractor believes that the work has not been satisfactorily completed. If the Contractor does not have the full amount of work indicated in the Utilization Plan performed by the DBE companies indicated in the Plan, the Department will deduct from contract payments to the Contractor the amount of the goal not achieved as liquidated and ascertained damages.
- (d) The Department reserves the right to withhold payment to the Contractor to enforce the provisions of this Special Provision. Final payment shall not be made on the contract until such time as the Contractor submits sufficient documentation demonstrating achievement of the goal in accordance with this Special Provision or after liquidated damages have been determined and collected.
- (e) Notwithstanding any other provision of the contract, including but not limited to Article 109.09 of the Standard Specifications, the Contractor may request administrative reconsideration of a decision to deduct the amount of the goal not achieved as liquidated damages. A request to reconsider shall be delivered to the Contract Compliance Section and shall be handled and considered in the same manner as set forth in paragraph (c) of "Good Faith Effort Procedures" of this Special Provision, except a final decision that a good faith effort was not made during contract performance to achieve the goal agreed to in the Utilization Plan shall be the final administrative decision of the Department.

### **EQUIPMENT RENTAL RATES (BDE)**

Effective: August 2, 2007 Revised: January 2, 2008

Replace the second and third paragraphs of Article 105.07(b)(4)a. of the Standard Specifications with the following:

"Equipment idled which cannot be used on other work, and which is authorized to standby on the project site by the Engineer, will be paid for according to Article 109.04(b)(4)."

Replace Article 109.04(b)(4) of the Standard Specifications with the following:

- "(4) Equipment. Equipment used for extra work shall be authorized by the Engineer. The equipment shall be specifically described, be of suitable size and capacity for the work to be performed, and be in good operating condition. For such equipment, the Contractor will be paid as follows.
  - a. Contractor Owned Equipment. Contractor owned equipment will be paid for by the hour using the applicable FHWA hourly rate from the "Equipment Watch Rental Rate Blue Book" (Blue Book) in effect when the force account work begins. The FHWA hourly rate is calculated as follows.

FHWA hourly rate = (monthly rate/176) x (model year adj.) x (Illinois adj.) + EOC

Where: EOC = Estimated Operating Costs per hour (from the Blue Book)

The time allowed will be the actual time the equipment is operating on the extra work. For the time required to move the equipment to and from the site of the extra work and any authorized idle (standby) time, payment will be made at the following hourly rate: 0.5 x (FHWA hourly rate - EOC).

All time allowed shall fall within the working hours authorized for the extra work.

The rates above include the cost of fuel, oil, lubrication, supplies, small tools, necessary attachments, repairs, overhaul and maintenance of any kind, depreciation, storage, overhead, profits, insurance, and all incidentals. The rates do not include labor.

The Contractor shall submit to the Engineer sufficient information for each piece of equipment and its attachments to enable the Engineer to determine the proper equipment category. If a rate is not established in the Blue Book for a particular piece of equipment, the Engineer will establish a rate for that piece of equipment that is consistent with its cost and use in the industry.

b. Rented Equipment. Whenever it is necessary for the Contractor to rent equipment to perform extra work, the rental and transportation costs of the equipment plus five percent for overhead will be paid. In no case shall the rental rates exceed those of established distributors or equipment rental agencies.

All prices shall be agreed to in writing before the equipment is used."

## PAYMENTS TO SUBCONTRACTORS (BDE)

Effective: June 1, 2000 Revised: January 1, 2006

Federal regulations found at 49 CFR §26.29 mandate the Department to establish a contract clause to require Contractors to pay subcontractors for satisfactory performance of their subcontracts and to set the time for such payments.

State law also addresses the timing of payments to be made to subcontractors and material suppliers. Section 7 of the Prompt Payment Act, 30 ILCS 540/7, requires that when a Contractor receives any payment from the Department, the Contractor shall make corresponding, proportional payments to each subcontractor and material supplier performing work or supplying material within 15 calendar days after receipt of the Department payment. Section 7 of the Act further provides that interest in the amount of two percent per month, in addition to the payment due, shall be paid to any subcontractor or material supplier by the Contractor if the payment required by the Act is withheld or delayed without reasonable cause. The Act also provides that the time for payment required and the calculation of any interest due applies to transactions between subcontractors and lower-tier subcontractors and material suppliers throughout the contracting chain.

This Special Provision establishes the required federal contract clause, and adopts the 15 calendar day requirement of the State Prompt Payment Act for purposes of compliance with the federal regulation regarding payments to subcontractors. This contract is subject to the following payment obligations.

When progress payments are made to the Contractor according to Article 109.07 of the Standard Specifications, the Contractor shall make a corresponding payment to each subcontractor and material supplier in proportion to the work satisfactorily completed by each subcontractor and for the material supplied to perform any work of the contract. The proportionate amount of partial payment due to each subcontractor and material supplier throughout the contracting chain shall be determined by the quantities measured or otherwise determined as eligible for payment by the Department and included in the progress payment to the Contractor. Subcontractors and material suppliers shall be paid by the Contractor within 15 calendar days after the receipt of payment from the Department. The Contractor shall not hold retainage from the subcontractors. These obligations shall also apply to any payments made by subcontractors and material suppliers to their subcontractors and material suppliers; and to all payments made to lower tier subcontractors and material suppliers throughout the contracting chain. Any payment or portion of a payment subject to this provision may only be withheld from the subcontractor or material supplier to whom it is due for reasonable cause.

This Special Provision does not create any rights in favor of any subcontractor or material supplier against the State or authorize any cause of action against the State on account of any payment, nonpayment, delayed payment, or interest claimed by application of the State Prompt Payment Act. The Department will not approve any delay or postponement of the 15 day requirement except for reasonable cause shown after notice and hearing pursuant to Section

| 7(b) of the State Prompt Payment Act. State law creates other and additional remedies available to any subcontractor or material supplier, regardless of tier, who has not been paid for work properly performed or material furnished. These remedies are a lien against public funds set forth in Section 23(c) of the Mechanics Lien Act, 770 ILCS 60/23(c), and a recovery on the Contractor's payment bond according to the Public Construction Bond Act, 30 ILCS 550.

# RAILROAD PROTECTIVE LIABILITY INSURANCE (5 and 10) (BDE)

Effective: January 1, 2006

<u>Description</u>. Railroad Protective Liability and Property Damage Liability Insurance shall be carried according to Article 107.11 of the Standard Specifications, except the limits shall be a minimum of \$5,000,000 combined single limit per occurrence for bodily injury liability and property damage liability with an aggregate limit of \$10,000,000 over the life of the policy. A separate policy is required for each railroad unless otherwise noted.

	•		
NAMED INSURED & ADDRESS	NUMBER & SPEED OF PASSENGER TRAINS	NUMBER & SPEED OF FREIGHT TRAINS	
Burlington Northern Santa Fe Rail Road P.O. Box 961039 Fort Worth, Texas 76161	120/Day 70 mph	40/Day 50 mph	
DOT/AAR No.: N/A RR Division: Chicago	RR Mile Post: 12.2 RR Sub-Division: Chic	ago	
For Freight/Passenger Information Co	ontact:Pat Calssler at Cassler	Phone: 312-850-5680 Phone: 312-850-5680	

DOT/AAR No.: RR Division:

RR Mile Post: RR Sub-Division:

For Freight/Passenger Information Contact:

For Insurance Information Contact:

Phone:

<u>Approval of Insurance</u>. The original and one certified copy of each required policy shall be submitted to the following address for approval:

Illinois Department of Transportation Bureau of Design and Environment 2300 South Dirksen Parkway, Room 326 Springfield, Illinois 62764 The Contractor will be advised when the Department has received approval of the insurance from the railroad(s). Before any work begins on railroad right-of-way, the Contractor shall submit to the Engineer evidence that the required insurance has been approved by the railroad(s). The Contractor shall also provide the Engineer with the expiration date of each required policy.

<u>Basis of Payment</u>. Providing Railroad Protective Liability and Property Damage Liability Insurance will be paid for at the contract unit price per Lump Sum for RAILROAD PROTECTIVE LIABILITY INSURANCE.

## REFLECTIVE SHEETING ON CHANNELIZING DEVICES (BDE)

Effective: April 1, 2007

Revise the seventh paragraph of Article 1106.02 of the Standard Specifications to read:

"At the time of manufacturing, the retroreflective prismatic sheeting used on channelizing devices shall meet or exceed the initial minimum coefficient of retroreflection as specified in the following table. Measurements shall be conducted according to ASTM E 810, without averaging. Sheeting used on cones, drums and flexible delineators shall be reboundable as tested according to ASTM D 4956. Prestriped sheeting for rigid substrates on barricades shall be white and orange.

Initial Minimum Coefficient of Retroreflection candelas/foot candle/sq ft (candelas/lux/sq m) of material						
Observation	Entrance Angle			Fluorescent		
Angle (deg.)	(deg.)	White	Orange	Orange		
0.2	-4	365	160	150		
0.2	+30	175	80	70		
0.5	-4	245	100	95		
0.5	+30	100	50	40"		

Revise the first sentence of the first paragraph of Article 1106.02(c) of the Standard Specifications to read:

"Barricades and vertical panels shall have alternating white and orange stripes sloping downward at 45 degrees toward the side on which traffic will pass."

Revise the third sentence of the first paragraph of Article 1106.02(d) of the Standard Specifications to read:

"The bottom panels shall be 8 x 24 in. (200 x 600 mm) with alternating white and orange stripes sloping downward at 45 degrees toward the side on which traffic will pass."

### STEEL INSERTS AND BRACKETS CAST INTO CONCRETE (BDE)

Effective: April 1, 2008

Add the following to Article 503.02 of the Standard Specifications:

Add the following to Article 504.02 of the Standard Specifications:

Revise Article 1006.13 of the Standard Specifications to read:

"1006.13 Steel Inserts and Brackets Cast Into Concrete." Steel inserts and brackets cast into concrete shall be galvanized according to AASHTO M 232 or AASHTO M 111.

The inserts shall be ferrules with loop or strut type anchorages having the following minimum certified proof load.

Insert Diameter	Proof Load
5/8 in. (16 mm)	6600 lb (29.4 kN)
3/4 in. (19 mm)	6600 lb (29.4 kN)
1 in. (25 mm)	9240 lb (41.1 kN)"

## SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)

Effective: April 2, 2005

To account for the preparatory work and operations necessary for the movement of subcontractor personnel, equipment, supplies, and incidentals to the project site and for all other work or operations that must be performed or costs incurred when beginning work approved for subcontracting in accordance with Article 108.01 of the Standard Specifications, the Contractor shall make a mobilization payment to each subcontractor.

This mobilization payment shall be made at least 14 days prior to the subcontractor starting work. The amount paid shall be equal to 3 percent of the amount of the subcontract reported on form BC 260A submitted for the approval of the subcontractor's work.

This provision shall be incorporated directly or by reference into each subcontract approved by the Department.

# WORKING DAYS (BDE)

Effective: January 1, 2002

The Contractor shall complete the work within 10 working days.

# REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION CONTRACTS

		Page
l.	General	1
II.	Nondiscrimination	1
III.	Nonsegregated Facilities	3
IV.	Payment of Predetermined Minimum Wage	3
V.	Statements and Payrolls	6
VI.	Record of Materials, Supplies, and Labor	7
VIII.	Safety: Accident Prevention	7
IX.	False Statements Concerning Highway Projects	7
Χ.	Implementation of Clean Air Act and Federal	
	Water Pollution Control Act	8
XI.	Certification Regarding Debarment, Suspension,	
	Ineligibility, and Voluntary Exclusion	8
XII.	Certification Regarding Use of Contract Funds for	
	Lobbying	9

#### **ATTACHMENTS**

A. Employment Preference for Appalachian Contracts (included in Appalachian contracts only)

#### I. GENERAL

- 1. These contract provisions shall apply to all word performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.
- 2. Except as otherwise provided for in each section, the contractor shall insert in each subcontract all of the stipulations contained in these Required Contract Provisions, and further require their inclusion in any lower tier subcontract or purchase order that may in turn be made. The Required Contract Provisions shall not be incorporated by reference in any case. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with these Required Contract Provisions.
- A breach of any of the stipulations contained in these Required Contract Provisions shall be sufficient grounds for termination of the contract.
- 4. A breach of the following clauses of the Required Contract Provisions may also be grounds for debarment as provided in 29 CFR 5.12:

Section I, paragraph 2; Section IV, paragraphs 1, 2, 3, 4 and 7; Section V, paragraphs 1 and 2a through 2g.

- 5. Disputes arising out of the labor standards provisions of Section IV (except paragraph 5) and Section V of these Required Contract Provisions shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the U.S. Department of Labor (DOL) as set forth in 29 CFR 5, 6 and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the DOL, or the contractor's employees or their representatives.
- 6. Selection of Labor: During the performance of this contract, the contractor shall not:
  - a. Discriminate against labor from any other State, possession, or territory of the United States (except for employment preference for Appalachian contracts, when applicable, as specified in Attachment A), or
- b. Employ convict labor for any purpose within the limits of the project unless it is labor performed by convicts who are on parole, supervised release, or probation.

(Applicable to all Federal-aid construction contracts and to all related subcontracts of \$10,000 or more.)

- 1. Equal Employment Opportunity: Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630 and 41 CFR 60 (and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under this contract. The Equal Opportunity Construction Contract Specifications set forth under 41 CFR 60-4.3 and the provisions of the American Disabilities Act of 1990 (42 U.S.C. 12101 et seg.) set forth under 28 CFR 35 and 29 CFR 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of FFO:
  - a. The contractor will work with the State highway agency (SHA) and the Federal Government in carrying out EEO obligations and in their review of his/her activities under the contract.
  - b. The contractor will accept as his operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, preapprenticeship, and/or on-the-job-training."

- 2. EEO Officer: The contractor will designate and make known to the SHA contracting officers an EEO Officer who will have the responsibility for an must be capable of effectively administering and promoting an active contractor program of EEO and who must be assigned adequate authority and responsibility to do so.
- 3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above

Page 1

agreement will be met, the following actions will be taken as a minimum:

- a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.
- b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.
- c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minority group employees.
- d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.
- e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.
- 4. Recruitment: When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minority groups in the area from which the project work force would normally be derived.
  - a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employees referral sources likely to yield qualified minority group applicants. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish which such identified sources procedures whereby minority group applicants may be referred to the contractor for employment consideration.
  - b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, he is expected to observe the provisions of that agreement to the extent that the system permits the contractor's compliance with EEO contract provisions. (The DOL has held that where implementation of such agreements have the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Executive Order 11246, as amended.)
  - c. The contractor will encourage his present employees to refer minority group applicants for employment. Information and procedures with regard to referring minority group applicants will be discussed with employees.
- 5. Personnel Actions: Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:
  - a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.
  - b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any

paid within each classification to deter

evidence of discriminatory wage practices.

- c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.
- d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with his obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of his avenues of appeal.

### 6. Training and Promotion:

- a. The contractor will assist in locating, qualifying, and increasing the skills of minority group and women employees, and applicants for employment.
- b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision.
- c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.
- d. The contractor will periodically review the training and promotion potential of minority group and women employees and will encourage eligible employees to apply for such training and promotion.
- 7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use his/her best efforts to obtain the cooperation of such unions to increase opportunities for minority groups and women within the unions, and to effect referrals by such unions of minority and female employees. Actions by the contractor either directly or through a contractor's association acting as agent will include the procedures set forth below:
  - a. The contractor will use best efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minority group members and women for membership in the unions and increasing the skills of minority group employees and women so that they may qualify for higher paying employment.
  - b. The contractor will use best efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.
  - c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to

the SHA and shall set forth what efforts have been made to obtain such information.

- d. In the event the union is unable to provide the contractor with a reasonable flow of minority and women referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minority group persons and women. (The DOL has held that it shall be no excuse that the union with which the contractor has a collective bargaining agreement providing for exclusive referral failed to refer minority employees.) In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the SHA.
- 8. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment.
  - a. The contractor shall notify all potential subcontractors and suppliers of his/her EEO obligations under this contract.
  - b. Disadvantaged business enterprises (DBE), as defined in 49 CFR 23, shall have equal opportunity to compete for and perform subcontracts which the contractor enters into pursuant to this contract. The contractor will use his best efforts to solicit bids from and to utilize DBE subcontractors or subcontractors with meaningful minority group and female representation among their employees. Contractors shall obtain lists of DBE construction firms from SHA personnel.
  - c. The contractor will use his best efforts to ensure subcontractor compliance with their EEO obligations.
- 9. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following completion of the contract work and shall be available at reasonable times and places for inspection by authorized representatives of the SHA and the FHWA.
  - a. The records kept by the contractor shall document the following:
  - (1) The number of minority and non-minority group members and women employed in each work classification on the project;
  - (2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women;
  - (3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minority and female employees; and
  - (4) The progress and efforts being made in securing the services of DBE subcontractors or subcontractors with meaningful minority and female representation among their employees.

b. The contractors will submit an annual report to the SHA each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form FHWA-1391. If on-the-job training is being required by special provision, the contractor will be required to collect and report training data.

#### **III. NONSEGREGATED FACILITIES**

(Applicable to all Federal-aid construction contracts and to all related subcontracts of \$10,000 or more.)

- a. By submission of this bid, the execution of this contract or subcontract, or the consummation of this material supply agreement or purchase order, as appropriate, the bidder, Federal-aid construction contractor, subcontractor, material supplier, or vendor, as appropriate, certifies that the firm does not maintain or provide for its employees any segregated facilities at any of its establishments, and that the firm does not permit its employees to perform their services at any location, under its control, where segregated facilities are maintained. The firm agrees that a breach of this certification is a violation of the EEO provisions of this contract. The firm further certifies that no employee will be denied access to adequate facilities on the basis of sex or disability.
- b. As used in this certification, the term "segregated facilities" means any waiting rooms, work areas, restrooms and washrooms, restaurants and other eating areas, timeclocks, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive, or are, in fact, segregated on the basis of race, color, religion, national origin, age or disability, because of habit, local custom, or otherwise. The only exception will be for the disabled when the demands for accessibility override (e.g. disabled parking).
- c. The contractor agrees that it has obtained or will obtain identical certification from proposed subcontractors or material suppliers prior to award of subcontracts or consummation of material supply agreements of \$10,000 or more and that it will retain such certifications in its files.

### IV. PAYMENT OF PREDETERMINED MINIMUM WAGE

(Applicable to all Federal-aid construction contracts exceeding \$2,000 and to all related subcontracts, except for projects located on roadways classified as local roads or rural minor collectors, which are exempt.)

#### 1. General:

a. All mechanics and laborers employed or working upon the site of the work will be paid unconditionally and not less often than once a week and without subsequent deduction or rebate on any account [except such payroll deductions as are permitted by regulations (29 CFR 3) issued by the Secretary of Labor under the Copeland Act (40 U.S.C. 276c)] the full amounts of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment. The payment shall be computed at wage rates not less than those contained in the wage determination of the Secretary of Labor (hereinafter "the wage determination") which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the

contractor or its subcontractors and such laborers and mechanics. The wage determination (including any additional classifications and wage rates conformed under paragraph 2 of this Section IV and the DOL poster (WH-1321) or Form FHWA-1495) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers. For the purpose of this Section, contributions made or costs reasonably anticipated for bona fide fringe benefits under Section 1(b)(2) of the Davis-Bacon Act (40 U.S.C. 276a) on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of Section IV, paragraph 3b, hereof. Also, for the purpose of this Section, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs, which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in paragraphs 4 and 5 of this Section IV.

- b. Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein, provided, that the employer's payroll records accurately set forth the time spent in each classification in which work is performed.
- c. All rulings and interpretations of the Davis-Bacon Act and related acts contained in 29 CFR 1, 3, and 5 are herein incorporated by reference in this contract.

#### 2. Classification:

- a. The SHA contracting officer shall require that any class of laborers or mechanics employed under the contract, which is not listed in the wage determination, shall be classified in conformance with the wage determination.
- b. The contracting officer shall approve an additional classification, wage rate and fringe benefits only when the following criteria have been met:
- (1) the work to be performed by the additional classification requested is not performed by a classification in the wage determination;
- (2) the additional classification is utilized in the area by the construction industry:
- (3) the proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination; and
- (4) with respect to helpers, when such a classification prevails in the area in which the work is performed.
- c. If the contractor or subcontractors, as appropriate, the laborers and mechanics (if known) to be employed in the additional classification or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the DOL, Administrator of the Wage and Hour Division, Employment Standards Administration, Washington, D.C. 20210. The Wage and Hour Administrator, or an authorized representative, will approve, modify, or

disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

- d. In the event the contractor or subcontractors, as appropriate, the laborers or mechanics to be employed in the additional classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the question, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for determination. Said Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advised the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.
- e. The wage rate (including fringe benefits where appropriate) determined pursuant to paragraph 2c or 2d of this Section IV shall be paid to all workers performing work in the additional classification from the first day on which work is performed in the classification.

#### 3. Payment of Fringe Benefits:

- a. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor or subcontractors, as appropriate, shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly case equivalent thereof.
- b. If the contractor or subcontractor, as appropriate, does not make payments to a trustee or other third person, he/she may consider as a part of the wages of any laborer or mechanic the amount of any cost reasonably anticipated in providing bona fide fringe benefits under a plan or program, provided that the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.
- 4. Apprentices and Trainees (Programs of the U.S. DOL) and Helpers:

### a. Apprentices:

- (1) Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the DOL, Employment and Training Administration, Bureau of Apprenticeship and Training, or with a State apprenticeship agency recognized by the Bureau, or if a person is employed in his/her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Bureau of Apprenticeship and Training or a State apprenticeship agency (where appropriate) to be eligible for probationary employment as an apprentice.
- (2) The allowable ratio of apprentices to journeyman-level employees on the job site in any craft classification shall not

be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any employee listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate listed in the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable  $\,$ wage rate on the wage determination for the work actually performed. Where a contractor or subcontractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman-level hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

- (3) Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeyman-level hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator for the Wage and Hour Division determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.
- (4) In the event the Bureau of Apprenticeship and Training, or a State apprenticeship agency recognized by the Bureau, withdraws approval of an apprenticeship program, the contractor or subcontractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the comparable work performed by regular employees until an acceptable program is approved.

#### b. Trainees:

- (1) Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the DOL, Employment and Training Administration.
- (2) The ratio of trainees to journeyman-level employees on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.
- (3) Every trainee must be paid at not less than the rate specified in the approved program for his/her level of progress, expressed as a percentage of the journeyman-level hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits

Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman-level wage rate on the wage determination which provides for less than full fringe benefits for apprentices, in which cases such trainees shall receive the same fringe benefits as apprentices.

(4) In the event the Employment and Training Administration withdraws approval of a training program, the contractor or subcontractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

#### c. Helpers:

Helpers will be permitted to work on a project if the helper classification is specified and defined on the applicable wage determination or is approved pursuant to the conformance procedure set forth in Section IV. 2. Any worker listed on a payroll at a helper wage rate, who is not a helper under a approved definition, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed.

#### 5. Apprentices and Trainees (Programs of the U.S. DOT):

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

#### 6. Withholding:

The SHA shall upon its own action or upon written request of an authorized representative of the DOL withhold, or cause to be withheld, from the contractor or subcontractor under this contract or any other Federal contract with the same prime contractor or any other Federallyassisted contract subject to Davis-Bacon prevailing wage requirements which is held by the same prime contractor, as much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainee's and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the SHA contracting officer may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

### 7. Overtime Requirements:

No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers, mechanics, watchmen, or guards (including apprentices, trainees, and helpers described in paragraphs 4 and 5 above) shall require or permit any laborer, mechanic, watchman, or guard in any workweek in which he/she is employed on such work, to work in excess of 40 hours in such workweek unless such laborer, mechanic, watchman, or guard receives compensation at a rate not less than one-and-one-half times his/her basic rate of pay for all hours worked in excess of 40 hours in such workweek.

#### 8. Violation:

Liability for Unpaid Wages; Liquidated Damages: In the event of any violation of the clause set forth in paragraph 7 above, the contractor and any subcontractor responsible thereof shall be liable to the affected employee for his/her unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory) for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer, mechanic, watchman, or guard employed in violation of the clause set forth in paragraph 7, in the sum of \$10 for each calendar day on which such employee was required or permitted to work in excess of the standard work week of 40 hours without payment of the overtime wages required by the clause set forth in paragraph 7.

9. Withholding for Unpaid Wages and Liquidated Damages:

The SHA shall; upon its own action or upon written request of any authorized representative of the DOL withhold, or cause to be withheld, from any monies payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other Federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph 8 above.

#### V. STATEMENTS AND PAYROLLS

(Applicable to all Federal-aid construction contracts exceeding \$2,000 and to all related subcontracts, except for projects located on roadways classified as local roads or rural collectors, which are exempt.)

1. Compliance with Copeland Regulations (29 CFR 3):

The contractor shall comply with the Copeland Regulations of the Secretary of Labor which are herein incorporated by reference.

- 2. Payrolls and Payroll Records:
  - a. Payrolls and basic records relating thereto shall be maintained by the contractor and each subcontractor during the course of the work and preserved for a period of 3 years from the date of completion of the contract for all laborers, mechanics, apprentices, trainees, watchmen, helpers, and guards working at the site of the work.
  - b. The payroll records shall contain the name, social security number, and address of each such employee; his or her correct classification; hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalent thereof the types described in Section 1(b)(2)(B) of the Davis Bacon Act); daily and weekly number of hours worked; deductions made; and actual wages paid. In addition, for Appalachian contracts, the payroll records shall contain a notation indicating whether the employee does, or does not, normally reside in the labor area as defined in Attachment A, paragraph 1. Whenever the Secretary of Labor, pursuant to Section IV, paragraph 3b, has found that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan

or program described in Section 1(b)(2)(B) of the Davis Bacon Act, the contractor and each subcontractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, that the plan or program has been communicated in writing to the laborers or mechanics affected, and show the cost anticipated or the actual cost incurred in providing benefits. Contractors or subcontractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprentices and trainees, and ratios and wage rates prescribed in the applicable programs.

c. Each contractor and subcontractor shall furnish, each week in which any contract work is performed, to the SHA resident engineer a payroll of wages paid each of its employees (including apprentices trainees, and helpers, described in Section IV, paragraphs 4 and 5, and watchmen and guards engaged on work during the preceding weekly payroll period).

The payroll submitted shall set out accurately and completely all of the information required to be maintained under paragraph 2b of this Section V.

This information may be submitted in any form desired. Optional Form WH-347 is available for this purpose and may be purchased from the Superintendent of Documents (Federal stock number 029-005-0014-1), U.S. Government Printing Office, Washington, D.C. 20402. The prime contractor is responsible for the submission of copies of payrolls by all suncontractors.

- d. Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the Contractor or subcontractor or his/her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
- (1) that the payroll for the payroll period contains the information required to be maintained under paragraph 2b of this Section V and that such information is correct and complete;
- (2) that such laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in the Regulations, 29 CFR 3;
- (3) that each laborer or mechanic has been paid not less that the applicable wage rate and fringe benefits or cash equivalent for the classification of worked performed, as specified in the applicable wage determination incorporated into the contract.
- e. The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 2d of this Section V.
- f. The falsification of any of the above certifications may subject the contractor to civil or criminal prosecution under 18 U/S. C. 1001 and 31 U.S.C. 231.
- g. The contractor or subcontractor shall make the records required under paragraph 2b of this Section V available for

inspection, copying, or transcription by authorized representatives of the SHA, the FHWA, or the DOL, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the SHA, the FHWA, the DOL, or all may, after written notice to the contractor, sponsor, applicant, or owner, take such actions as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

#### VI. RECORD OF MATERIALS, SUPPLIES, AND LABOR

- 1. On all federal-aid contracts on the national highway system, except those which provide solely for the installation of protective devices at railroad grade crossings, those which are constructed on a force account or direct labor basis, highway beautification contracts, and contracts for which the total final construction cost for roadway and bridge is less than \$1,000,000 (23 CFR 635) the contractor shall:
  - a. Become familiar with the list of specific materials and supplies contained in Form FHWA-47, "Statement of Materials and Labor Used by Contractor of Highway Construction Involving Federal Funds," prior to the commencement of work under this contract.
  - b. Maintain a record of the total cost of all materials and supplies purchased for and incorporated in the work, and also of the quantities of those specific materials and supplies listed on Form FHWA-47, and in the units shown on Form FHWA-47.
  - c. Furnish, upon the completion of the contract, to the SHA resident engineer on /Form FHWA-47 together with the data required in paragraph 1b relative to materials and supplies, a final labor summary of all contract work indicating the total hours worked and the total amount earned.
- 2. At the prime contractor's option, either a single report covering all contract work or separate reports for the contractor and for each subcontract shall be submitted.

### VII. SUBLETTING OR ASSIGNING THE CONTRACT

- 1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the State. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractors' own organization (23 CFR 635).
  - a. "Its own organization" shall be construed to include only workers employed and paid directly by the prime contractor and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor, assignee, or agent of the prime contractor.
  - b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid on the contract as a

whole and in general are to be limited to minor components of the overall contract.

- 2. The contract amount upon which the requirements set forth in paragraph 1 of Section VII is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.
- 3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the SHA contracting officer determines is necessary to assure the performance of the contract.
- 4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the SHA contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract.

Written consent will be given only after the SHA has assured that each subcontract is evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.

#### VIII. SAFETY: ACCIDENT PREVENTION

- 1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the SHA contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.
- 2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S. C. 333).
- 3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 333).

#### IX. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification,

distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, the following notice shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

# NOTICE TO ALL PERSONNEL ENGAGED ON FEDERAL-AID HIGHWAY PROJECTS

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined not more than \$10,000 or imprisoned not more than 5 years or both."

# X. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

(Applicable to all Federal-aid construction contracts and to all related subcontracts of \$100,000 or more).

By submission of this bid or the execution of this contract, or subcontract, as appropriate, the bidder, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

- 1. That any facility that is or will be utilized in the performance of this contract, unless such contract is exempt under the Clean Air Act, as amended (42 U.S.C. 1857 et seq., as amended by Pub.L. 91-604), and under the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251 et seq., as amended by Pub.L. 92-500), Executive Order 11738, and regulations in implementation thereof (40 CFR 15) is not listed, on the date of contract award, on the U.S. Environmental Protection Agency (EPA) List of Violating Facilities pursuant to 40 CFR 15.20.
- 2. That the firm agrees to comply and remain in compliance with all the requirements of Section 114 of the Clean Air Act and Section 308 of the Federal Water Pollution Control Act and all regulations and guidelines listed thereunder.
- 3. That the firm shall promptly notify the SHA of the receipt of

any communication from the Director, Office of Federal Activities, EPA indicating that a facility that is or will be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.

4. That the firm agrees to include or cause to be included the requirements of paragraph 1 through 4 of this Section X in every nonexempt subcontract, and further agrees to take such action as the government may direct as a means of enforcing such requirements.

# XI. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

1. Instructions for Certification - Primary Covered Transactions:

(Applicable to all Federal-aid contracts - 49 CFR 29)

- a. By signing and submitting this proposal, the prospective primary participant is providing the certification set out below.
- b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this covered transaction. The prospective participant shall submit an an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective primary participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.
- c. The certification in this clause is a material representation of fact upon which reliance was placed when the department or agency determined to enter into this transaction. If it is later determined that the prospective primary participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause of default.
- d. The prospective primary participant shall provide immediate written notice to the department or agency to whom this proposal is submitted if any time the prospective primary participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- e. The terms "covered transaction," "debarred," "suspended," "ineligible,""lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the department or agency to which this proposal is submitted for assistance in obtaining a copy of those regulations.
- f. The prospective primary participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.
- g. The prospective primary participant further agrees by submitting this proposal that it will include the clause titled

\*\*\*\*

"Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," provided by the department or agency entering into this covered transaction, without modification in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

- h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the nonprocurement portion of the "Lists of Parties Excluded from Federal Procurement or Nonprocurement Programs" (Nonprocurement List) which is compiled by the General Services Administration.
- i. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- j. Except for transactions authorized under paragraph f of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

\*\*\*\*\*

# Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Primary Covered Transactions

- 1. The prospective primary participant certifies to the best of its knowledge and belief, that it and its principals:
  - a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
  - b. Have not within a 3-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
  - c. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph 1b of this certification; and
  - d. Have not within a 3-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- 2. Where the prospective primary participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

# 2. Instructions for Certification - Lower Tier Covered Transactions:

(Applicable to all subcontracts, purchase orders and other lower tier transactions of \$25,000 or more - 49 CFR 29)

- a. By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.
- b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.
- c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.
- d. The terms "covered transaction," "debarred," "suspended," "ineligible," "primary covered transaction," "participant," "person," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations.
- e. The prospective lower tie participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
- f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
- g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the Nonprocurement List.
- h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealing.
- Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily

excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

\*\*\*\*

# Certification Regarding Debarment, Suspension, Ineligibility And Voluntary Exclusion-Lower Tier Covered Transactions:

- 1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.
- 2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

\*\*\*\*

# XII. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

(Applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 - 49 CFR 20)

- 1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief. that:
  - a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
  - b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
- 2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.
- 3. The prospective participant also agrees by submitting his or her bid or proposal that he or she shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

# MINIMUM WAGES FOR FEDERAL AND FEDERALLY ASSISTED CONSTRUCTION CONTRACTS

This project is funded, in part, with Federal-aid funds and, as such, is subject to the provisions of the Davis-Bacon Act of March 3, 1931, as amended (46 Sta. 1494, as amended, 40 U.S.C. 276a) and of other Federal statutes referred to in a 29 CFR Part 1, Appendix A, as well as such additional statutes as may from time to time be enacted containing provisions for the payment of wages determined to be prevailing by the Secretary of Labor in accordance with the Davis-Bacon Act and pursuant to the provisions of 29 CFR Part 1. The prevailing rates and fringe benefits shown in the General Wage Determination Decisions issued by the U.S. Department of Labor shall, in accordance with the provisions of the foregoing statutes, constitute the minimum wages payable on Federal and federally assisted construction projects to laborers and mechanics of the specified classes engaged on contract work of the character and in the localities described therein.

General Wage Determination Decisions, modifications and supersedes decisions thereto are to be used in accordance with the provisions of 29 CFR Parts 1 and 5. Accordingly, the applicable decision, together with any modifications issued, must be made a part of every contract for performance of the described work within the geographic area indicated as required by an applicable DBRA Federal prevailing wage law and 29 CFR Part 5. The wage rates and fringe benefits contained in the General Wage Determination Decision shall be the minimum paid by contractors and subcontractors to laborers and mechanics.

#### **NOTICE**

The most current **General Wage Determination Decisions** (wage rates) are available on the IDOT web site. They are located on the Letting and Bidding page at <a href="http://www.dot.state.il.us/desenv/delett.html">http://www.dot.state.il.us/desenv/delett.html</a>.

In addition, ten (10) days prior to the letting, the applicable Federal wage rates will be e-mailed to subscribers. It is recommended that all contractors subscribe to the Federal Wage Rates List or the Contractor's Packet through IDOT's subscription service.

PLEASE NOTE: if you have already subscribed to the Contractor's Packet you will automatically receive the Federal Wage Rates.

The instructions for subscribing are at <a href="http://www.dot.state.il.us/desenv/subsc.html">http://www.dot.state.il.us/desenv/subsc.html</a>.

If you have any questions concerning the wage rates, please contact IDOT's Chief Contract Official at 217-782-7806.