



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

June 2, 2008

SUBJECT: FAS Route 379 (IL 167)
Project ACRS-0379 (101)
Section 101 RS-2
Knox County
Contract No. 68463
Item No. 164, June 13, 2008 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page 1 of the Schedule of Prices.
2. Revised sheet 6 of the Fold-Up Plans.
3. Revised page i of the Table of Contents to the Special Provisions.
4. Added page ii to the Table of Contents to the Special Provisions.
5. Added pages 44 - 45 to the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Eric E. Harm
Interim Bureau Chief
Bureau of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger" followed by a small "P.E." to the right.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: J. E. Crowe, Region 3, District 4; Mike Renner; Estimates

TBW:RS:jc

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER - 68463

State Job # - C-94-051-05
 PPS NBR - 4-14060-0100
 County Name - KNOX--
 Code - 95 - -
 District - 4 - -
 Section Number - 101RS-2

Project Number
 ACRS-0379/101/

Route
 FAS 379

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
* X0322729	MATL TRANSFER DEVICE	TON	10,657.000				
X2503100	MOWING	UNIT	475.000				
X4067107	POL LB MM IL4.75 N50	TON	5,213.000				
21001000	GEOTECH FAB F/GR STAB	SQ YD	178.000				
21400100	GRADING & SHAP DITCH	FOOT	500.000				
31101810	SUB GRAN MAT B 12	SQ YD	171.000				
40600200	BIT MATLS PR CT	TON	67.000				
40600300	AGG PR CT	TON	384.000				
40600895	CONSTRUC TEST STRIP	EACH	1.000				
40600982	HMA SURF REM BUTT JT	SQ YD	613.000				
40600990	TEMPORARY RAMP	SQ YD	320.000				
40603335	HMA SC "D" N50	TON	10,657.000				
40800050	INCIDENTAL HMA SURF	TON	268.000				
42000500	PCC PVT 10	SQ YD	163.000				
44000152	HMA SURF REM 3/4	SQ YD	126,504.000				
* REVISED : MAY 28, 2008							

ROUTE		SECTION	COUNTY	SHEET	
FAS	379			TOTAL	NO.
MKD.	IL 167			25	6

CONTRACT NO. 68463

SUMMARY OF QUANTITIES

CODE NO	ITEM	UNIT	CONST. TYPE CODE	QUANTITY	80/20 FAS/ST TOTAL QUANTITY
21001000	GEOTECHNICAL FABRIC FOR GROUND STABILIZATION	SQ YD	178.0	178.0	178.0
21400100	GRADING AND SHAPING DITCHES	FOOT	500.0	500.0	500.0
31101810	SUB-BASE GRANULAR MATERIAL, TYPE B 12"	SQ YD	171.0	171.0	171.0
40600200	BITUMINOUS MATERIALS (PRIME COAT)	TON	67.0	67.0	67.0
40600300	AGGREGATE (PRIME COAT)	TON	384.0	384.0	384.0
40600895	CONSTRUCTING TEST STRIP	EACH	1.0	1.0	1.0
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	613.0	613.0	613.0
40600990	TEMPORARY RAMP	SQ YD	320.0	320.0	320.0
40603335	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50	TON	10,657.0	10,657.0	10,657.0
40800050	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	268.0	268.0	268.0
42000500	PORTLAND CEMENT CONCRETE PAVEMENT 10"	SQ YD	163.0	163.0	163.0
44000152	HOT-MIX ASPHALT SURFACE REMOVAL, 3/4"	SQ YD	126,504.0	126,504.0	126,504.0
44201803	CLASS D PATCHES, TYPE II, 13 INCH	SQ YD	1,047.0	1,047.0	1,047.0
44201807	CLASS D PATCHES, TYPE III, 13 INCH	SQ YD	198.0	198.0	198.0
44201809	CLASS D PATCHES, TYPE IV, 13 INCH	SQ YD	476.0	476.0	476.0
48101200	AGGREGATE SHOULDERS, TYPE B	TON	4,746.0	4,746.0	4,746.0
48203029	HOT-MIX ASPHALT SHOULDERS, 8"	SQ YD	325.0	325.0	325.0
50105220	PIPE CULVERT REMOVAL	FOOT	40.0	40.0	40.0
50800305	WELDED WIRE FABRIC 6 X 6	SQ YD	163.0	163.0	163.0
50800515	BAR SPLICERS	EACH	14.0	14.0	14.0
50822729	MATERIAL TRANSFER DEVICE	TON	10,657	10,657	10,657

* SPECIALTY ITEMS

SUMMARY OF QUANTITIES

REVISD 5-28-08

TABLE OF CONTENTS

LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
AGGREGATE QUALITY	1
TEMPERATURE CONTROL FOR CONCRETE PLACEMENT	2
DELAYED START OF MULTIPLE CONTRACTS	2
SEEDING, MINOR AREAS.....	2
MOWING.....	3
SUBBASE GRANULAR MATERIAL	3
PLACEMENT OF HOT-MIX ASPHALT SURFACE COURSES	4
HOT-MIX ASPHALT SURFACE COURSE SURFACE TESTS.....	4
HOT-MIX ASPHALT SURFACE REMOVAL, ¾" (19 MM).....	4
PIPE CULVERTS.....	7
PERMANENT SURVEY TIES.....	7
TRAFFIC CONTROL PLAN.....	7
WORK ZONE PAVEMENT MARKINGS ON MILLED SURFACES.....	7
ALKALI-SILICA REACTION FOR CAST-IN-PLACE CONCRETE (BDE)	8
AUTOMATED FLAGGER ASSISTANCE DEVICES (BDE).....	10
CEMENT (BDE)	12
ENGINEER'S FIELD OFFICE (LONG DISTANCE BILL) (BDE)	14
EPOXY PAVEMENT MARKINGS (BDE).....	14
EQUIPMENT RENTAL RATES (BDE).....	16
HOT-MIX ASPHALT - FIELD VOIDS IN THE MINERAL AGGREGATE (BDE)	17
HOT-MIX ASPHALT – PLANT TEST FREQUENCY (BDE).....	18
HOT-MIX ASPHALT – TRANSPORTATION (BDE)	19
HOT-MIX ASPHALT MIXTURE IL-4.75 (BDE)	20
PAYMENTS TO SUBCONTRACTORS (BDE)	24
PLASTIC BLOCKOUTS FOR GUARDRAIL (BDE)	25
PORTLAND CEMENT CONCRETE PLANTS (BDE)	26
RECLAIMED ASPHALT PAVEMENT (RAP) (BDE)	27
REFLECTIVE SHEETING ON CHANNELIZING DEVICES (BDE)	32
REINFORCEMENT BARS (BDE)	33
SEEDING (BDE)	34
STEEL PLATE BEAM GUARDRAIL (BDE)	35
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	36

Revised 06/02/2008

WATER BLASTER WITH VACUUM RECOVERY (BDE)..... 36
WORKING DAYS (BDE) 36
BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) (RETURN FORM WITH BID) 37
STEEL COST ADJUSTMENT (BDE) (RETURN FORM WITH BID) 40
MATERIAL TRANSFER DEVICE (BDE) 44

Revised 06/02/2008

MATERIAL TRANSFER DEVICE (BDE)

Effective Date: June 15, 1999

Revised Date: January 1, 2007

Description. This work shall consist of placing HMA surface course mixtures according to Section 406 of the Standard Specifications, except that these materials shall be placed using a material transfer device.

Materials and Equipment. The material transfer device shall have a minimum surge capacity of 15 tons (13.5 metric tons), shall be self-propelled and capable of moving independent of the paver, and shall be equipped with the following:

- (a) Front-Dump Hopper and Conveyor. The conveyor shall provide a positive restraint along the sides of the conveyor to prevent material spillage.
- (b) Paver Hopper Insert. The paver hopper insert shall have a minimum capacity of 14 tons (12.7 metric tons).
- (c) Mixer/Agitator Mechanism. This re-mixing mechanism shall consist of a segmented, anti-segregation, re-mixing auger or two full-length longitudinal paddle mixers designed for the purpose of re-mixing the hot-mix asphalt (HMA). The longitudinal paddle mixers shall be located in the paver hopper insert.

CONSTRUCTION REQUIREMENTS

General. The material transfer device shall be used for the placement of all HMA surface placed with paver excluding shoulder, side roads, mailbox turnouts and entrances. The material transfer device speed shall be adjusted to the speed of the paver to maintain a continuous, non-stop paving operation.

The material transfer device will be permitted on partially completed segments of full-depth HMA pavement if the thickness of binder in place is 10 in. (250 mm) or greater.

Structures. The material transfer device may be allowed to travel over structures under the following conditions:

- (a) Approval will be given by the Engineer.
- (b) The vehicle shall be emptied of HMA material prior to crossing the structure and shall travel at crawl speed across the structure.
- (c) The tires of the vehicle shall travel on or in close proximity and parallel to the beam and/or girder lines of the structure.

Method of Measurement. This work will be measured for payment in tons (metric tons) for surface course materials placed with a material transfer device.

Basis of Payment. This work will be paid for at the contract unit price per ton (metric ton) for MATERIAL TRANSFER DEVICE.

Added 06/02/2008

The various HMA mixtures placed with the material transfer device will be paid for as specified in their respective specifications. The Contractor may choose to use the material transfer device for other applications on this project; however, no additional compensation will be allowed.

Added 06/02/2008