

COMMITMENTS

No Commitments have been make for this Project.

PROJECT SPECIFIC NOTES

According to Article 442.01, the Contractor has the option of Class C Patches or Class D Patches for the Pavement Patching. If Class C is chosen, the material shall consist of Class PV Concrete. If Class D is chosen, the following mix design shall be used:

MIXTURE USE(S)	CLASS D PATCHES
AC/PG	PG 64-22
Rap % (max)*	15%
Design Air voids	4.0% @ N=50
Mixture Composition (Gradation Mixture)	IL 9.5 or 12.5
Friction Aggregate	Mix C

The Contractor shall verify existing beam lengths and flange widths prior to ordering Structural Steel.

GENERAL NOTES

Plan dimensions and details relative to the existing structure and roadway have been taken from existing plans and are subject to nominal construction variations. It shall be the Contractor's responsibility to verify such dimensions and details in the field and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in the scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

ENVIRONMENTAL REVIEWS

Prior to the use of any proposed borrow areas, use areas (temporary access roads, detours, run-arounds, etc.) and/or waste areas, the Contractor shall file the required environmental resource request surveys according to Section 107.22 of the Standard Specifications. These surveys are required in order for the Department to conduct cultural and biological resource surveys for the proposed site.

Prior to any waste materials being removed from the construction site the required environmental resource surveys will need to be obtained and filed by the Contractor. Excess waste products removed from the construction site shall be disposed of as required in Section 202.03 of the Standard Specifications.

Any protruding metal bars shall be removed prior to the disposal of broken concrete at approved disposal sites.

The required environmental resource documentation shall include the following:

- * BDE Form 2289 (Environmental Survey Request)
- * A location map showing the size limits and location of the use area
- * Signed property owner agreement form-D4 P10100
- * Color photographs depicting the use area
- * Borrow Area Entry Agreement form-D4 P10101

Please note that a minimum of two weeks shall be allowed for the District to obtain the required environmental clearances.

ENGINEERS FIELD OFFICE

*Add the following sentence to the end of paragraph 670.02 (i) and 670.04 (e):
All of the telephone lines provided shall have unpublished numbers.*

FILE NAME =	USER NAME = mofoedder,jk	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	COMMITMENTS - GENERAL NOTES - PROJECT SPECIFIC NOTES	F.A.I RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
ct\projects\pincrest_bridge\468803-design.dgn		DRAWN -	REVISED -			74	D4 MCHD 2008	TAZEWELL	14	2
PLOT SCALE = 100.0000' / IN.		CHECKED -	REVISED -					CONTRACT NO. 68803		
PLOT DATE = 3/28/2008		DATE -	REVISED -			FED. ROAD DIST. NO. 4		1-74		FED. AID PROJECT