

| F.A.I. RTE.         | SECTION          | COUNTY           | TOTAL SHEETS | SHEET NO. |
|---------------------|------------------|------------------|--------------|-----------|
| 72                  | (84-9)RS-6; (G)Z | SANGAMON         | 425          | 21        |
| STA.                |                  | TO STA.          |              |           |
| FED. ROAD DIST. NO. | ILLINOIS         | FED. AID PROJECT |              |           |

PATCHING SCHEDULE (SHEET 1 OF 2)

| LOCATION       | LENGTH<br>(FOOT) | LANE<br>(DL / PL) | CLASS A<br>PATCHES 11"<br>(SQ YD) | CLASS A PATCHES 11" (SPECIAL)<br>(SQ YD) |      |      | CLASS A PATCHES 15"<br>(SQ YD) |     | CLASS A PATCHES<br>15" (SPECIAL)<br>(SQ YD) |     | SAW<br>CUTS<br>(FOOT) | PATCHING<br>REINFORCEMENT<br>(SQ YD) | TIE<br>BARS<br>(EACH) |
|----------------|------------------|-------------------|-----------------------------------|--|------|------|--------------------------------|-----|---|-----|-----------------------|--------------------------------------|-----------------------|
|                |                  |                   | TY 2                              | TY 2                                     | TY3  | TY4  | TY 2                           | TY3 | TY 2  | TY3 |                       |                                      |                       |
| EASTBOUND I-72 |                  |                   |                                   |  |      |      |                                |     |   |     |                       |                                      |                       |
| STA 556+50     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 556+50     | 6.0              | PL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 557+00     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 572+00     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 527+80     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 581+25     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 586+00     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 586+00     | 6.0              | PL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 589+50     | 12.0             | PL                |                                   |  | 16.0 |      |                                |     |   |     | 60.0                  | 16.0                                 | 44                    |
| STA 597+50     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 597+50     | 6.0              | PL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 598+75     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 598+75     | 6.0              | PL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 603+50     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 603+50     | 6.0              | PL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 605+00     | 20.0             | DL                |                                   |  |      | 26.7 |                                |     |   |     | 76.0                  | 26.7                                 | 44                    |
| STA 605+00     | 6.0              | PL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 606+00     | 6.0              | DL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 606+00     | 6.0              | PL                |                                   | 8.0                                      |      |      |                                |     |   |     | 48.0                  | 8.0                                  | 44                    |
| STA 610+75     | 6.0              | DL                | 8.0                               |  |      |      |                                |     |   |     | 60.0                  | 8.0                                  |                       |
| STA 610+75     | 6.0              | PL                | 8.0                               |  |      |      |                                |     |   |     | 60.0                  | 8.0                                  |                       |
| STA 611+50     | 6.0              | DL                | 8.0                               |  |      |      |                                |     |   |     | 60.0                  | 8.0                                  |                       |
| STA 611+50     | 6.0              | PL                | 8.0                               |  |      |      |                                |     |   |     | 60.0                  | 8.0                                  |                       |
| STA 612+00     | 6.0              | DL                | 8.0                               |  |      |      |                                |     |   |     | 60.0                  | 8.0                                  |                       |
| STA 612+00     | 6.0              | PL                | 8.0                               |  |      |      |                                |     |   |     | 60.0                  | 8.0                                  |                       |
| STA 625+00     | 6.0              | DL                | 8.0                               |  |      |      |                                |     |   |     | 60.0                  | 8.0                                  |                       |

PLOT DATE = Apr-30-2008 01:45:09PM  
 FILE NAME = C:\Program Files\Autodesk\AutoCAD 2008\Projects\72679\72679.dgn  
 PLOT SCALE = 1/8" = 1' / IN.  
 USER NAME = joughlinr-1

| REVISIONS |      |
|-----------|------|
| NAME      | DATE |
|           |      |
|           |      |
|           |      |
|           |      |
|           |      |
|           |      |
|           |      |
|           |      |
|           |      |
|           |      |

ILLINOIS DEPARTMENT OF TRANSPORTATION  
 SCHEDULE OF QUANTITIES  
 FAI 72 (I-72)  
 SECTION (84-9)RS-6; (G)Z  
 SANGAMON COUNTY  
 SCALE: VERT.      DRAWN BY  
           HORIZ.      CHECKED BY  
 DATE