


LEGEND

- 8" S — NEW SANITARY
- 8" S — FUTURE SANITARY
- 8" W — ① NEW 8" WATERMAIN
- NEW 8" VALVE
- NEW FIRE HYDRANT INCLUDING ACCESSORIES
- NEW WATERMAIN PLUG
- NEW WATERMAIN CASING—
- NEW WATERMAIN - BY OTHERS
- NEW FIRE PROTECTION - BY OTHERS
- FUTURE WATERMAIN
- ② NEW 4" PVC DUCT FOR GAS SERVICE
- ③ NEW GAS SERVICE - BY OTHERS
- ④ NEW (2) 4" PVC DUCT WITH LONG G.R.S. SWEEPS FOR PRIMARY ELECTRIC SERVICE
- NEW 6'x6' TRANSFORMER PAD - UTILITY PROVIDED - CONTRACTOR INSTALLED
- ⑤ NEW (2) PVC DUCT WITH LONG G.R.S. SWEEPS FOR PRIMARY ELECTRIC - BY OTHERS
- ⑥ NEW PRIMARY ELECTRIC SERVICE - DIRECT BURY - BY OTHERS
- FUTURE PRIMARY ELECTRIC SERVICE
- NEW PRIMARY ELECTRIC METER BASE/CABINET - BY OTHERS
- ⑦ NEW (4) 4" PVC DUCTS FOR TELEPHONE/CATV/FUTURE SERVICE
- ⑧ NEW TELEPHONE SERVICE - BY OTHERS
- NEW GEOTHERMAL PIPING - BY OTHERS
- NEW SITE ELECTRIC - SEE ELECTRIC PLAN 2
- ⑨ NEW 2" COPPER WATER SERVICE - SEE NOTES 2, 3, & 4

K:\Bloomington\0508509_BMI_ARFF\Draw\Sheets
 FILE: PROPUL02.dwg
 UPDATE BY: Kristy Brad
 PLOT DATE: 4/18/2008 8:34 AM
 BASE_EXISTGEO
 BASE_EXISTTOP
 BASE_PROPGEO
 BASE_PROPDRAIN
 BASE_PROPUL02

BL064

REVISIONS		
NUMBER	BY	DATE



**BLOOMINGTON-NORMAL AIRPORT AUTHORITY
 CENTRAL ILLINOIS REGIONAL AIRPORT
 BLOOMINGTON, ILLINOIS**

**CONSTRUCT NEW ARFF FACILITY
 UTILITY PLAN 2**

© Copyright CMT, Inc.
CMT
 CRAWFORD, MURPHY & TILLY, INC.
 CONSULTING ENGINEERS
 License No. 184-000613

DESIGN BY:	RLV
DRAWN BY:	DPA
CHECKED BY:	RLV
APPROVED BY:	RLV
DATE:	04/01/2008
JOB No:	0508509
IL PROJ. NO.	BMI-3797
AIP PROJ. NO.	3-17-0006-46 & 48
SHEET	37 OF 66 SHEETS

NOTES:

1. SELECT GRANULAR BACKFILL SHALL BE USED AS BACKFILL WHERE WATERMAIN, SEWER AND UTILITY CONDUITS ARE UNDER EXISTING AND NEW PAVEMENTS.
2. INSTALLATION OF THIS SERVICE SUBJECT TO CITY REVIEW.
3. SERVICE TO BE INSTALLED IN ACCORDANCE WITH THE CITY MANUAL OF PRACTICE.
4. 2" ACCESSORIES (VALVES, PLUGS, ETC.) AS WELL AS DISINFECTION SHALL BE INCIDENTAL TO THE 2" WATERMAIN.

