TRAFFIC SIGNAL LEGEND

				111111111111111111111111111111111111111	<u> </u>		<u></u>				
ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED
CONTROLLER CABINET	R		THO USED	EMERGENCY VEHICLE LIGHT DETECTOR	R ≪	<u>EXISTINO</u>	<u>™</u>	ELECTRIC CABLE IN CONDUIT, TRACER,	NEWOVAE		<u> </u>
RAILROAD CONTROL CABINET				CONFIRMATION BEACON	R _{O-()}	○ —0	⊷	NO. 14 1/C, UNLESS NOTED OTHERWISE		<i></i>	\bigcup
COMMUNICATIONS CABINET	C C	E C C	СС		R □	_	_	COAXIAL CABLE		— <u>c</u> —	<u> </u>
MASTER CONTROLLER	00	EMC	MC	HANDHOLE						,	
MASTER MASTER CONTROLLER		EMMC	ммс	HEAVY DUTY HANDHOLE	R	Н	H	VENDOR CABLE FOR CAMERA		—	
UNINTERRUPTABLE POWER SUPPLY	UPS R	EUPS	UPS	DOUBLE HANDHOLE	R			COPPER INTERCONNECT CABLE, NO. 18 3 PAIR TWISTED, SHIELDED		<u>—</u>	<u></u>
SERVICE INSTALLATION, (P) POLE OR (G) GROUND MOUNT	- <u>-</u> -R	-D-P	- ■ P	JUNCTION BOX UNDERGROUND CONDUIT,	R 🔘		•	FIBER OPTIC CABLE NO. 62.5/125, MM12F		— <u>12</u> F—	
TELEPHONE CONNECTION (P) POLE OR (G) GROUND MOUNT	R	P	P	GALVANIZED STEEL (UC) TEMPORARY SPAN WIRE, TETHER WIRE,	R			FIBER OPTIC CABLE NO. 62.5/125, MM12F SM12F		—24F—	—(24F)—
STEEL MAST ARM ASSEMBLY AND POLE	R	O	•	AND CABLE				NO. GEISTIES, MINIEL SINIEL		,	
ALUMINUM MAST ARM ASSEMBLY AND POLE	R	0		COMMON TRENCH			СТ	FIBER OPTIC CABLE NO. 62.5/125, MM12F SM24F		<u> </u>	—(36F)—
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE	^R ○×	O - ¤	← ×	COILABLE NONMETALLIC CONDUIT (EMPTY) SYSTEM ITEM		S	CNC S	GROUND ROD AT (C) CONTROLLER,			C.
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH PTZ CAMERA	R [PīZ]]	Q———— PTZ J	● PTZ¶	INTERSECTION ITEM		I	ΙP	(H) HANDHOLE, (P) POST, (M) MAST ARM, OR (S) SERVICE		c ∥⊢∾	^c ∥ →
SIGNAL POST	R _O	0	•	REMOVE ITEM	R			CONTROLLER CABINET AND FOUNDATION TO BE REMOVED	RCF		
TEMPORARY WOOD POLE (CLASS 5 OR	R⊗	\otimes	•	RELOCATE ITEM	RL				RMF		
BETTER) 45 FOOT (13.7m) MINIMUM				ABANDON ITEM	А			STEEL MAST ARM POLE AND FOUNDATION TO BE REMOVED	ORMF		
GUY WIRE	R	>	>	12" (300mm) TRAFFIC SIGNAL SECTION		R	R	ALUMINUM MAST ARM POLE AND	RMF		
SIGNAL HEAD	\rightarrow	\rightarrow	-	12" (300mm) RED WITH 8" (200mm)		R		FOUNDATION TO BE REMOVED	<u></u>		
SIGNAL HEAD CONSTRUCTION STAGES (NUMBERS INDICATE THE CONSTRUCTION STAGE)			→ ²	YELLOW AND GREEN TRAFFIC SIGNAL FACE		<u></u>	R	STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND FOUNDATION TO BE REMOVED	RMF O-X		
SIGNAL HEAD WITH BACKPLATE	+ R	+->	+-			$\stackrel{\square}{\heartsuit}$	Y				
SIGNAL HEAD OPTICALLY PROGRAMMED	R →⊃′′P′′	- ▽ "p"	→ "P"	SIGNAL FACE			G ◆Y	SIGNAL POST AND FOUNDATION TO BE REMOVED	RPF O		
FLASHER INSTALLATION (S DENOTES SOLAR POWER)	R O- (> ′′F′′	O-D″F″	● ▶ "F"			₹ 0	◆ G	INTERSECTION & SAMPLING (SYSTEM) DETECTOR		[IS]	IS
PEDESTRIAN SIGNAL HEAD	R -	-0				R	R	SAMPLING (SYSTEM) DETECTOR		 	S
PEDESTRIAN PUSHBUTTON DETECTOR	R	©	©	SIGNAL FACE WITH BACKPLATE. "P" INDICATES PROGRAMMED HEAD		Š	Y G ◆Y	OUEUE DETECTOR		<u>[@</u>]	0
ACCESSIBLE PEDESTRIAN PUSHBUTTON DETECTOR	R APS	@APS	APS	"RB" INDICATES REFLECTIVE BACKPLATE		(*)	◆ G	PREFORMED QUEUE DETECTOR		ţPQ	PO
ILLUMINATED SIGN "NO LEFT TURN"	R			12" (300mm) PEDESTRIAN SIGNAL HEAD		/p//	"P"	PREFORMED INTERSECTION AND SAMPLING			
ILLUMINATED SIGN	R			WALK/DON'T WALK SYMBOL		DW W		(SYSTEM) DETECTOR		PIS	PIS
"NO RIGHT TURN"				12" (300mm) PEDESTRIAN SIGNAL HEAD INTERNATIONAL SYMBOL, OUTLINED				PREFORMED SAMPLING (SYSTEM) DETECTOR		ÎPSÎ	PS
DETECTOR LOOP, TYPE I		¹ ¹		12" (300mm) PEDESTRIAN SIGNAL HEAD			•				
PREFORMED DETECTOR LOOP		۱ P ۱ ۱ - س	Р	INTERNATIONAL SYMBOL, SOLID		(×	RAILROAD SYMBOLS			
MICROWAVE VEHICLE SENSOR	R M	M	M	PEDESTRIAN SIGNAL HEAD, INTERNATIONAL SYMBOL, WITH COUNTDOWN TIMER		● C ※ D	₽ C ☆ D			<u>EXISTING</u>	PROPOSED
VIDEO DETECTION CAMERA	R [V]⊅	(V)	▽ •	RADIO INTERCONNECT	 	##+0	 •	RAILROAD CONTROL CABINET			R►R
VIDEO DETECTION ZONE				RADIO REPEATER	RERR	ERR	RR	RAILROAD CANTILEVER MAST ARM		$X \circ \overline{X} = \overline{X} \circ X$	X QX X
PAN TILT ZOOM CAMEDA	R	<u>Pīz</u> ņ	PTZ (DENOTES NUMBER OF CONDUCTORS, ELECTRIC	EKK	EUK	_ RR	FLASHING SIGNAL		$\boxtimes \ominus \boxtimes$	X⊖X
PAN, TILT, ZOOM CAMERA WIRELESS DETECTOR SENSOR	PTZ)1 R		₩)	CABLE NO. 14, UNLESS NOTED OTHERWISE, ALL DETECTOR LOOP CABLE TO BE SHIELDED				CROSSING GATE		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	***
WIRELESS ACCESS POINT	R D			GROUND CABLE IN CONDUIT NO. 6 SOLID COPPER (GREEN)			1	CROSSBUCK		≥ ≤	*
ILE NAME = USER NAME = paraynoal		DESIGNED - DAG/BCK	REVISED	- DAG 1-1-14		•		DISTRICT ONE	F.A.P. RTE.	SECTION	COUNTY TOTAL SH
c:\pw_work\pwidot\paraynoal\d0383085\Di tStd.dgn PLOT SCALE = 100.0000 '.		DRAWN - BCK CHECKED - DAD	REVISED REVISED		STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION			DISTRICT ONE STANDARD TRAFFIC SIGNAL DESIGN DETAILS	852	18-RS-6	WILL 26 25
PLOT DATE = 4/4/2014		DATE - 10-28-09	REVISED	- DEFANTIVIENT	OI INANSP	CHIAHUN	SCALE: NO	NE SHEET NO. 1 OF 7 SHEETS STA. TO ST	A. FED. RO	TS-05 AD DIST. NO. 1 ILLINOIS FE	CONTRACT NO. 60NO