

IL 47 SOUTH OF YORKVILLE REPAIR SCHEDULE														
LOCATION LOG MILES	LENGTH	MAINLINE		*HMA SURF 2"	MIX FOR CRKS, JTS FLANGE	LEVEL BIND HM N70	HMA SURF CSE MIX D N70	BIT MAT PRIME COAT	RAISE REFL PAVT MARK REM	PAINT PAVT MARK		SHORT TERM PAVT MARK	WORK ZONE PAVT MARK REM	
		WIDTH	AREA							LINE 4"	LINE 6"			
		FT	SQ YD							2 APPLICATIONS				FOOT
NORTHBOUND														
0.00 CATON FARM ROAD														
0.00 - 0.10	500	4	222.2	222.2	0.07	0.11	24.89	100.0			1000			
0.20 - 0.40	1350	11	1650.0	1650.0	0.50	0.83	184.80	742.5	17		5400	700	135	
0.60 - 0.70	500	11	611.1	611.1	0.18	0.31	68.44	275.0	6		2000	260	50	
2.50	500	4	222.2	222.2	0.07	0.11	24.89	100.0			1000			
2.80 - 3.00	1350	11	1650.0	1650.0	0.50	0.83	184.80	742.5	17		5400	700	135	
SOUTHBOUND														
0.00 CATON FARM ROAD														
0.00 - 0.10	500	4	222.2	222.2	0.07	0.11	24.89	100.0			1000			
1.20 - 1.40	1000	11	1222.2	1222.2	0.37	0.61	136.89	550.0	13		4000	500	100	
2.10 - 2.20	500	11	611.1	611.1	0.18	0.31	68.44	275.0	6		2000	250	50	
2.80 - 3.00	1000	11	1222.2	1222.2	0.37	0.61	136.89	550.0	13		4000	500	100	
3.30 - 3.40	500	11	611.1	611.1	0.18	0.31	68.44	275.0	6		2000	250	50	
TOTAL			8244.4	8244	2	4	923	3710	78		27800	3160	620	206

•THIS LOCATION TO USE HMA SURFACE REMOVAL MILLINGS ON LOW SHOULDERS

IL 47 MORRIS REPAIR SCHEDULE																
LOCATION	LENGTH	MAINLINE		HMA SURF 2"	MIX FOR CRKS, JTS FLANGE	LEVEL BIND HM N70	HMA SURF CSE MIX E N90	BIT MAT PRIME COAT	RAISE REFL PAVT MARK REM	MODIFIED URETHANE					SHORT TERM PAVT MARK	WORK ZONE PAVT MARK REM
		WIDTH	AREA							LINE 4"	LINE 6"	LINE 8"	LINE 12"	LINE 24"		
		FT	SQ YD							FOOT	FOOT	FOOT	FOOT	FOOT		
NORTHBOUND																
FROM SN 032-0086 TO 500' NORTH																
DRIVING LANE	500	12	666.7	666.7	0.20	0.33	74.67	300.0	6							
PASSING LANE	500	12	666.7	666.7	0.20	0.33	74.67	300.0	6	500	130			50	16.7	
FROM WAVERLY ST TO CONC S. OF US 6(E)																
DRIVING LANE	3700	12	4933.3	4933.3	1.48	2.47	552.53	2220.0	46		930		126	36	370	123.2
SOUTHBOUND																
FROM SN 032-0086 TO 500' NORTH																
DRIVING LANE	500	12	666.7	666.7	0.20	0.33	74.67	300.0	6		130			50	16.7	
FROM WAVERLY ST TO CONC S. OF US 6(E)																
DRIVING LANE	3700	12	4933.3	4933.3	1.48	2.47	552.53	2220.0	46		930	523	126	24	370	123.2
BEDFORD ST TO MAPLE ST CENTERLINE	600	4	266.7	266.7	0.08	0.13	29.87	120.0	8		100			60	20.0	
20 TRANSVERSE PATCHES 6' X 12' X 2"DEEP	6	12	160.0	160.0	0.05	0.08	17.92	3.6								
TOTAL			12293.3	12293	4	6	1377	5464	119	500	2220	523	252	60	900	300

IL 47 MORRIS CURB & SIDEWALK SCHEDULE					
DESCRIPTION	COMB. CURB & GUTTER REM	CC&G TYPE B-6.24	SIDEWALK REM	PCC SIDEWALK 4"	DETECTABLE WARNING
	FOOT	FOOT	SQ FT	SQ FT	SQ FT
BEDFORD ST					
SOUTHEAST QUAD	9	9	65	65	12
GEORGE ST					
SOUTHEAST QUAD	9	9	65	65	12
SOUTHWEST QUAD	28	28	126	126	12
NORTHWEST QUAD	21	21	85	85	12
NORTHEAST QUAD	9	9	65	65	12
TOTAL	76	76	406	406	60