



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

June 6, 2014

SUBJECT: FAP Route 799 (Martin L. King Dr.)
Project ACNHPP-0799(003)
Section 1BR, DRS-2
St. Clair County
Contract No. 76B03
Item No. 251, June 13, 2014 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised plans sheet No. 21
2. Revised Table of Contents to the Special Provisions page ii
3. Revised pages 65-86 of the Special Provisions

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John D. Baranzelli, P.E.
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E." with a small "P.E." to the right.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: Jeffrey L. Keirn, Region 5, District 8; Matt Mueller, Tim Kell; D. Carl Puzey; Estimates

HM/kf

INCENTIVE/DISINCENTIVE 49

CONCRETE BARRIER REPAIR 50

COORDINATION OF RAIL TRAFFIC 53

FIELD MEASUREMENTS 53

STATUS OF UTILITIES TO BE ADJUSTED 54

RADAR SPEED TRAILER (BDE) 55

RAILROAD PROTECTIVE LIABILITY INSURANCE (5 AND 10) (BDE) 56

DRAINAGE SYSTEM 57

JACKING EXISTING SUPERSTRUCTURE 58

CLEANING AND PAINTING CONTACT SURFACE AREAS OF EXISTING STEEL
 STRUCTURES 59

CONTAINMENT AND DISPOSAL OF LEAD PAINT CLEANING RESIDUES 86

DECK SLAB REPAIR 111

SILICONE BRIDGE JOINT SEALER 116

STRUCTURAL REPAIR OF CONCRETE 120

STRUCTURAL ASSESSMENT REPORTS FOR CONTRACTOR’S MEANS AND METHODS
 130

BRIDGE DECK CONSTRUCTION 134

CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE) 137

CONTRACT CLAIMS (BDE) 139

DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE) 140

GROOVING FOR RECESSED PAVEMENT MARKINGS (BDE) 150

PAYROLLS AND PAYROLL RECORDS (BDE) 152

PORTLAND CEMENT CONCRETE EQUIPMENT (BDE) 154

PROGRESS PAYMENTS (BDE) 154

REINFORCEMENT BARS (BDE) 155

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE) 157

REMOVAL AND DISPOSAL OF SURPLUS MATERIALS (BDE) 161

TRACKING THE USE OF PESTICIDES (BDE) 162

TRAFFIC CONTROL SETUP AND REMOVAL FREEWAY/EXPRESSWAY (BDE) 162

All other project waste shall be removed from the site according to Federal, State and Local regulations, with all waste removed from the site prior to final Contractor demobilization.

The Contractor shall make arrangements to have other hazardous waste, which he/she generates, such as used paint solvent, transported to the Contractor's facility at the end of each day that this waste is generated. These hazardous wastes shall be manifested using the Contractor's own generator number to a treatment or disposal facility from the Contractor's facility. The Contractor shall not combine solvents or other wastes with cleaning residue wastes. All waste streams shall be stored in separate containers.

The Contractor is responsible for the payment of any fines and undertaking any clean up activities mandated by State or federal environmental agencies for improper waste handling, storage, transportation, or disposal.

Contractor personnel shall be trained in the proper handling of hazardous waste, and the necessary notification and clean up requirements in the event of a spill. The Contractor shall maintain a copy of the personnel training records at each bridge site.

It is understood and agreed that the cost of all work outlined above, unless otherwise specified, has been included in the bid, and no extra compensation will be allowed.

Basis of Payment: This work will be considered included in the cost of "Furnishing and Erecting Structural Steel", "Erecting Structural Steel", or "Structural Steel Repair", as applicable, according to the Standard Specifications, unless otherwise specified on the plans.

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

--This page intentionally left blank.--

Revised 6/6/14

CONTAINMENT AND DISPOSAL OF LEAD PAINT CLEANING RESIDUES

Effective: October 2, 2001

Revised: April 30, 2010

Description. This work shall consist of the containment, collection, temporary storage, transportation and disposal of waste from lead paint removal projects. Waste requiring containment and control includes, but is not limited to, old paint, spent abrasives, corrosion products, mill scale, dirt, dust, grease, oil, salts, and water used for cleaning the surface of existing lead coatings prior to over coating.

Revised 6/6/14