

MIX DESIGN

Location(s):	Hot-Mix Asphalt Surface Course
Mixture Use(s)	Polymerized Hot-Mix Asphalt Surface Course, Mix D, N90
AC/PG	SBS PG76-22
RAP% (Max):	See Special Provision
Design Air Voids:	4.0%, 90 Gyration Design
Mixture Composition: (Gradation Mixture)	IL-9.5 mm
Friction Aggregate:	D Surface
Quality Management Program:	QCP

Location(s):	Hot-Mix Asphalt Leveling Binder Course
Mixture Use(s)	Polymerized Hot-Mix Asphalt Leveling Binder Course, N90, IL-9.5mm Fine-Graded
AC/PG	SBS PG76-22
RAP% (Max):	See Special Provision
Design Air Voids:	4.0%, 90 Gyration Design
Mixture Composition: (Gradation Mixture)	IL-9.5 mm Fine-Graded
Friction Aggregate:	None
Quality Management Program:	QCP

Location(s):	Pavement Patching
Mixture Use(s)	Hot-Mix Asphalt Binder Course, N90, IL-19.0 mm Fine Grade
AC/PG	PG64-22
RAP% (Max):	See Special Provision
Design Air Voids:	4.0%, 90 Gyration Design
Mixture Composition: (Gradation Mixture)	IL-19.0 mm Fine Grade
Friction Aggregate:	None
Quality Management Program:	QC/OA

FILE NAME :	USER NAME : *USER*	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	MIX DESIGN	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
c:\pwork\puidot\ccolenn\0381740\78413	shtrplan.dgn	DRAWN -	REVISED -			322	4RS-5	PERRY	24	5	
MODELNAME#	FL0T SCALE = 1:80,000 / 1"	CHECKED -	REVISED -			SCALE: SHEET OF SHEETS STA. TO STA.		CONTRACT NO. 78413			
	FL0T DATE = 3/19/2014	DATE -	REVISED -			ILLINOIS FED. AID PROJECT					