

June 5, 2013

SUBJECT: Route Park Roads Section Park Roads Jasper County Contract No. 46255 Item No. 239, June 14, 2013 Letting Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Replaced the Schedule of Prices.
- 2. Revised sheets 7, 28, 42 and 54 of the Plans.
- 3. Revised pages 27 and 28 of the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John D. Baranzelli, P. E. Acting Engineer of Design and Environment

Sutte alachbyen AE.

By: Ted B. Walschleger, P. E. Engineer of Project Management

cc: Roger Driskell, Region 4, District 6; Mike Renner; Estimates

dp

State Job # - C-30-008-13

Project Number

Route

PARK ROAD

County Name -JASPER- -Code -79 - -District -7 - -Section Number -PARK ROADS

*REVISED: JUNE 4, 2013

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
XX007469	UPLIGHTS	EACH	1.000				
XX007797	LUMINAIRE SPL	EACH	15.000				
X0300019	REM REIN PARKING BLKS	EACH	41.000				
X0300249	REMOV EX GATE	EACH	4.000				
X0301339	REM EX PARKING BLOCKS	EACH	53.000				
X0323013	TUBULAR STEEL GATE	EACH	3.000				
X0323265	REMOVE EXIST RIPRAP	SQ YD	178.000				
X0323407	FLAG POLES	EACH	1.000				
X0324390	FLOOD LIGHTING UNIT	EACH	1.000				
X0324840	DISKING	ACRE	1.000				
X0325800	PARK LOT SEAL CT	SQ YD	27,071.000				
X0326218	FIBR MOD ASP CRK SEAL	FOOT	13,738.000				
X0326357		L SUM	1.000		<u> </u>		
X0326406		EACH	1.000				
	LOC UNDERGR UTILITIES	L SUM	1.000		_		

Page 1 6/6/2013

State Job # -

Project Number

Route

PARK ROAD

County Name -JASPER--Code -79 - -District -7 - -

PARK ROADS

Section Number -

*REVISED: JUNE 4, 2013

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
X0329905	REL GATE POST & GATE	EACH	1.000				
X4400196	HMA SURF REM SPL	SQ YD	3,662.000				
X4421000	PARTIAL DEPTH PATCH	TON	62.000				
X5420612	PIPE CULV CLEANED 12	FOOT	147.000				
X5420615	PIPE CULV CLEANED 15	FOOT	136.000				
X5420618	PIPE CULV CLEANED 18	FOOT	33.000				
X5420624	PIPE CULV CLEANED 24	FOOT	157.000				
X5420636	PIPE CULV CLEANED 36	FOOT	78.000				
X5610012	CAP EXIST WATER MAIN	EACH	1.000				
X6350120	DELINEATOR REMOVAL	EACH	9.000				
X7010216	TRAF CONT & PROT SPL	L SUM	1.000				
Z0004002	BOLLARDS	EACH	222.000				
Z0005305	BOX CUL TO BE CLEANED	FOOT	30.000				
Z0007601	BLDG REMOV NO 1	L SUM	1.000				
Z0013798	CONSTRUCTION LAYOUT	L SUM	1.000				

Page 2 6/6/2013

C-30-008-13

Project Number

Route

PARK ROAD

County Name -JASPER--Code -79 - -District -7 - -Section Number -PARK ROADS

*REVISED: JUNE 4, 2013

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
Z0054500	ROCK FILL	TON	404.000				
20200100	EARTH EXCAVATION	CU YD	1,433.000				
20201200	REM & DISP UNS MATL	CU YD	207.000				
20800150	TRENCH BACKFILL	CU YD	27.000				
21101615	TOPSOIL F & P 4	SQ YD	7,519.000				
21101805	COMPOST F & P 2	SQ YD	4,184.000				
21400100	GRADING & SHAP DITCH	FOOT	428.000				
25000110	SEEDING CL 1A	ACRE	3.000				
25000400	NITROGEN FERT NUTR	POUND	270.000				
25000500	PHOSPHORUS FERT NUTR	POUND	270.000				
25000600	POTASSIUM FERT NUTR	POUND	270.000				
25000700	AGR GROUND LIMESTONE	TON	6.000				
25100115	MULCH METHOD 2	ACRE	1.500				
25100630	EROSION CONTR BLANKET	SQ YD	6,838.000				
28000305	TEMP DITCH CHECKS	FOOT	144.000				

C-30-008-13 State Job # -

C-30-008-13 State Job # -

Project Number

Route

PARK ROAD

County Name -JASPER--Code -79 - -District -7 - -Section Number -

PARK ROADS

*REVISED: JUNE 4, 2013

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
28000400	PERIMETER EROS BAR	FOOT	1,575.000				
28000500	INLET & PIPE PROTECT	EACH	14.000				
28100105	STONE RIPRAP CL A3	SQ YD	39.000				
28200200	FILTER FABRIC	SQ YD	306.000				
35101400	AGG BASE CSE B	TON	2,109.300				
35200300	PROC SOIL-CEM BC 8	SQ YD	6,662.000				
35200500	CEMENT	100 WT	3,757.000				
35800100	PREPARATION OF BASE	SQ YD	6,662.000				
40200800	AGG SURF CSE B	TON	478.200				
40600100	BIT MATLS PR CT	GALLON	6,038.000				
40600625	LEV BIND MM N50	TON	133.100				
40600982	HMA SURF REM BUTT JT	SQ YD	136.000				
40603080	HMA BC IL-19.0 N50	TON	1,776.200				
40603310	HMA SC "C" N50	TON	2,065.100				
42400300	PC CONC SIDEWALK 6	SQ FT	1,550.000				

Page 4 6/6/2013

C-30-008-13 State Job # -

Project Number

Route

PARK ROAD

County Name -JASPER--Code -79 - -District -7 - -

PARK ROADS

Section Number -

*REVISED: JUNE 4, 2013

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
42400800	DETECTABLE WARNINGS	SQ FT	77.000				
44000100	PAVEMENT REM	SQ YD	430.000				
44000600	SIDEWALK REM	SQ FT	507.000				
44201723	CL D PATCH T4 6	SQ YD	100.000				
44300100	AREA REF CR CON TREAT	SQ YD	2,693.000				
48102100	AGG WEDGE SHLD TYPE B	TON	1,230.300				
50105220	PIPE CULVERT REMOV	FOOT	168.000				
542A0217	P CUL CL A 1 12	FOOT	64.000				
542A0220	P CUL CL A 1 15	FOOT	68.000				
	P CUL CL D 1 12	FOOT	48.000				
54213657	PRC FLAR END SEC 12	EACH	4.000				
54213660		EACH	2.000				
54215547		EACH	2.000		•		
54215553		EACH	2.000				
	FRENCH DRAINS		54.000				

Page 5 6/6/2013

Project Number

Route

PARK ROAD

County Name -JASPER - -Code -79 - -District -7 - -

PARK ROADS

Section Number -

*REVISED: JUNE 4, 2013

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
60100085	GEO FAB-FRENCH DRAIN	SQ YD	132.000				
60900515	CONC THRUST BLOCKS	EACH	1.000				
67000500	ENGR FIELD OFFICE B	CAL MO	9.000				
67100100	MOBILIZATION	L SUM	1.000				
72000100	SIGN PANEL T1	SQ FT	183.000				
72400100	REMOV SIN PAN ASSY TA	EACH	14.000				
72800100	TELES STL SIN SUPPORT	FOOT	238.000				
73000100	WOOD SIN SUPPORT	FOOT	279.500				
78001100	PT PVT MK LTRS & SYMB	SQ FT	143.000				
78001110	PAINT PVT MK LINE 4	FOOT	13,775.000				
80400100	ELECT SERV INSTALL	EACH	1.000				
81028320	UNDRGRD C PVC 1	FOOT	289.000				
81702110	EC C XLP USE 1C 10	FOOT	1,034.000				
83057012	LT P WD 30 CL 5	EACH	2.000				
84200600	REM LT U NO SALV	EACH	14.000				

Page 6 6/6/2013

State Job # - C-30-008-13

State Job # - C-30-008-13

Project Number

Route

PARK ROAD

County Name -JASPER- -Code -79 - -District -7 - -Section Number -PARK ROADS

*REVISED: JUNE 4, 2013

Item Unit of Number **Pay Item Description** Measure **Unit Price Total Price** Quantity х = 84500120 REMOV ELECT SERV INST EACH 1.000 *ADD *DEL 89500120 REM EX SERV INSTALL EACH 1.000

Page 7 6/6/2013

LUMINAIRE (SPECIAL)

This work shall consist of furnishing and installing a luminaire, LED, 8500 lumen, photocell control in accordance with Section 821 of the Standard Specifications, the details in the plans, and the following additions or exceptions.

This fixture and mounting arm shall be installed onto a wood pole as furnished as part of this contract.

The full cut-off luminaire shall have a structured LED array to provide 8700 initial lumens at 5700K. Distribution shall be IES Distribution Type 3, asymmetric medium. Luminaire shall utilize a 4-bolt slip fitter with +/-5 degrees of adjustment for leveling. Provide luminaire with optional level and tool less entry. Luminaire shall be suitable for use on a 120 volt system. It shall have an individual photocell. The luminaire enclosure shall be IP65 rated and be Gray in color.

The luminaire shall be the GE ERS LED series, number ERS2-0-FX-EX-5-57-2-GRAY-ELT, or approved equal.

This work will be paid for at the contract unit price each for LUMINAIRE (SPECIAL) which price shall include all labor, equipment, and material necessary to complete the work as specified.

LIGHT POLE, WOOD, 30 FOOT, CLASS 5

This work shall consist of furnishing and installing a 30' wood light pole in accordance with Section 830 of the Standard Specifications, the details in the plans, and the following additions or exceptions.

The light pole installation shall also include furnishing and installing the 6' davit mounting arm(s) as shown on the plan details. This will require one (1) davit arm for the North Site and two (2) for the South Site.

This work will be measured and paid for at the contract unit price per each for LIGHT POLE, WOOD, 30 FOOT, CLASS 5, which price shall include all labor, equipment, and material necessary to furnish and install a wood pole with a 6' mounting davit arm(s).

Revised 6-4-13

UPLIGHTS

This work shall consist of furnishing and installing a flood light luminaire at the proposed flag pole near the park office at the North Site in accordance with Section 821 of the Standard Specifications, the details in the plans, and the following additions or exceptions.

This fixture shall be installed onto galvanized rigid steel conduit that shall be supported by a concrete foundation as shown in the plans.

The flood light shall be LED, Four Engine, minimum 5,500 lumens, multivolt ballast with vandal guard and natural aluminum in color. Distribution shall be medium spot NEMA 3 by 3 (narrow) and should be mounted 10 feet away from flag. Luminaire shall be suitable for use on a 120/240 volt system. Control will be from individual photo-cell. The luminaire shall be made of die-cast aluminum and enclosure shall be IP65 rated.

The luminaire shall be Lithonia number DSFX2-LED-4-A530/50K-MSP-MVOLT-PE-DNAXD, or approved equal.

This work will be paid for at the contract unit price per each for UPLIGHTS, which price shall include all labor, equipment, and material necessary to complete the work as specified, including the concrete foundation.

FLOOD LIGHTING UNIT

This work shall consist of furnishing and installing a flood light luminaire on the existing pole near the boat ramp at the South Site in accordance with Section 821 of the Standard Specifications, the details in the plans, and the following additions or exceptions.

This fixture shall be installed onto existing pole, at the same approximate height as the existing fixture (approximately 28 feet). All mounting hardware required for installation shall be included. The fixtures shall be aimed for optimal light onto existing dock. The Contractor will be required to aim during nighttime hours in the presence and acceptance of the onsite representatives.

The flood light shall be LED, Four Engine, minimum 5,500 lumens, multivolt ballast and be natural aluminum in color. Distribution shall be medium spot NEMA 3 by 3 (narrow) and should be mounted 10 feet away from flag. Luminaire shall be suitable for use on a 120/240 volt system. Control will be from individual photo-cell. The luminaire shall be made of die-cast aluminum and enclosure shall be IP65 rated.

The luminaire shall be Lithonia number DSFX2-LED-4-A530/50K-MSP-MVOLT-PE-DNAXD, or approved equal.

This work will be paid for at the contract unit price each for FLOOD LIGHTING UNIT, which price shall include all labor, equipment, and material necessary to complete the work as specified.

Revised 6-4-13