

**GIRDER 1**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk S Abut	20+08.24	-23.83	754.41	754.41
☉ Brg S Abut	20+09.17	-23.83	754.46	754.46
E	20+18.87	-23.83	755.02	755.07
F	20+28.56	-23.83	755.55	755.65
G	20+38.26	-23.83	756.05	756.17
H	20+47.96	-23.83	756.52	756.66
I	20+57.66	-23.83	756.96	757.10
J	20+67.35	-23.83	757.37	757.49
K	20+77.05	-23.83	757.74	757.84
L	20+86.75	-23.83	758.09	758.15
M	20+96.45	-23.83	758.41	758.44
N	21+06.14	-23.83	758.70	758.70
O	21+15.84	-23.83	758.96	758.95
☉ Pier	21+29.17	-23.83	759.27	759.27
P	21+38.87	-23.83	759.46	759.49
Q	21+48.56	-23.83	759.62	759.69
R	21+58.26	-23.83	759.75	759.88
S	21+67.96	-23.83	759.85	760.04
T	21+77.66	-23.83	759.92	760.17
U	21+87.35	-23.83	759.96	760.26
V	21+97.05	-23.83	759.97	760.30
W	22+06.75	-23.83	759.95	760.30
X	22+16.45	-23.83	759.90	760.24
Y	22+26.14	-23.83	759.82	760.13
Z	22+35.84	-23.83	759.73	759.99
AI	22+45.54	-23.83	759.64	759.82
BI	22+55.23	-23.83	759.55	759.64
☉ Brg N Abut	22+65.17	-23.83	759.45	759.45
BK N Abut	22+66.10	-23.83	759.44	759.44

**GIRDER 2**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk S Abut	20+08.23	-18.00	754.52	754.52
☉ Brg S Abut	20+09.17	-18.00	754.58	754.58
E	20+18.94	-18.00	755.14	755.19
F	20+28.71	-18.00	755.67	755.76
G	20+38.48	-18.00	756.18	756.29
H	20+48.25	-18.00	756.65	756.78
I	20+58.02	-18.00	757.09	757.22
J	20+67.79	-18.00	757.50	757.62
K	20+77.56	-18.00	757.88	757.97
L	20+87.33	-18.00	758.23	758.29
M	20+97.10	-18.00	758.55	758.58
N	21+06.87	-18.00	758.84	758.84
O	21+16.64	-18.00	759.10	759.09
☉ Pier	21+29.17	-18.00	759.39	759.39
P	21+38.94	-18.00	759.58	759.61
Q	21+48.71	-18.00	759.74	759.81
R	21+58.48	-18.00	759.87	759.99
S	21+68.25	-18.00	759.97	760.15
T	21+78.02	-18.00	760.04	760.27
U	21+87.79	-18.00	760.08	760.35
V	21+97.56	-18.00	760.09	760.39
W	22+07.33	-18.00	760.06	760.38
X	22+17.10	-18.00	760.01	760.32
Y	22+26.87	-18.00	759.93	760.20
Z	22+36.64	-18.00	759.84	760.06
AI	22+46.41	-18.00	759.75	759.91
BI	22+56.18	-18.00	759.65	759.74
☉ Brg N Abut	22+65.17	-18.00	759.57	759.57
BK N Abut	22+66.11	-18.00	759.56	759.56

**GIRDER 3**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk S Abut	20+08.23	-12.17	754.54	754.54
☉ Brg S Abut	20+09.17	-12.17	754.60	754.60
E	20+19.01	-12.17	755.17	755.21
F	20+28.86	-12.17	755.70	755.78
G	20+38.70	-12.17	756.21	756.32
H	20+48.54	-12.17	756.68	756.80
I	20+58.39	-12.17	757.13	757.25
J	20+68.23	-12.17	757.54	757.65
K	20+78.07	-12.17	757.92	758.01
L	20+87.92	-12.17	758.27	758.32
M	20+97.76	-12.17	758.59	758.62
N	21+07.60	-12.17	758.88	758.88
O	21+17.44	-12.17	759.14	759.13
☉ Pier	21+29.17	-12.17	759.41	759.41
P	21+39.01	-12.17	759.60	759.63
Q	21+48.86	-12.17	759.76	759.82
R	21+58.70	-12.17	759.89	760.00
S	21+68.54	-12.17	759.99	760.15
T	21+78.39	-12.17	760.06	760.27
U	21+88.23	-12.17	760.10	760.35
V	21+98.07	-12.17	760.11	760.38
W	22+07.92	-12.17	760.08	760.37
X	22+17.76	-12.17	760.03	760.31
Y	22+27.60	-12.17	759.94	760.19
Z	22+37.44	-12.17	759.85	760.05
AI	22+47.29	-12.17	759.76	759.90
BI	22+57.13	-12.17	759.67	759.73
☉ Brg N Abut	22+65.17	-12.17	759.59	759.59
BK N Abut	22+66.11	-12.17	759.58	759.58